DISPLAY COPY

AN ANNOTATED BIBLIOGRAPHY ON THE BIOLOGY OF PACIFIC TUNAS

BY BELL M. SHIMADA

FISHERY BULLETIN 58

UNITED STATES DEPARTMENT OF THE INTERIOR, Oscar L. Chapman, *Secretary*

FISH AND WILDLIFE SERVICE, Albert M. Day, *Director*

ABSTRACT

With the initiation of studies of the biology, ecology, and behavior of Pacific tunas by the Pacific Oceanic Fishery Investigations, U. S. Fish and Wildlife Service, in the Hawaiian Islands in 1948 the need for a current systematic compilation of scientific papers dealing with the biology of Pacific tunas became pressing. This bibliography was prepared for the use of the biologists and technicians working in the Investigations as well as for tuna researchers in general, and contains many references to Japanese research, the results of which have hitherto not been generally available outside Japan.

UNITED STATES DEPARTMENT OF THE INTERIOR, OSCAR L. CHAPMAN, *Secretary*
FISH AND WILDLIFE SERVICE, ALBERT M. DAY, *Director*

AN ANNOTATED BIBLIOGRAPHY ON THE BIOLOGY OF PACIFIC TUNAS

By BELL M. SHIMADA

FISHERY BULLETIN 58

From Fishery Bulletin of the Fish and Wildlife Service

VOLUME 52

UNITED STATES GOVERNMENT PRINTING OFFICE - WASHINGTON : 1951

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.
Price 30 cents

CONTENTS

	Page
Introduction	1
Annotated bibliography	3
Abbreviations used	25
Index by subjects	28

AN ANNOTATED BIBLIOGRAPHY ON THE BIOLOGY OF PACIFIC TUNAS

By Bell M. Shimada, *Fishery Research Biologist*

Studies were begun in 1948 by the Pacific Oceanic Fishery Investigations of the U. S. Fish and Wildlife Service to gather fundamental data on the life histories, ecology, and behavior of the various species of Pacific tunas. Early in the planning of the research program conducted from the Hawaiian Islands, it was recognized that review and systematic compilation of the literature on these subjects were essential to the effective guidance of the projected research. The principal reference work available was the bibliography of the tunas prepared some 20 years ago by Genevieve Corwin (see Corwin 1930, in the Bibliography, p. 5). To meet the needs of the workers in the Investigations, and to assist tuna researchers in general, the preparation of this bibliography was undertaken.

The bibliography deals chiefly with the black skipjacks or little tunnies (*Euthynnus alletteratus*, *E. lineatus*, and *E. yaito*), the oceanic or common skipjack (*Katsuwonus pelamis*), the albacore (*Thunnus germo*), the bluefin or black tunas (*Thunnus maccoyi*, *T. orientalis*, and *T. thynnus*), the big-eyed tunas (*Parathunnus mebachi* and *P. sibi*), the yellowfin tuna (*Neothunnus macropterus*), and the frigate mackerels of the genus *Auxis*. Synonymous and related species reported from the Pacific Ocean are included. Waters contiguous to the Indo-Australian Archipelago have been considered as a part of the Pacific Ocean proper, inasmuch as many of the important studies of tuna species occurring in the Pacific Ocean were based on data gathered in that region.

In the review of the literature, some preliminary work was done at Stanford University, Palo Alto, and at the California Academy of Sciences, San Francisco, California. The libraries of the Bernice Pauahi Bishop Museum, the University of Hawaii, and the Territorial Board of Agriculture and Forestry in Honolulu, and private collections of staff members of the Investigations were particularly productive of material. The Japanese references were gathered by a reconnaissance team in Japan from November 1948 to July 1949 investigating the results of Japanese tuna research. Search of private and public libraries in and about Tokyo supplied much material that has not hitherto been generally available outside Japan. Some references found in Corwin's bibliography could not be examined at first hand; these are included here, as given by Corwin, with a notation to show their source.

The general style used by Corwin has been followed in cataloging and annotating the material. The arrangement of the references is by authors listed alphabetically. Entry is made only under the senior author's name if there is more than one author; the abbreviation "et al." is used with the senior author's name to show collaboration of more than three authors. Each author's works are listed chronologically by year of publication, and those published in the same year are given in alphabetical sequence. Generally, pagination is given only for the parts of the publication falling within the scope of the bibliography.

Appropriate notations in the bibliography distinguish those papers published only in Japanese, those published in Japan but written in English, and those published in Japanese with an English abstract. Translations were made of Japanese titles when English equivalents were not given.

Brief annotations of the publications are included except for those that could not be consulted and for those whose titles give a clear indication of the contents. The scientific nomenclature used by each author is followed in the annotations; appropriate cross references to synonymous names regarded as having priority appear in the Index. Where both vernacular and scientific names of the tuna were given, the scientific nomenclature is retained.

The preparation of the Index presented considerable difficulty owing to the confused state of the

taxonomy of the various species of tuna. As the relationships of the tuna species of the Pacific, and for that matter the world in general, have not been clearly defined, specific names of questionable validity have been arbitrarily indexed as separate entries. For example, *Neothunnus itosibi* is regarded by some workers as a form distinct from *Neothunnus macropterus*, while others consider the two to be synonymous. References to *Neothunnus itosibi* and *Neothunnus macropterus*, therefore, have been treated separately. Synonyms which are generally accepted as applying to one given species, such as *Euthynnus pelamis* for *Katsuwonus pelamis*, have been indexed under the name which is believed to have priority, with appropriate cross reference under the synonymous name. The same procedure was used in indexing names which differ slightly in spelling. Again, it should be pointed out that the indexing of these scientific names is to a large degree arbitrary, and is not an attempt to clarify the systematics of the tunas.

A list of abbreviations of the various publications cited and of the English translations of titles of Japanese periodicals as used in the bibliography is included.

Acknowledgment is made of the valuable assistance and advice given the author by various individuals and organizations. Especially is credit due the Fisheries Division, Natural Resources Section, General Headquarters, Supreme Commander for the Allied Powers, under W. C. Herrington, Drs. K. Kuronuma and Y. Hiyama, and other Japanese scientists, and Dr. J. G. F. Hardenburg of Batavia, Java, for their generous cooperation. The author is also indebted to the library staffs of Stanford University, the California Academy of Sciences, University of Hawaii, and the Bernice Pauahi Bishop Museum, and to Vernon Brock of the Division of Fish and Game, Board of Agriculture and Forestry, Territory of Hawaii, and staff members of the Pacific Oceanic Fishery Investigations, who contributed materially to the preparation of this bibliography.

ANNOTATED BIBLIOGRAPHY

Explanation of symbols

[C] = references listed by Corwin (see Corwin 1930, p. 5) that could not be verified.
[J] = published in Japanese only.
[JE] = published in Japan but written in English.
[Je] = written in Japanese with English abstract.
[P] = accession to the library of the Pacific Oceanic Fishery Investigations.

[For an explanation of the abbreviation see ltst, p. 25]

ABE, TOKIHARU.

1939. A list of the fishes of the Palao Islands. Palao Trop. Biol. Sta. Studies, No. 4, p. 567. [JE] [P]
Germo macropterus, Katsuwonus pelamys, Thunnus thynnus: recorded; distribution.

AIKAWA, HIROAKI.

1933. Fishery conditions on the Pacific Coast for skipjack, tuna, and sauries. Proc. Sci. Fish. Assoc., vol. 5, No. 4, pp. 354–369. [J] [P]
Albacore, big-eyed tuna, black tuna, skipjack, yellowfin tuna: fishing conditions correlated with surface water temperature.

1937. Notes on the shoal of bonito along the Pacific Coast of Japan. Bull. Japanese Soc. Sci. Fish., vol. 6, No. 1, pp. 13–21. [Je] [P]
Age analysis and size composition of skipjack catches; stock and population relationships; use of condition factor in separating migratory and nonmigratory fish.

AIKAWA, HIROAKI, and MASAO KATO.

1938. Age determination of fish. I. Bull. Japanese Soc. Sci. Fish., vol. 7, No. 2, pp. 79–88. [Je] [P]
Germo germo, Katsuwonus vagans, Neothunnus macropterus, Thunnus orientalis: age analysis using vertebrae; age composition of commercial catch; calculated length and weight groups; body condition; growth rate; morphometric data.

ANONYMOUS.

1938. Status of the investigation of tuna longline fishing grounds in the South China Sea. Formosa Fish. Mag., No. 279, pp. 10–19. [J]
Albacore, yellowfin tuna: body temperatures; distribution; length-weight data; sexual maturity; stomach contents; figured.

1939. Marked fish. Semi-Ann. Rpt. Oceanogr. Invest., No. 65, p. 137. [J]
Skipjack: Japan; release records of tagged fish.

1941. Pacific skipjack indigenous to Sulu Sea. South Sea Fish., vol. 7, No. 5, p. 55. [J] [P]
Distributional note.

ASANO, NAGAO.

1939. Food of the albacore, *Germo germo* (Lacépède). South Sea Fish. News, vol. 3, No. 7, pp. 10–11. [J] [P]
South Seas; stomach contents; *Auxis* sp. recorded as food.

BAN, YOSHINORI.

1941. Search for southern tuna fishing grounds. South Sea Fish., vol. 7, No. 9, pp. 10–21. [J] [P]
Yellowfin tuna: South Seas; fishing conditions correlated with oceanography; stomach contents; age analysis; sexual maturity.

BARNHART, PERCY.

1936. Marine fishes of Southern California. Univ. California Press, Berkeley, pp. 36–37.
Auxis thazard, Katsuwonus pelamis, Germo alalunga, Neothunnus macropterus, Thunnus thynnus: description; distribution; English common names; figures.

BENNETT, FREDERICK DEBELL.

1840. Narrative of a whaling voyage around the globe, from the year 1833 to 1836. Vol. 2, pp. 278–282. London.
Scomber germo: description; anatomy of reproductive system; food; enemies. *Scomber pelamys:* description; parasites.

BERG, LEO S.

1947. Classification of fishes both recent and fossil. J. W. Edwards Co., Ann Arbor, pp. 491–492.
Anatomy and classification of Thunniformes (Plecostei).

BLEEKER, PIETER.

1844. Bijdragen tot de geneeskundige topographie van Batavia. Generisch overzicht der fauna. Nat. Geneesk. Arch. Neerland's Indië, vol. 1, p. 553.
Thynnus: recorded.

1845. Bijdragen tot de geneeskundige topographie van Batavia. Generisch overzicht der Fauna. Nat. Geneesk. Arch. Neerland's Indië, vol. 2, p. 516.
Auxis taso: recorded.

1850. Bijdrage tot de kennis der ichthyologische fauna van Midden-en Oost-Java, met beschrijving van eenige nieuwe species. Verh. Batavia Genoot. Kunst. Wetens., vol. 23, p. 8.
Auxis taso: recorded.

1852. Bijdrage tot de kennis der makreelachtige visschen van den Soenda–Molukschen Archipel. Verh. Batavia Genoot. Kunst. Wetens., vol. 24, pp. 36–37, 89.
Thynnus macropterus, T. thunnina, and *T. tonggol:* recorded from Dutch East Indies; description and synonymy of *T. tonggol.*

BLEEKER, PIETER—Continued

1854. Faunae ichthyologicae japonicae species novae. Nat. Tijdschr. Nederlandsch-Indie, vol. 6, pp. 408–409.
Auxis tapeinosoma: recorded and described.

1855. Vijfde bijdrage tot de kennis der ichthyologische fauna van Ternate. Nat. Tijdschr. Nederlandsch-Indie, vol. 8, pp. 301–302.
Auxis thynnoides: recorded; description; compared with *A. tapeinosoma, A. taso,* and *A. vulgaris.*

1856. Beschrijvingen van nieuwe en weinig bekende vischsoorten van Amboina, versameld op eene reis door den Molukschen Archipel, gedaan in het gevolg van den Gouverneur-Generaal Duymaer van Twist in September en October 1855. Act. Soc. Sci. Indo-Neerlandicae, vol. 1, pp. 41–42.
Thynnus pelamys: recorded; description; synonymy.

1857. Nieuwe nalezingen op de ichthyologie van Japan. Verh. Batavia Genoot. Kunst. Wetens., vol. 26, p. 98.
Auxis tapeinosoma: recorded.

1860a. Achtste bijdrage tot de kennis der vischfauna van Sumatra. Visschen van Benkoelen, Priaman, Tandjong, Palembang, en Djambi. Act. Soc. Sci. Indo-Neerlandicae, vol. 8, p. 29.
Thynnus pelamys, T. thunnina: recorded from the Dutch East Indies.

1860b. Dertiende bijdrage tot de kennis der vischfauna van Celebes. Visschen van Bonthain, Badjoa, Sindjai, Lagoesi en Pompenoea. Act. Soc. Sci. Indo-Neerlandicae, vol. 8, p. 38. [C]
Thunnus thunnina: recorded from Dutch East Indies.

1861a. Iets over de vischfauna van het eiland Pinang. Versl. Akad. Amsterdam, vol. 12, p. 74.
Thynnus affinis: recorded from Dutch East Indies.

1861b. Mededeeling omtrent vischsoorten, nieuw voor de kennis der fauna van Singapoera. Versl. Akad. Amsterdam, vol. 12, p. 52. [C]
Thynnus thunnina, T. tonggol: recorded from Singapore.

1862. Sixième mémoire sur la faune ichthyologique de l'ile Batjan. Versl. Akad. Amsterdam, vol. 14, p. 109.
Pelamys macropterus, P. pelamys, Thynnus thunnina: recorded from Dutch East Indies.

1863. Onzième notice sur la fauna ichthyologique de l'ile de Ternaté. Nederlandsch Tijdschr. Dierk., vol. 1, p. 235.
Auxis thynnoides: recorded.

1865a. Énumération des espèces de poissons actuellement connues de l'ile d'Amboine. Nederlandsch Tijdschr. Dierk., vol. 2, p. 285.
Auxis thynnoides, Pelamys macropterus, P. pelamys, P. thunnina: recorded.

1865b. Sixième notice sur la faune ichthyologique de Siam. Nederlandsch Tijdschr. Dierk., vol. 2, p. 173. [C]
Thynnus thunnina: recorded.

1878. Quatrième mémoire sur la fauna ichthyologique de la Nouvelle-Guinée. Arch. Néerlandaises Sci. Nat., vol. 13, p. 50.
Auxis taso: recorded.

BLEEKER, PIETER—Continued

1879. Énumération des espèces de poissons actuellement connues du Japon et description de trois espèces inédites. Versl. Akad. Amsterdam, vol. 18, p. 15. [C]
Pelamys sibi Blkr. and *Thynnus sibi* Schl. compared.

BOESEMAN, M.

1947. Revision of the fishes collected by Burger and von Siebold in Japan. Zool. Meded., vol. 28, pp. 91–94.
Thynnus macropterus, T. orientalis, T. pelamys, T. sibi, T. thunina: description; synonymy.

BONHAM, KELSHAW.

1946. Measurements of some pelagic commercial fishes of Hawaii. Copeia, No. 2, pp. 81–84.
Katsuwonus pelamis: length-weight data and relationship; length frequencies of *Neothunnus macropterus;* lengths of *Euthynnus yaito.*

BROCK, VERNON E.

1938. A new tuna record from Washington. Copeia, No. 2, p. 98.
Thunnus thynnus: recorded.

1939. Occurrence of albacore, *Germo alalunga,* in mid-Pacific. Copeia, No. 1, p. 47.

1943. Contribution to the biology of the albacore (*Germo alalunga*) of the Oregon coast and other parts of the North Pacific. Stanford Ichth. Bull., vol. 2, No. 6, pp. 199–248.
Age and size composition; growth; spawning; sex ratio; length-frequency data; population analysis.

1949. A preliminary report on *Parathunnus sibi* in Hawaiian waters and a key to the tunas and tuna-like fishes of Hawaii. Pacific Sci., vol. 3, No. 3, pp. 271–277.
P. sibi: description; morphometric data; feeding habits. *Auxis thazard, Euthynnus yaito, Germo alalunga, Katsuwonus pelamis, Kishinoella rara, Neothunnus macropterus, Parathunnus sibi, Thunnus orientalis, T. thynnus:* key.

CANTOR, THEODORE.

1850. Catalogue of Malayan fishes. Jour. Asiatic Soc. Bengal, vol. 18, pt. 2, pp. 1088–1090.
Thynnus affinis: description; distribution; compared with *T. pelamys.*

CASTELNAU, COUNT F. DE.

1872. Contribution to the ichthyology of Australia. Proc. Zool. Acclim. Soc. Victoria, vol. 1, pp. 104–105.
Thunnus maccoyii: description.

CHABANAUD, PAUL M.

1926. Inventaire de la faune ichtyologique de l'Indochine. Note Serv. Oceanogr. Pêch. Indochine, No. 1, p. 22.
Thunnus thunnina: listed.

CHAPMAN, WILBERT M.

1946. Observations on tuna-like fishes in the tropical Pacific. California Fish and Game, vol. 32, No. 4, pp. 165–170.
Euthynnus alletteratus, Katsuwonus pelamis, Neothunnus macropterus: recorded; food of *N. macropterus* noted.

CHEVEY, PIERRE.
1932a. Inventaire de la fauna ichtyologique de l'Indochine. Deuxième liste. Note Serv. Oceanogr. Pêch. Indochine, No. 19, p. 26.
Euthynnus yaito: listed.
1932b. Poissons des campagnes du "de Lanessan" (1925–1929). Trav. Inst. Oceanogr. Indochine, 4e Mém., pp. 113–115.
Euthynnus yaito: synonymy; distribution; description; Indo-Chinese common names; figure of specimen and scales.
1934. Révision synonymique de l'oeuvre ichtyologique de G. Tirant. Note Serv. Oceanogr. Pêch. Indochine, No. 7, p. 46.
Thynnus thunnina listed by Tirant renamed *Euthynnus yaito.*

CHIBA PREFECTURAL FISHERIES EXPERIMENT STATION, KATSUURA BRANCH.
1936. Investigation of skipjack fishing grounds. Prog. Rpt. Chiba Pref. Fish. Expt. Sta. for 1934, pp. 1–12. [J] [P]
Japan; albacore and skipjack fishing conditions correlated with water temperature.
1937. Investigation of skipjack fishing grounds. Prog. Rpt. Chiba Pref. Fish. Expt. Sta., Katsuura Br. for 1935, pp. 1–9. [J] [P]
Japan; skipjack catch correlated with water temperature.
1938. The skipjack fishery. Prog. Rpt. Chiba Pref. Fish. Expt. Sta., Katsuura Br. for 1936, pp. 2–11. [J] [P]
Japan; skipjack catch correlated with water temperature.
1941. The skipjack fishery. Prog. Rpt. Chiba Pref. Fish. Expt. Sta., Katsuura Br. for 1938, pp. 22–25. [J] [P]
Japan; albacore and skipjack fishing conditions correlated with water temperature.

CHU, YUANTING T.
1931. Index piscium sinensium. Biol. Bull. St. John's Univ.,No. 1, pp. 107–108.
Auxis rochei, Neothunnus macropterus: synonymy; distribution.

CLARK, FRANCES NAOMI.
1929. A racial comparison of Californian, Hawaiian and Japanese albacore (*Germo germo*). California Fish and Game, vol. 15, No. 4, pp. 351–353. San Francisco.
Population studies based on comparisons of body proportions, counts of meristic characters, and sexual maturity.

CLEMENS, W. A., and G. V. WILBY.
1946. Fishes of the Pacific Coast of Canada. Fish. Res. Bd. Canada, Bull. No. 48, pp. 164–167.
Katsuwonus pelamis, Thunnus alalunga: description; distribution; food; records of capture in Canadian Pacific waters; figured.

COBB, JOHN N.
1919. Scientific problems of the fisheries of the north Pacific. Bull. Scripps Inst., No. 9, p. 45. [C]
Germo germo, Thunnus alalunga: migration.

COOPER, JAMES GRAHAM.
1863. On new genera and species of Californian fishes. Proc. California Acad. Sci., vol. 3, pp. 75–77.
Orcynus pacificus: described as a new species; distribution; figured.

CORWIN, GENEVIEVE A.
1930. A bibliography of the tunas. California Div. Fish and Game, Fish Bull. No. 22, pp. 1–103.

COWAN, IAN M.
1938. Some fish records from the coast of British Columbia. Copeia, No. 2, p. 97.
Germo alalunga: recorded.

CRAIG, JOE ALLEN.
1929. List of common and scientific names of fishes. California Div. Fish and Game, Fish Bull. No. 15, pp. 11–12.
Euthynnus pelamis, Germo germo, Neothunnus catalinae, Thunnus saliens: listed.

CUVIER, GEORGES, and ACHILLES VALENCIENNES.
1831. Histoire naturelle des poissons. Vol. 8, pp. 85, 96, 107. Paris.
Scomber taso, Thynnus pacificus, T. pelamys: description; records of capture; figure of *T. pelamys.*

DEJONG, J. K.
1940. A preliminary investigation of the spawning habits of some fishes of the Java Sea. Treubia, vol. 17, No. 4, pp. 325–326.
Euthynnus allitteratus: frequencies of egg diameter measurements; resorption of eggs noted.

DELSMAN, H. C.
1931. Fish eggs and larvae from the Java Sea. Treubia, vol. 13, Nos. 3–4, pp. 407–409.
Eggs and larvae believed to be those of *Scomber* (Delsman, Treubia, vol. 8, Nos. 3–4, pp. 395–399) reidentified as *Thynnus thunnina.*

DELSMAN, H. C., and J. G. F. HARDENBURG.
1934. De Indische zeevischen en zeevisscherij. Biblio. Nederlandsch Indische Nat. Ver., No. 6, pp. 330–343.
Euthynnus alletteratus, E. pelamys, Neothunnus macropterus, N. rarus: description; distribution; key; Malayan common names; spawning of *E. alletteratus* and description of eggs and larvae; spawning of *N. rarus* and description of eggs; food of *E. pelamys; E. alletteratus* and *N. macropterus* figured.

DILL, D. B.
1921. A chemical study of certain Pacific coast fishes. Jour. Biol. Chem., vol. 48, pp. 76, 81. [C]
Germo alalunga, G. macropterus, Thunnus thynnus: chemical analysis.

DOMANTAY, JOSE S.
1940. Tuna fishing in Southern Mindanao. Philippine Jour. Sci., vol. 73, No. 4, pp. 423–435.
Auxis thazard, Euthynnus yaito, Katsuwonus pelamis, Neothunnus itosibi, N. macropterus, Parathunnus sibi: distribution; figured.

ECKLES, HOWARD H.

1949a. Fishery exploration in the Hawaiian Islands (August to October 1948, by the vessel Oregon of the Pacific Exploration Company). Com. Fish. Rev., vol. 11, No. 6, pp. 1–9.

Euthynnus yaito, Katsuwonus pelamis, Neothunnus macropterus: recorded; *K. pelamis* and *N. macropterus* figured.

1949b. Observations on juvenile oceanic skipjack (*Katsuwonus pelamis*) from Hawaiian waters and sierra mackerel from the Eastern Pacific. U. S. Fish and Wildlife Serv. Fish. Bull., vol. 51, No. 48, pp. 245–250.

Katsuwonus pelamis: anatomy, descriptions, figures, and records of capture of juveniles; spawning; juveniles noted in stomachs of adults.

EIGENMANN, CARL H.

1892. The fishes of San Diego, California. Proc. U. S. Natl. Mus., vol. 15, No. 897, pp. 130, 147.

Gymnosarda pelamys, Orcynus alalonga: recorded; seasonal occurrence of *Euthynnus pelamis* and *O. alalonga.*

EIGENMANN, CARL H., and ROSA S. EIGENMANN.

1890. Additions to the fauna of San Diego. Proc. California Acad. Sci., 2 Ser., vol. 3, p. 8.

Euthynnus pelamys: recorded; description.

1891. A catalogue of the fishes of the Pacific coast of America north of Cerros Island. Ann. New York Acad. Sci., 1891–1892, vol. 6, p. 352.

Euthynnus pelamys, Germo alalonga: recorded.

EVERMANN, BARTON W., and ALVIN SEALE.

1907. Fishes of the Philippine Islands. Bull. U. S. Bur. Fish., vol. 26, p. 61.

Gymnosarda pelamis: listed; synonymy.

FISH, MARIE POLAND.

1948. Sonic fishes of the Pacific. Woods Hole Oceanogr. Inst. Tech. Rpt., No. 2, pp. 87–91.

Auxis thazard, Euthynnus, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: distribution; English common names; synonymy of *K. pelamis, G. alalunga, T. thynnus;* air bladders of *G. alalunga, N. macropterus* and *T. thynnus* described; Japanese common names of *Euthynnus* and *T. thynnus;* vertical distribution of *Parathunnus mebachi* noted.

FITCH, JOHN E.

1950. Notes on some Pacific fishes. California Fish and Game, vol. 36, No. 2, p. 65.

Stomach contents of *Neothunnus macropterus.*

FOOD AND AGRICULTURE ORGANIZATION, UNITED NATIONS.

1949. Recommended scientific and common names of important food fishes. A. Scombriformes. Fish. Div., FAO, UN, 98 pp.

Auxis thazard, Euthynnus alleteratus, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: distribution; synonymy; world-wide common names and recommended nomenclature.

FORMOSA GOVERNMENT-GENERAL FISHERIES EXPERIMENT STATION.

1930. Northern oceanographic conditions and skipjack fishing. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1928, Oceanogr. Sec., pp. 67–70. [J] [P]

Formosa; fishing conditions correlated with water temperature, specific gravity, and currents.

1931. Northern oceanographic conditions and skipjack fishing. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1929, Oceanogr. Sec., pp. 28–30. [J] [P]

Formosa; fishing conditions correlated with water temperature, specific gravity, and currents.

1932. Northern oceanographic conditions and skipjack fishing. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1930, Oceanogr. Sec., pp. 10–11. [J] [P]

Formosa; fishing conditions correlated with water temperature, specific gravity, and currents.

1933a. Experimental fishing and investigation in southern waters by the Shonan Maru. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1931, Fish. Sec., pp. 1–50. [J] [P]

Yellowfin tuna: Indo-Pacific region; length-weight data; fishing conditions in relation to oceanography and weather; catch per unit of effort; distribution; stomach contents.

1933b. Oceanographic conditions and skipjack fishing in northern Formosa. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1931, Oceanogr. Sec., pp. 13–15. [J] [P]

Fishing conditions correlated with currents, surface water temperature, and specific gravity.

1934. Oceanographic conditions and skipjack fishing in northern Formosa. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1932, Oceanogr. Sec., pp. 10–12. [J] [P]

Fishing conditions correlated with currents, surface water temperature, and specific gravity.

FOWLER, HENRY W.

1904a. A collection of fishes from Sumatra. Jour. Acad. Nat. Sci. Phila., 2 Ser., vol. 12, p. 506.

Germo germon: figured.

1904b. New, rare, or little-known Scombroids. Proc. Acad. Nat. Sci. Phila., vol. 56, pp. 761–763.

Germo germon, Pelamys affine: description; synonymy.

1923a. New or little-known Hawaiian fishes. Bernice P. Bishop Mus. Occas. Papers, vol. 8, No. 7, pp. 376–392.

Germo macropterus, Thunnus thynnus: recorded.

1923b. Records of West Coast fishes. Proc. Acad. Nat. Sci. Phila., vol. 75, p. 289.

Germo alalunga, Thunnus thynnus: recorded from California.

1927. Fishes of the tropical central Pacific. Bull. Bernice P. Bishop Mus., No. 38, pp. 10–11.

Germo sibi: figured; description.

1928. The fishes of Oceania. Mem. Bernice P. Bishop Mus., vol. 10, pp. 132–134.

Auxis thazard, Euthynnus alletteratus, E. pelamis, Germo albacores, G. alalunga, G. macropterus, G. sibi, Thunnus thynnus: description; synonymy; figures of *E. alletteratus* and *G. sibi.*

FOWLER, HENRY W.—Continued

1929. Notes on Japanese and Chinese fishes. Proc. Acad. Nat. Sci. Phila., vol. 81, p. 590.
Germo sibi, Thunnus thynnus: seen in Japan.

1931. The fishes of Oceania – Supplement 1. Mem. Bernice P. Bishop Mus., vol. 11, No. 5, p. 325.
Euthynnus alletteratus, E. pelamis, Germo alalunga, G. macropterus, G. sibi, Thunnus thunnus: listed; synonymy of *G. macropterus.*

1933. Description of a new long-finned tuna (*Semathunnus guildi*) from Tahiti. Proc. Acad. Nat. Sci. Phila., vol. 85, pp. 163–164.
Descriptions of new genus *Semathunnus* and new species, *Semathunnus guildi; Semathunnus* distinguished from *Neothunnus.*

1934. The fishes of Oceania—Supplement 2. Mem. Bernice P. Bishop Mus., vol. 11, No. 6, p. 400.
Euthynnus pelamis, Semathunnus guildi, S. itosibi, Thunnus orientalis, T. thynnus: listed; synonymy.

1938. The fishes of the George Vanderbilt South Pacific Expedition, 1937. Acad. Nat. Sci. Phila., Monogr. No. 2, pp. 31–33, 253, 277.
Auxis thazard, Euthynnus lineatus, E. pelamis: description; synonymy. *A. thazard, Euthynnus alletteratus, E. lineatus, E. pelamis, Germo alalonga, Neothunnus macropterus, Parathunnus sibi, Thunnus thynnus:* recorded from Pacific.

1944. Results of the Fifth George Vanderbilt Expedition (1941). Acad. Nat. Sci. Phila., Monogr. No. 6, pp. 349, 373–374, 378, 498.
Auxis thazard, Euthynnus lineatus, Katsuwonus pelamis, Thunnus thynnus: records of capture; synonymy. Pacific records of *A. thazard, Euthynnus alletteratus, E. lineatus, Germo alalunga, K. pelamis, Neothunnus argentivittatus,* and *Thunnus thynnus;* description of *T. thynnus;* figure of *E. lineatus.*

1949. The fishes of Oceania–Supplement 3. Mem. Bernice P. Bishop Mus., vol. 12, No. 2, pp. 73–74.
Auxis thazard, Euthynnus wallisi, Katsuwonus vagans, Neothunnus macropterus, Parathunnus sibi: listed; synonymy.

FOWLER, HENRY W., and STANLEY C. BALL.

1925. Fishes of Hawaii, Johnston Island, and Wake Island. Bull. Bernice P. Bishop Mus., No. 26, p. 11.
Euthynnus alletteratus: listed.

FRASER-BRUNNER, A.

1949. On the fishes of the genus *Euthynnus.* Ann. and Mag. Nat. Hist., vol. 2, No. 20, pp. 622–628.
Euthynnus affinis affinis, E. affinis lineatus, E. affinis yaito: classification; distribution; figured; key; synonymy.

1950. The fishes of the family Scombridae. Ann. and Mag. Nat. Hist., vol. 3, No. 26, pp. 131–163.
Allothunnus fallai, Auxis thazard, Euthynnus affinis, E. pelamis, Thunnus alalunga, T. albacora, T. obesus, T. thynnus, T. tonggol, T. zacalles: classification; description; distribution; key; figured; synonymy.

FUJITA, K., and Y. WAKIYA.

1915. A list of fishes from Kishū. Proc. Sci. Fish. Assoc., vol. 1, No. 1, pp. 25–37. [J]
Auxis hira, A. maru, Euthynnus yaito, Katsuwonus pelamis, Thunnus alalunga, T. macropterus, T. orientalis: listed; Japanese common names.

FUKUDA, M., and S. IIZUKA.

1940a. Experimental tuna fishing. Prog. Rpt. Kumamoto Pref. Fish Expt. Sta. for 1938, pp. 15–20. [J] [P]
Big-eyed tuna, black tuna: Ryukyu Islands, catch in relation to water temperature.

1940b. Skipjack tagging experiment. Prog. Rpt. Kumamoto Pref. Fish. Expt. Sta. for 1938, p. 21. [J] [P]
Japan; release records of tagged skipjack.

GILBERT, CHARLES H., and EDWIN C. STARKS.

1904. The fishes of Panama Bay. Mem. California. Acad. Sci., vol. 4, p. 206.
Germo alalunga, Thunnus thynnus: recorded.

GODSIL, HARRY C.

1938. Tuna tagging. California Fish and Game, vol. 24, pp. 245–250.
Skipjack, yellowfin tuna: tagging methods and release records.

1948. A preliminary population study of the yellowfin tuna and the albacore. California Div. Fish and Game, Fish Bull. No. 70, 90 pp.
Neothunnus macropterus, Thunnus germo: morphometric data; population relationships of Japanese, Hawaiian, and California fish analyzed; methods of taking morphometric measurements described.

1949. A progress report on the tuna investigations. California Fish and Game, vol. 35, No. 1, pp. 5–9.
Albacore, yellowfin tuna: summary of population studies based on morphometrical analysis.

GODSIL, HARRY C., and R. D. BYERS.

1944. A systematic study of the Pacific tunas. California Div. Fish and Game, Fish Bull. No. 60, 131 pp.
Katsuwonus pelamis, Neothunnus macropterus, Parathunnus mebachi, Thunnus germo, T. thynnus: proportional measurements; methods of measurement; internal anatomy; key; figures; description; classification; counts of meristic characters; anatomical differences between species listed; population relationships discussed for all except *P. mebachi.*

GODSIL, HARRY C., and E. C. GREENHOOD.

1948. Some observations on the tunas of the Hawaiian region. California Div. Fish and Game, Bur. Mar. Fish., 8 pp. (Mimeographed.)
Albacore, black skipjack, skipjack, yellowfin tuna: distribution.

GRAHAM, DAVID H.

1938. Fishes of Otago Harbour and adjacent seas with additions to previous records. Trans. Roy. Soc. New Zealand, vol. 68, pt. 3, p. 414.
Auxis thazard: listed.

GRIFFIN, L. T.

1927. Additions to the fish fauna of New Zealand. Trans. New Zealand Inst., vol. 58, pp. 140–141.
Germo germo: recorded; synonymy; description; figured.

GÜNTHER, ALBERT.

1860. Catalogue of the Acanthopterygian fishes in the collection of the British Museum. Vol. 2, pp. 363–366, 369. London.
Auxis rochei, A. tapeinosoma, Thynnus affinis, T. pacificus, T. pelamys, T. thunnina, T. tonggol: description; distribution; synonymy.

1876. Die Fische der Südsee. Jour. Mus. Godeffroy, vol. 2, pp. 150–152.
Thynnus germo, T. pelamys, T. thunnina, T. thynnus: synonymy; description; distribution; *T. germo* and *T. thunnina* figured.

1889. Report on the pelagic fishes collected by H. M. S. Challenger during the years 1873–76. Vol. 31, pt. 78, p. 17. London.
Juveniles provisionally identified as *Thynnus thunnina* described and figured.

HARADA, ISOKICHI.

1928. A new species of Acanthocephala from the Japanese bonito, *Euthynnus vagans.* Japanese Jour. Zool., vol. 2, No. 1, pp. 1–4. [J]
Parasites.

HART, J. L., and H. J. HOLLISTER.

1947. Notes on the albacore fishery. Prog. Rpt. Pacific Coast Sta., Fish. Res. Bd. Canada, No. 71, pp. 3–4.
Albacore catch correlated with water temperature and area; stomach contents.

HART, J. L., ET AL.

1948. Accumulated data on albacore (*Thunnus alalunga*). Pacific Biol. Sta., Fish. Res. Bd. Canada, Circ. No. 12, 8 pp.
Stomach contents; size composition; catch correlated with area, water temperature, and season.

HASEGAWA, KIICHI.

1937. Progress report of experimental tuna fishing in the waters adjacent to Woleai. South Sea Fish. News, No. 1, pp. 3–7. [J] [P]
Tunas: distribution.

HATAI, SHINKISHI, ET AL.

1941. A symposium on the investigation of skipjack and tuna spawning grounds. South Sea Sci., vol. 4, No. 1, pp. 64–75. [J] [P]
Skipjack: Japan, Indo-Pacific region, South Seas; eggs; juveniles; food; migration; sexual maturity; probable spawning areas and seasons; method of differentiating between male and female skipjack. Black tuna: Japan, Philippine region; probable spawning areas and season; sexual maturity; description of eggs. Yellowfin tuna: sexual maturity and probable spawning season in Indo-Pacific region. Big-eyed tuna: juveniles recorded from South Seas.

HERALD, EARL S.

1949. Pipefishes and seahorses as food for tuna. California Fish and Game, vol. 35, No. 4, p. 329.
Euthynnus yaito, yellowfin tuna: stomach contents.

HERRE, ALBERT W.

1932. A check list of fishes recorded from Tahiti. Jour. Pan-Pacific Res. Inst., vol. 7, No. 1, p. 3.
Euthynnus alleteratus, E. pelamis, Neothunnus macropterus: listed.

1933. A check list of fishes from Dumaguete, Oriental Negros, P. I., and its immediate vicinity. Jour. Pan-Pacific Res. Inst., vol. 8, No. 4, p. 7.
Euthynnus yaito, Katsuwonus pelamis: listed.

1935. A check list of the fishes of the Pelew Islands. Mid-Pacific Mag., vol. 47, No. 2, p. 164.
Katsuwonus pelamis, Neothunnus macropterus: listed.

1936. Fishes of the Crane Pacific Expedition. Field Mus. Nat. Hist., Zool. Ser., vol. 21, pp. 105–107.
Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: distribution; synonymy; observations of *N. macropterus* fin lengths noted.

1940. Distribution of the mackerel-like fishes in the western Pacific north of the equator. Proc. Sixth Pacific Sci. Cong., vol. 3, pp. 211–215.
Auxis thazard, Euthynnus alleterata, E. yaito, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, N. rarus, Parathunnus sibi, Thunnus thynnus: distribution.

HERRE, ALBERT W., and AGUSTIN F. UMALI.

1948. English and local common names of Philippine fishes. U. S. Fish and Wildlife Serv., Circ. 14, 128 pp.
Auxis thazard, Euthynnus yaito, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus: listed.

HIGASHI, HIDEO.

1940a. Utilization of fishery byproducts from the South Seas (3). South Sea Fish., vol. 6, No. 7, pp. 13–20. [J] [P]
Big-eyed tuna, black tuna, skipjack, yellowfin tuna: ratio of viscera weight to body weight.

1940b. Utilization of fishery byproducts from the South Seas (7). South Sea Fish., vol. 6, No. 12, pp. 10–13. [J] [P]
Skipjack: ratio of viscera weight to body weight; proportional measurements of various body parts.

1941a. Utilization of fishery byproducts from the South Seas (8). South Sea Fish., vol. 7, No. 1, pp. 33–37. [J] [P]
Skipjack: length-weight data; proportional measurements of various body parts; liver figured.

1941b. Utilization of fishery byproducts from the South Seas (10). South Sea Fish., vol. 7, No. 3, pp. 32–39. [J] [P]
Katsuwonus vagans, Neothunnus macropterus: proportional measurements of various body parts; age analysis.

1941c. Utilization of fishery byproducts from the South Seas (14). South Sea Fish., vol. 7, No. 8, pp. 36–43. [J] [P]
Big-eyed tuna, yellowfin tuna: length-weight data; proportional measurements of various body parts; livers figured.

HIGASHI, HIDEO—Continued

1942. Record of experiments on fishes of the South Seas. South Sea Fish., vol. 8, No. 11, pp. 13–27. [J] [P]

Katsuwonus vagans, Neothunnus macropterus, Parathunnus sibi: length-weight data; proportional measurements of various body parts.

HIGASHI, HIDEO, and MASAO HIRAI.

1948. The nicotinic acid content of fish. Contrib. Cent. Fish. Sta. Japan (1946–1948), No. 18, pp. 129–132. [JE]

Skipjack, yellowfin tuna: nicotinic acid content of various body parts.

HILDEBRAND, SAMUEL F.

1946. A descriptive catalog of the shore fishes of Peru. U. S. Natl. Mus., Bull. 189, pp. 361–372.

Euthynnus alleterata, Katsuwonus pelamis, Thunnus macropterus: classification; description; synonymy; distribution; food; key. *Thunnus germo, T. thynnus:* key; occurrences recorded.

HIRATSUKA, HITOSHI, and KAKUJI IMAIZUMI.

1934. Experimental fishing and investigation in southern waters. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1932, Fish. Sec., pp. 97–164. [J] [P]

Yellowfin tuna: Indo-Pacific region; length-weight data; fishing conditions in relation to oceanography and weather; catch per unit of effort; distribution.

HIRATSUKA, HITOSHI, and KIYOJI ITO.

1934. Report on experimental tuna fishing in the Celebes Sea. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1934, pp. 1–28. [J] [P]

Yellowfin tuna; length-weight data; fishing conditions in relation to oceanography and weather; catch per unit of effort; distribution.

HIRATSUKA, HITOSHI, and SEIICHI MORITA.

1935. Correlation between length and weight of yellowfin tuna. Formosa Fish. Mag., No. 241, pp. 8–10. [J] [P]

HOLDER, CHARLES FREDERICK.

1912. The fishes of the Pacific coast. Pp. 15–42. New York.

Thunnus alalunga, T. macropterus, T. maculatus, T. thynnus: distribution; figures of all except *T. macropterus.*

HUBBS, CARL L.

1916. A second record of the scombroid fish *Germo macropterus* from the coast of California. Copeia, No. 38, p. 93.

1928. A check-list of the marine fishes of Oregon and Washington. Jour. Pan-Pacific Res. Inst., vol. 3, No. 3, p. 12.

Germo alalunga: Oregon; recorded.

IEHISA, SATORU.

1939. Catch of tunny in the seas south of Kyushu. Bull. Japanese Soc. Sci. Fish., vol. 8, No. 3, pp. 143–144. [Je] [P]

Thunnus orientalis: catches correlated with water temperature.

IKEBE, KENZŌ.

1939. On the age of yellowfin tuna taken in Palau waters. South Sea Fish. News, vol. 3, No. 10, pp. 4–8. [J] [P]

Length-weight data; body condition; sexual maturity; age analysis based on size groups.

1940a. Age and measurements of tunas in Palau waters. South Sea Fish. News, vol. 4, No. 1, pp. 2–4. [J] [P]

Big-eyed tuna, yellowfin tuna: length-weight data; age analysis of yellowfin tuna based on size groups.

1940b. Measurements of yellowfin tuna taken south of the Marshall Islands. South Sea Fish. News, vol. 4, No. 2, pp. 2–5. [J] [P]

Length-weight data; age analysis based on size groups.

1940c. Measurements of albacore and yellowfin tuna taken in Saipan waters. South Sea Fish. News, vol. 4, No. 5, pp. 63–67. [J] [P]

Length-weight data; age analysis.

1940d. Investigation of tunas in Palau waters. South Sea Fish. News, vol. 4, No. 6, pp. 2–4. [J] [P]

Catch of yellowfin tuna correlated with currents.

1941a. Measurements of yellowfin tuna from the Equatorial Counter Current area. South Sea Fish. News, vol. 5, No. 3, pp. 5–13. [J] [P]

Length-weight and age data; age composition of catches noted.

1941b. A contribution to the study of tuna spawning grounds. South Sea Fish. News, vol. 5, No. 4, pp. 9–12. [J] [P]

South Seas; probable tuna spawning grounds; length-weight and age data of immature yellowfin tuna.

1942. Report of the investigation of tuna fishing in the Timor, Arafura, and Banda Seas. South Sea Fish., vol. 8, No. 1, pp. 29–41. [J] [P]

Big-eyed tuna, yellowfin tuna: fishing conditions correlated with oceanography.

IKEBE, KENZŌ, and TAKESHI MATSUMOTO.

1937. Progress report on experimental skipjack fishing near Yap. South Sea Fish. News, No. 4, pp. 3–9. [J] [P]

Skipjack: length-weight data; sex and body condition recorded.

IMAIZUMI, KAKUJI.

1937. An account of the investigation of tuna fishing grounds in the East Philippine Sea. Formosa Fish. Mag., No. 271, pp. 6–23. [J] [P]

Albacore, big-eyed tuna, yellowfin tuna: catch per unit of effort; distribution; sexual maturity of yellowfin tuna.

IMAMURA, YUTAKA.

1949. The skipjack fishery. Text Fish., vol. 6, pp. 17–94. [J] [P]

Auxis hira, A. maru, Euthynnus yaito: Japan; description; distribution; habits. *Katsuwonus pelamis:* Japan; anatomy; description; distribution; migration; spawning areas and season; food; populations; habits; natural enemies; fishing conditions in relation to oceanography.

INANAMI, YOSHIYUKI.

1940a. Relationship of viscera weight to body weight in yellowfin tuna. South Sea Fish. News, vol. 4, No. 2, pp. 2–7. [J] [P]

1940b. Tuna fishing conditions and currents along the eastern coast of the Palau Islands. South Sea Fish. News, vol. 4, No. 2, pp. 7–10. [J] [P]

Big-eyed tuna, yellowfin tuna: fishing conditions correlated with currents.

1940c. Oceanography and fishing conditions in central Palau waters. South Sea Fish. News, vol. 4, No. 3, pp. 5–7. [J] [P]

Big-eyed tuna, yellowfin tuna: fishing conditions correlated with currents and water color.

1941. Oceanographic changes and fishing conditions in Palau waters. South Sea Fish. News, vol. 5, No. 2, pp. 2–6. [J] [P]

Skipjack, yellowfin tuna: fishing conditions correlated with water temperature, currents, salinity.

1942a. Oceanographic conditions and yellowfin tuna fishing grounds in South Sea Island waters. South Sea Fish. News, vol. 6, No. 1, pp. 2–5. [J] [P]

Location of fishing grounds correlated with currents, transparency, water color, and water temperature.

1942b. Skipjack fishing conditions in Saipan, Truk, and Ponape. South Sea Fish. News, vol. 6, No. 1, pp. 5–7. [J] [P]

Seasonal fluctuations in commercial catch; size composition.

1942c. Small skipjack caught at Truk. South Sea Fish. News, vol. 6, No. 1, p. 7. [J] [P]

Records and measurements of juveniles.

1942d. Report of grounds fished by tuna boats operating in the inner South Seas. South Sea Fish. News, vol. 6, No. 1, pp. 7–9. [J] [P]

Albacore, big-eyed tuna, skipjack, yellowfin tuna: fishing conditions correlated with water temperature.

JAPANESE BUREAU OF FISHERIES.

1933. Report of the southern fisheries investigation for 1931. Bur. Fish., Min. Agr. and For., Japanese Imp. Govt., 96 pp. [J] [P]

1934. Report of the southern fisheries investigation for 1932. Bur. Fish., Min. Agr. and For., Japanese Imp. Govt., 347 pp. [J] [P]

Big-eyed tuna, yellowfin tuna: Indo-Pacific region; distribution; catch correlated with water temperature and transparency; stomach contents of yellowfin tuna.

1935. Report of the southern fisheries investigation for 1933. Bur. Fish., Min. Agr. and For., Japanese Imp. Govt., 298 pp. [J]

1939. Results of encouragement given to the exploitation of albacore fishing grounds during 1938. Bur. Fish., Min. Agr. and For., Japanese Imp. Govt., 298 pp. [J] [P]

Albacore: mid-Pacific region; morphometric data; stomach contents; catch correlated with water temperature and specific gravity; distribution. Big-eyed tuna: catch correlated with water temperature; catch per unit of effort.

JAPANESE BUREAU OF FISHERIES—Continued

1940. Results of encouragement given to the exploitation of albacore fishing grounds during 1939. Bur. Fish., Min. Agr. and For., Japanese Imp. Govt., 173 pp. [J] [P]

Albacore: mid-Pacific region; morphometric data; stomach contents; catch correlated with water temperature and specific gravity; catch per unit of effort; distribution.

1942. Results of encouragement given to the exploitation of albacore fishing grounds during 1940. Bur. Fish., Min. Agr. and For., Japanese Imp. Govt., 135 pp. [J]

JENKINS, OLIVER P.

1903. Report on collections of fishes made in the Hawaiian Islands with descriptions of new species. Bull. U. S. Fish. Comm. for 1902, vol. 22, p. 441.

Auxis thazard, Gymnosarda alletterata, G. pelamis: listed; synonymy.

JORDAN, DAVID STARR.

1885. A list of the fishes known from the Pacific coast of tropical America, from the Tropic of Cancer to Panama. Proc. U. S. Natl. Mus., vol. 8, No. 24, p. 373.

Orcynus alalonga: recorded.

1923. A classification of fishes including families and genera as far as known. Stanford Univ. Publ., Univ. Ser., Biol. Sci., vol. 3, No. 2, pp. 179–180.

Classification and synonymy of Thunnidae.

JORDAN, DAVID STARR, and BARTON WARREN EVERMANN.

1896. A check-list of the fishes and fish-like vertebrates of North and Middle America. Rpt. U. S. Fish Comm. for 1895, p. 340.

Auxis thazard, Germo alalunga, Gymnosarda pelamis, Thynnus thynnus: distribution; English common names; synonymy.

1905. The aquatic resources of the Hawaiian Islands. I. The shore fishes of the Hawaiian Islands, with a general account of the fish fauna. Bull. U. S. Fish Comm. for 1903, vol. 23, pt. 1, pp. 171–175.

Auxis thazard, Germo germo, Gymnosarda alletterata, G. pelamis: listed; description; figure; synonymy; Hawaiian common names for all except *A. thazard.*

1926a. A check-list of the fishes of Hawaii. Jour. Pan-Pacific Res. Inst., vol. 1, No. 1, p. 8.

Euthynnus yaito, Germo germo, Kishinoella rara, Neothunnus macropterus, Neothunnus n. sp., *Parathunnus sibi, Thunnus orientalis:* recorded.

1926b. A review of the giant mackerel-like fishes, tunnies, spearfishes, and swordfishes. Occas. Papers California Acad. Sci., No. 12, pp. 8–25.

Germo germo, Kishinoella rara, K. zacalles n. sp., *Neothunnus catalinae* n. sp., *N. itosibi* n. sp., *N. macropterus, N. tonggol, Parathunnus sibi, Thunnus maccoyii, T. orientalis, T. phillipsi* n. sp., and *T. saliens* n. sp.: keys; description; distribution; synonymy of *G. germo, P. sibi, T. maccoyii, T. orientalis;* Japanese common names of *K. rara, N. itosibi, N. macropterus;* figures of *G. germo, K. zacalles, N. catalinae, N. itosibi, N. macropterus, P. sibi, T. phillipsi, T. saliens.*

JORDAN, DAVID STARR, and CHARLES HENRY GILBERT.

1881a. Descriptions of two new species of scopelid fishes (*Sudis ringens* and *Myctophum crenulare*) from Santa Barbara Channel, California. Proc. U. S. Natl. Mus., vol. 3, p. 273.

Specimens found in food of *Orcynus alalonga*.

1881b. List of the fishes of the Pacific coast of the United States, with a table showing the distribution of the species. Proc. U. S. Natl. Mus., vol. 3, p. 456.

Orcynus alalonga: recorded.

1882. Notes on the fishes of the Pacific coast of the United States. Proc. U. S. Natl. Mus., vol. 4, p. 45.

Orcynus alalonga: distribution; synonymy; habits; food.

JORDAN, DAVID STARR, and CARL LEAVITT HUBBS.

1925. Record of fishes obtained by David Starr Jordan in Japan, 1922. Mem. Carnegie Mus., vol. 10, No. 2, pp. 215–221.

Auxis hira, A. tapeinosoma, Euthynnus yaito, Germo germo, Katsuwonus vagans, Kishinoella rara, Neothunnus macropterus, Parathunnus sibi, Thunnus orientalis: recorded; descriptions of *A. hira, A. tapeinosoma, G. germo, K. rara, N. macropterus, P. sibi* and *T. orientalis;* synonymy of *A. tapeinosoma, E. yaito, G. germo, N. macropterus, P. sibi,* and *T. orientalis;* Japanese common names of all but *A. hira* and *E. yaito;* key to Katsuwonidae and Thunnidae.

JORDAN, DAVID STARR, and ERIC KNIGHT JORDAN.

1922. A list of the fishes of Hawaii, with notes and descriptions of new species. Mem. Carnegie Mus., vol. 10, No. 1, pp. 31–33.

Auxis thazard, Euthynnus alleteratus, E. pelamis, Germo alalunga, G. argentivittatus, G. macropterus, G. sibi, Thunnus orientalis, T. thynnus: listed; descriptions of *G. alalunga, G. macropterus, G. sibi,* and *T. orientalis;* Hawaiian common names of *E. alleteratus, E. pelamis,* and *G. macropterus.*

JORDAN, DAVID STARR, and CHARLES METZ.

1913. A catalog of the fishes known from the waters of Korea. Mem. Carnegie Mus., vol. 6, No. 2, p. 26.

Auxis thazard: Japanese common names; distribution.

JORDAN, DAVID STARR, and ALVIN SEALE.

1906. The fishes of Samoa. Bull. U. S. Bur. Fish., vol. 25, p. 228.

Auxis thazard, Germo germo, G. macropterus, Gymnosarda alleterata, G. pelamis: distribution.

JORDAN, DAVID STARR, and J. O. SNYDER.

1900. A list of fishes collected in Japan by Keinosuke Otaki, and by the United States Steamer Albatross, with descriptions of fourteen new species. Proc. U. S. Natl. Mus., vol. 22, p. 352.

Auxis thazard and *Thunnus schlegeli:* listed.

1901. A preliminary check list of the fishes of Japan. Annot. Zool. Jap., vol. 3, pts. 2 and 3, p. 64.

Auxis tapeinosoma, Germo macropterus, G. sibi, Gymnosarda affinis, G. alleterata, Thunnus schlegeli: listed; Japanese common names.

JORDAN, DAVID STARR, and EDWIN CHAPIN STARKS.

1907. Notes on fishes from the island of Santa Catalina, southern California. Proc. U. S. Natl. Mus., vol. 32, pp. 69–70.

Germo macropterus: records; synonymy; description; figured. *Gymnosarda pelamis:* distribution.

JORDAN, DAVID STARR, S. TANAKA, and J. O. SNYDER.

1913. A catalogue of the fishes of Japan. Jour. Coll. Sci., Imp. Univ. Tokyo, vol. 33, art. 1, pp. 119–121.

Auxis thazard, Euthynnus alleteratus, E. vagans, Thunnus alalunga, T. macropterus, T. thynnus: synonymy; distribution; Japanese common names; *A. thazard* and *E. alleteratus* figured.

KAGOSHIMA PREFECTURAL FISHERIES EXPERIMENT STATION.

1925. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1923, pp. 1–37. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperature; length-weight, girth data.

1926a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1924, pp. 1–51. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperatures; length-weight and girth data; records and descriptions of scombroid juveniles (also reported in Kishinouye, 1926).

1926b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1924, pp. 52–66. [J] [P]

Big-eyed tuna, skipjack, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1927a. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Sta. for 1925, pp. 38–53. [J] [P]

Albacore, big-eyed tuna, black tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1927b. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1925, pp. 1–38. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperature and currents; length-weight and girth data; records and descriptions of scombroid juveniles (also reported in Kishinouye 1926).

1928a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1926, pp. 1–22. [J] [P]

Ryukyu Islands; skipjack catch correlated with water temperature and currents; length-weight and girth data; release records of tagged fish.

1928b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1926, pp. 22–37. [J] [P]

Albacore, big-eyed tuna, black tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

KAGOSHIMA PREFECTURAL FISHERIES EXPERIMENT STATION—Continued

1929a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1927, pp. 1–20. [J] [P]

Ryukyu Islands; skipjack catch correlated with water temperature; length-weight and girth data.

1929b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1927, pp. 20–34. [J] [P]

Big-eyed tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1930a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1928, pp. 1–18. [J] [P]

Ryukyu Islands; skipjack catch correlated with water temperature.

1930b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1928, pp. 18–31. [J] [P]

Albacore, big-eyed tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1930c. Experimental fishing by small motor vessels: Experimental longline fishing for albacore. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1928, pp. 54–60. [J] [P]

Albacore, big-eyed tuna, black tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1931a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1929, pp. 1–16. [J] [P]

Ryukyu Islands; skipjack catch correlated with water temperature.

1931b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1929, pp. 16–30. [J] [P]

Albacore, big-eyed tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1932a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1930, pp. 1–20. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperature.

1932b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1930, pp. 21–28. [J] [P]

Albacore, big-eyed tuna, black tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1932c. Experimental longline fishing for albacore and pole and line fishing for mackerel. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1930, pp. 54–59. [J] [P]

Ryukyu Islands; albacore catch correlated with water temperature.

KAGOSHIMA PREFECTURAL FISHERIES EXPERIMENT STATION—Continued

1933a. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1931, pp. 1–16. [J] [P]

Ryukyu Islands, Philippine region; skipjack fishing conditions correlated with water temperature.

1933b. Experimental longline fishing for tuna. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1931, pp. 16–23. [J] [P]

Albacore, big-eyed tuna, yellowfin tuna: Ryukyu Islands; catches correlated with water temperature.

1935. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1933, pp. 1–12. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperature.

1936a. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1934, pp. 1–16. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperature; length-weight data.

1936b. Investigation of the migration of important fishes. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1934, pp. 86–87. [J] [P]

Ryukyu Islands; release records of tagged skipjack.

1937. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1935, pp. 1–8. [J] [P]

Ryukyu Islands; skipjack catch correlated with water temperature; length-weight data; size composition of catch.

1938a. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1936, pp. 1–4. [J] [P]

Ryukyu Islands; skipjack length-weight data.

1938b. Investigation of the migration of important fishes. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1936, p. 89. [J] [P]

Ryukyu Islands; release records of tagged skipjack.

1939a. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1937, pp. 1–3. [J] [P]

Ryukyu Islands; skipjack length-weight data.

1939b. Investigation of the migration of important fishes. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1937, p. 69. [J] [P]

Ryukyu Islands; release records of tagged skipjack.

1940a. Experimental skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1938, pp. 1–3. [J] [P]

Ryukyu Islands; skipjack length-weight data.

1940b. Investigation of the migration of important fishes. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1938, p. 43. [J] [P]

Ryukyu Islands; release records of tagged skipjack.

KAGOSHIMA PREFECTURAL FISHERIES EXPERIMENT STATION—Continued

1941. Investigation of skipjack fishing. Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta. for 1939, pp. 1–3. [J] [P]

Ryukyu Islands; skipjack length-weight data.

KANAMURA, MASAMI, and KAKUJI IMAIZUMI.

1935. Report on experimental fishing by the Shonan Maru in 1935: Report of experimental longline fishing for tuna in eastern Formosan waters. Formosa Govt.-Gen. Fish. Expt. Sta. Publ., No. 3, pp. 165–202. [J] [P]

Big-eyed tuna, yellowfin tuna: length-weight data; body temperatures; sexual maturity; catch per unit of effort; fishing conditions in relation to oceanography and weather; distribution.

KANAMURA, MASAMI, and HARUO YAZAKI.

1940a. Report on experimental fishing by the Shonan Maru in 1937: Investigation of tuna longline fishing grounds in the East Philippine Sea. Formosa Govt.-Gen. Fish. Expt. Sta. Publ., No. 21, pp. 1–65. [J] [P]

Albacore, big-eyed tuna, skipjack, yellowfin tuna: catch per unit of effort; distribution of yellowfin, big-eyed tuna, and skipjack; yellowfin tuna: stomach contents; body temperature and relation to water temperature; length-weight data; body condition; age analysis; sexual maturity; fishing conditions in relation to oceanography and weather.

1940b. Report of the investigation of fishing grounds by the Shonan Maru in 1937: Investigation of tuna longline fishing grounds in the South China Sea. Formosa Govt.-Gen. Fish. Expt. Sta. Publ., No. 21, pp. 67–117. [J] [P]

Albacore, skipjack, yellowfin tuna: distribution; catch per unit of effort; fishing conditions in relation to oceanography and weather; albacore, yellowfin tuna: stomach contents; body temperature; length-weight data; body condition; age analysis; sexual maturity.

KATO, GENJI.

1940. An account of longline fishing for tuna. South Sea Fish. News, vol. 4, No. 7, pp. 8–10. [J] [P]

Sexual maturity of yellowfin tuna noted.

KAWAMURA, HYŌZŌ.

1939. Observations on oceanography and fishing conditions in Palau waters. South Sea Fish. News, vol. 3, No. 1, pp. 2–6. [J] [P]

Fishing conditions for yellowfin tuna and skipjack correlated with oceanography.

KAWANA, TAKESHI.

1934. Tuna fishing in relation to oceanographic conditions. Prog. Rpt. Hokkaido Fish. Expt. Sta., vol. 31, pp. 1–180. [J] [P]

Thynnus orientalis: Japan; fishing conditions correlated with astronomical and oceanographic factors; tagging; size composition of commercial catch.

1937. The catch of tunny, *Thunnus orientalis* T. and S., off Kushiro, Hokkaido, in relation to the vertical difference in water temperature. Bull. Japanese Soc. Sci. Fish., vol. 6, No. 2, pp. 73–74. [JE] [P]

KIDA, TAKEO.

1936. On the surface temperature of water in the tunny fishing grounds off Kushiro and Urakawa in summer. Bull. Japanese Soc. Sci. Fish., vol. 5, No. 2, pp. 87–90. [JE]

Thynnus thynnus: fishing conditions correlated with water temperature; size composition of schools; habits.

KIMURA, KINOSUKE.

1932. Growth curves of blue-fin tuna and yellow-fin tuna based on the catches near Sigedera, on the west coast of Prov. Idu. Bull. Japanese Soc. Sci. Fish., vol. 1, No. 1, pp. 1–4. [Je] [P]

Neothunnus macropterus, Thunnus orientalis: growth rates determined from size groups.

1935. Statistical analysis of the catch by keddle nets, along the coast of Surugu Bay. Rec. Oceanogr. Works, vol. 7, No. 1, pp. 1–36. [JE]

Growth of *Neothunnus macropterus;* age and size groups of *Thunnus orientalis.*

1941. Skipjack fishing. Fish. Technol. Lect. Ser., No. 4, 36 pp. [J]

Pacific Ocean; distribution; migration; catch correlated with water temperature; age and size composition of commercial catches.

1942a. Tuna and spearfish fishing conditions. Fish. Technol. Lect. Ser., No. 5, 122 pp. [J]

Albacore, big-eyed tuna, yellowfin tuna: Japan, Indo-Pacific region, South Seas; fishing conditions correlated with water temperature; age and size composition of albacore and yellowfin tuna.

1942b. Oceanic resources: Offshore fisheries. Sci. Sea, vol. 2, No. 3, pp. 142–147. [J] [P]

Albacore, black tuna, skipjack: Pacific Ocean; distribution; migration; distribution of big-eyed tuna and yellowfin tuna.

1949. Atlas of skipjack fishing grounds—with data on the albacore grounds. Kuroshio Publ. Co., Tokyo, 44 pp. [J]

Japan; catches of albacore and skipjack correlated with surface water temperature.

KIMURA, KINOSUKE, and KAZUMI ISHII.

1933. Statistical analysis of the catch at the northeastern end of Surugu Bay. Bull. Japanese Soc. Sci. Fish., vol. 2, No. 2, pp. 69–79. [Je]

Catches of yellowfin tuna correlated with water temperature.

KISHINOUYE, KAMAKICHI.

1895. Food of tunas and bonitos. Zool. Mag., vol. 7, p. 111. [J]

1915a. Studies on the mackerels, cybiids, and tunas. Proc. Sci. Fish. Assoc., vol. 1, No. 1, pp. 1–24. [J] [P]

Auxis hira n. sp., *A. maru* n. sp., *Euthynnus yaito* n. sp., *Katsuwonus pelamys* n. sp., *Thunnus alalunga, T. macropterus, T. mebachi* n. sp., *T. orientalis, T. rarus* n. sp.: internal anatomy; classification; description; distribution; keys; Japanese common names; figures; spawning of *T. orientalis* and *A. maru;* food and habits of tunas in general.

KISHINOUYE, KAMAKICHI—Continued

1915b. Anatomical aspects of dark muscle. Proc. Sci. Fish. Assoc., vol. 1, No. 2, pp. 128–136. [J] [P]
Albacore, big-eyed tuna, black skipjack, black tuna, frigate mackerel, *Neothunnus rarus*, skipjack, yellowfin tuna: anatomy and vascular system of lateral musculature described; figured in part for all except big-eyed tuna and *N. rarus*.

1917a. A new order of the Teleostomi. Proc. Sci. Fish. Assoc., vol. 2, No. 2, pp. 1–4. [J] [P]
Classification; description of internal anatomy of order Plecostei and families Thunnidae and Katsuwonidae.

1917b. The food of tunas. Proc. Sci. Fish. Assoc., vol. 2, No. 1, pp. 106–108. [J] [P]
Albacore, big-eyed tuna, skipjack, yellowfin tuna: stomach contents; juvenile albacore, big-eyed tuna, skipjack, and *Auxis maru* recorded from stomachs of adults.

1918. Amount of blood in the dark muscle and other muscles of the Plecostei. Proc. Sci. Fish. Assoc., vol. 2, No. 3, pp. 259–260. [J] [P]
Blood content of dark lateral muscle of big-eyed tuna and skipjack compared.

1919a. Studies on the Plecostei. Proc. Sci. Fish. Assoc., vol. 2, No. 4, pp. 269–274. [J] [P]
Evolution of various tuna species based on internal anatomy; vascular system and anatomy of lateral musculature of Thunnidae and Katsuwonidae; and vascular plexuses of albacore, big-eyed tuna, black skipjack, black tuna, frigate mackerel, skipjack, and yellowfin tuna figured.

1919b. The larval and juvenile stages of the Plecostei. Proc. Sci. Fish. Assoc., vol. 3, No. 2, pp. 49–53. [J] [P]
Black skipjack, black tuna, skipjack: western Pacific; juveniles recorded and described; markings of young Scombroid fishes mentioned; Lütken's "albacore" juveniles and Günther's "black skipjack" juvenile described and figured.

1919c. Black skipjack from Mexico. Proc. Sci. Fish. Assoc., vol. 3, No. 2, p. 113. [J] [P]
Euthynnus lineatus: Mexico; recorded and described as a new species.

1921. Tunas of the American coast. Proc. Sci. Fish. Assoc., vol. 3, No. 3, p. 239. [J] [P]
Anatomical differences between American bluefin tuna and Japanese black tuna noted.

1922a. Air bladders of Thunnidae. Proc. Sci. Fish. Assoc., vol. 3, No. 4, p. 304. [J] [P]
Albacore, big-eyed tuna, yellowfin tuna: air-bladders described; recorded and described for black tuna.

1922b. Carangid-like markings of skipjack. Proc. Sci. Fish. Assoc., vol. 3, No. 4, pp. 304–305. [J] [P]
Unusual markings on one specimen recorded and described.

1922c. Black skipjack also found in Japan Sea. Proc. Sci. Fish. Assoc., vol. 3, No. 4, p. 305. [J] [P]
Distribution record.

KISHINOUYE, KAMAKICHI—Continued

1923. Contributions to the comparative study of the so-called Scombroid fishes. Jour. Coll. Agr., Imp. Univ. Tokyo, vol. 8, No. 3, pp. 293–475. [P]
Auxis hira, A. maru, Euthynnus lineatus, E. yaito, Katsuwonus pelamis, Neothunnus macropterus, N. rarus, Parathunnus mebachi, Thunnus germo, T. orientalis: anatomy; bibliography; classification; description; distribution; figures; food; habits; keys; Japanese common names; synonymy; growth of *N. macropterus, T. germo, T. orientalis;* enemies of *T. orientalis;* migration of *K. pelamis, T. germo, T. orientalis;* parasites of *E. yaito, K. pelamis, N. macropterus, P. mebachi;* spawning of *E. yaito, K. pelamis, N. macropterus, T. orientalis;* young of *A. maru, E. yaito, K. pelamis, T. germo, T. orientalis.*

1924. Observations on skipjack fishing grounds. Proc. Sci. Fish. Assoc., vol. 4, No. 2, pp. 87–92. [J] [P]
Auxis maru, Euthynnus yaito, Katsuwonus pelamis, ?Neothunnus macropterus: Ryukyu Islands; records and descriptions of juveniles.

1926. An outline of studies of the Plecostei (tuna and skipjack) in 1925. Proc. Sci. Fish. Assoc., vol. 4, No. 3, pp. 125–137. [J] [P]
Auxis sp., *Katsuwonus pelamis, ?Neothunnus macropterus, ?Parathunnus mebachi:* Ryukyu Islands; juveniles recorded, described, and figured.

KITAHARA, T.

1897. Scombridae of Japan. Jour. Imp. Fish. Bur., Tokyo, vol. 6, pp. 1–3. [C]
Thynnus germo, T. macropterus, T. pelamys, T. sibi, T. thunnina, T. thynnus: figures.

KŌCHI PREFECTURAL FISHERIES EXPERIMENT STATION.

1923a. Oceanographic observations and search for skipjack fishing grounds. Prog. Rpt. Kōchi Pref. Fish. Expt. Sta. for 1921, pp. 1–4. [J] [P]
Japan; skipjack fishing conditions correlated with oceanographic factors.

1923b. Oceanographic observations and search for tuna fishing grounds. Prog. Rpt. Kōchi Pref. Fish. Expt. Sta. for 1921, pp. 5–15. [J] [P]
Albacore, big-eyed tuna, yellowfin tuna: Japan; migration; vertical distribution.

1924. Oceanographic observations and search for tuna fishing grounds. Prog. Rpt. Kōchi Pref. Fish. Expt. Sta. for 1922, pp. 39–49. [J] [P]
Albacore, big-eyed tuna, black tuna, yellowfin tuna: Japan; migration; vertical distribution.

KODAMA, MASAHARU, KIYOSHI IIZUKA, and TOSHI HARADA.

1934. Weight ratio of various body parts and analyses of the normal constituents of fresh flesh of important South Sea fish. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1932, Technol. Sec., pp. 1–6 [J] [P]
Skipjack and tuna examined.

KUMAMOTO PREFECTURAL FISHERIES EXPERIMENT STATION.

1946. Experimental pole and line fishing for skipjack. Prog. Rpt. Kumamoto Pref. Fish. Expt. Sta. for 1942, 1943, 1944, pp. 3–5. [J] [P]
Ryukyu Islands; skipjack fishing conditions correlated with water temperature.

KUMATA, T., ET AL.
1941. Illustrated atlas of edible marine animals and plants of the South Seas. Nissan Fish. Res. Sta., Odawara, pp. 62–65. [J]
Katsuwonus vagans, Neothunnus macropterus, Parathunnus mebachi: distribution; English and Japanese common names; figures; Dutch and Malayan common names of *N. macropterus* and *P. mebachi.*

KURONUMA, KATSUZŌ.
1940. A young of ocean sunfish, *Mola mola*, taken from the stomach of *Germo germo*, and a specimen of *Masturus lanceolatus* as the second record from Japanese waters. Bull. Biogeog. Soc. Japan, vol. 10, No. 2, pp. 25–28. [JE]
Stomach contents of *Germo germo* noted.

LACÉPÈDE, BERNARD GERMAINE ÉTIENNE.
1829. Histoire naturelle des poissons. Tome III. In: Oeuvres du Comte de Lacépède. Vol. 7, pp. 278, 285–320. Paris. [C]

LESSON, RENÉ PRIMEVÈRE.
1830. Voyage autour du monde, exécuté par order du roi, sur la corvette de sa majesté, "La Coquille", pendant les années 1822, 1823, 1824, 1825. Zoologie, vol. 2, pt. 1, pp. 162–166. Paris. [C]
Thynnus vagans: description; distribution; figured.

LORD, CLIVE.
1927. A list of the fishes of Tasmania. Jour. Pan-Pacific Res. Inst., vol. 2, No. 4, p. 15.
Auxis thazard, Thunnus maccoyi: listed.

LÜTKEN, CHRISTIAN FREDERICK.
1880. Spolia Atlantica. Vidensk. Selskr. Skr., 5 Ser., vol. 5, No. 11, pp. 460–483, 595–597 (French resumé). Classification and synonymy of *Orcynus* spp. and *Thynnus* spp.; juveniles of *O. germo* described and figured.

MACLEAY, WILLIAM.
1881. Descriptive catalogue of Australian fishes, vol. 1, pp. 191–192. Sydney. [C]
Thynnus affinis, T. maccoyi, T. pelamys: description; distribution.

MANTER, HAROLD W.
1940. Digenetic trematodes of fishes from the Galapagos Islands and the neighbouring Pacific. A. Hancock Pacific Exped., vol. 2, No. 14, p. 448.
Gymnosarda alletterata and *G. pelamis* listed as hosts.

MARR, JOHN C.
1948. Observations on the spawning of oceanic skipjack (*Katsuwonus pelamis*) and yellowfin tuna (*Neothunnus macropterus*) in the Northern Marshall Islands. U. S. Fish and Wildlife Serv. Fish. Bull., vol. 51, No. 44, pp. 201–206.
Katsuwonus pelamis: Marshall Islands; records and descriptions of juveniles; ova measurements. *K. pelamis, Neothunnus macropterus:* spawning; length, sex, maturity data.

929179°—51——2

MARR, JOHN C., and MILNER B. SCHAEFER.
1949. Definitions of body dimensions used in describing tunas. U. S. Fish and Wildlife Serv. Fish. Bull., vol. 51, No. 47, pp. 241–244.

MARTIN, CLARO.
1938. Tuna fishing and long-line fishing in Davao Gulf, Philippines. Philippine Jour. Sci., vol. 67, No. 2, p. 189.
Katsuwonus pelamis, Neothunnus itosibi, N. macropterus: listed in commercial catch.

MARUKAWA, HISATOSHI.
1939. Fisheries of the South Sea Islands: Natural food of skipjack and tunas. South Sea Fish., vol. 5, No. 7, pp. 12–14. [J] [P]
Yellowfin tuna: stomach contents; juveniles of *Auxis thazard, Katsuwonus pelamis*, and *Parathunnus sibi* mentioned as food of tunas.

MATSUBARA, KIYOMATSU.
1943. Southern fishes. Formosa Fish. Mag., No. 334, pp. 11–14. [J] [P]
Albacore, big-eyed tuna, black tuna, yellowfin tuna: South Seas; distribution; yellowfin tuna: description; skipjack: distribution; migration; sexual maturity in Indo-Pacific region; size difference between South Seas and Japanese skipjack.

MATSUI, KIZŌ.
1942a. Growth, water and fat content of the brain of skipjack and tuna. South Sea Sci., vol. 5, No. 1, pp. 106–116. [J] [P]
Skipjack and yellowfin tuna.
1942b. On the gonads of skipjack from the adjacent waters of Palau. South Sea Sci., vol. 5, No. 1, pp. 117–122. [J] [P]
Gonad weight used as a criterion of sexual maturity; gonads figured.

MATSUMOTO, TAKESHI.
1937. An investigation of the skipjack fishery in the waters of Woleai Island. South Sea Fish. News, No. 3, pp. 2–4. [J] [P]
Release of tagged skipjack recorded; migration.

MCCULLOCH, ALAN R.
1922. Check list of the fishes and fish-like animals of New South Wales, Part III. Australian Zool., vol. 2, pt. 3, pp. 104–105.
Auxis ramsayi, A. thazard, Euthynnus alletterata, E. pelamis, Thunnus germo, T. maccoyi: listed; synonymy; key; figures of *A. thazard, E. pelamis*, and *T. maccoyi.*

MEEK, SETH E., and SAMUEL F. HILDEBRAND.
1923. The marine fishes of Panama. Part I. Publ. Field Mus. Nat. Hist., vol. 15, No. 215, pp. 314–316.
Auxis thazard, Germo alalunga, Gymnosarda alleterata, G. pelamis, Thunnus thynnus: description; distribution; key; synonymy.

METZ, CHARLES WILSON.
1912. The fishes of Laguna Beach, Calif. I. Ann. Rpt. Laguna Marine Lab., vol. 1, p. 32. [C]
Germo alalunga, Thunnus thunnus: recorded.

MIE PREFECTURAL FISHERIES EXPERIMENT STATION.

1930a. Investigation of skipjack fishing grounds and guidance in fishing. Prog. Rpt. Mie Pref. Fish. Expt. Sta. for 1927, pp. 1–15. [J] [P]
Japan; skipjack fishing conditions correlated with water temperatures and specific gravity.

1930b. Skipjack fishing and oceanographic conditions. Prog. Rpt. Mie Pref. Fish. Expt. Sta. for 1927, pp. 15–17. [J] [P]
Japan; skipjack fishing conditions correlated with water temperature and specific gravity.

1930c. Investigation of tuna fishing grounds and guidance in fishing. Prog. Rpt. Mie Pref. Fish. Expt. Sta. for 1927, pp. 18–33. [J] [P]
Albacore, big-eyed tuna, black tuna, yellowfin tuna: Japan; fishing conditions correlated with water temperature and specific gravity.

1930d. Investigation of skipjack fishing grounds and guidance in fishing. Prog. Rpt. Mie Pref. Fish. Expt. Sta. for 1928, pp. 1–18. [J] [P]
Japan; skipjack fishing conditions correlated with water temperature and specific gravity.

1930e. Investigation of tuna fishing grounds and guidance in fishing. Prog. Rpt. Mie Pref. Fish. Expt. Sta. for 1928, pp. 19–33. [J] [P]
Albacore, big-eyed tuna, black tuna, yellowfin tuna: Japan; fishing conditions correlated with water temperature and specific gravity.

MIGITA, M., and K. ARAKAWA.

1948. Melanophorhormone of fishes. Contrib. Cent. Fish. Expt. Sta. Japan (1946–1948), No. 39, pp. 241–244. [Je]
Frigate mackerel, skipjack, *Thunnus orientalis*, yellowfin tuna: melanophorhormone content of pituitary glands tabulated; proportional weights of various parts of *T. orientalis* brain; brain of yellowfin tuna figured.

MINE, TATSUZŌ, and SATORU IEHISA.

1940. Appearances of the groups of *Thunnus orientalis* (T. and S.) in the seas south of Kyushu. Bull. Japanese Soc. Sci. Fish., vol. 8, No. 6, pp. 292–294. [Je] [P]
Size composition of commercial catch.

MIYAMA, YOSHIMICHI, and ISAMU OSAKABE.

1938. On the character of the fats obtained from the various bodily parts of fishes. Bull. Japanese Soc. Sci. Fish., vol. 7, No. 2, pp. 105–106. [Je] [P]
Katsuwonus vagans, Parathunnus sibi, Thunnus orientalis: chemical analysis of fats.

1940. Note on the vitamin oil contained in the liver of fishes. Bull. Japanese Soc. Sci. Fish., vol. 9, No. 1, pp. 16–20. [Je] [P]
Big-eyed tuna, black tuna, skipjack, yellowfin tuna: chemical analysis of liver and liver oil.

MIYAMA, YOSHIMICHI, KUMAN SARUYA, and TAKAYOSHI HASEGAWA.

1939. On the characters of the fats obtained from various body parts of fish. III. Bull. Japanese Soc. Sci. Fish., vol. 8, No. 4, pp. 185–186. [Je] [P]
Thunnus macropterus: South Seas; chemical analysis of various body parts; length-weight data, sex, and stomach contents of specimens recorded.

MIYAUCHI, SAICHI.

1915. Chemical studies of the dark lateral muscle. Proc. Sci. Fish. Assoc., vol. 1, No. 1, pp. 38–49. [J]
Albacore, big-eyed tuna, black skipjack, black tuna, skipjack: chemical analyses of flesh and dark muscle.

MORI, TAMEZŌ.

1928. A catalogue of the fishes of Korea. Jour. Pan-Pacific Res. Inst., vol. 3, No. 3, p. 5. [Je]
Auxis thazard, Thunnus orientalis: listed.

NAKAMURA, HIROSHI.

1935. Über intersexualität bei *Katsuwonus pelamis* (Linn.). Trans. Nat. Hist. Soc. Formosa, vol. 25, No. 141, pp. 197–198. [J]
Example of hermaphroditism recorded and described.

1936. On the food habits of yellowfin tuna, *Neothunnus macropterus* (Schlegel), from the Celebes Sea. Trans. Nat. Hist. Soc. Formosa, vol. 28, No. 148, pp. 1–8. [J] [P]
Analyses of stomach contents; length-weight data.

1938. Preliminary report on the habits of the black tuna, *Thunnus orientalis* (Schlegel). Zool. Mag., vol. 50, No. 5, pp. 279–281, pls. 1–8. [J] [P]
Description and figure of mature egg; gonads figured; distribution; sexual maturity; spawning areas and season.

1939a. Notes on the differences between *Neothunnus macropterus* and *Neothunnus itosibi.* Formosa Fish. Mag., No. 288, pp. 27–32. [J] [P]
Neothunnus macropterus: classification; morphometric data; synonymy; *Neothunnus* compared with *Semathunnus.*

1939b. Report on the investigation of Thunnidae in Formosan waters. Formosa Govt.-Gen. Fish. Expt. Sta. Publ., No. 13, pp. 1–15. [Je] [P]
Auxis hira, A. maru, Euthynnus yaito: classification; Japanese common names; synonymy. *Katsuwonus pelamis, Kishinoella rara, Neothunnus macropterus, Parathunnus mebachi, Thunnus germo, T. orientalis:* classification; description; distribution; synonymy; Japanese common names; figures of all except *N. macropterus, P. mebachi,* and *T. germo. N. macropterus:* spawning; morphometric data; compared externally with *N. itosibi* and *Semathunnus guildi. K. rara* compared externally with *K. zacalles;* spawning of *T. orientalis.*

1941. On the body temperatures of some species of Thunnidae and Istiophoridae. Proc. Sci. Fish. Assoc., vol. 8, No. 3, 4, pp. 256–263. [J] [P]
Yellowfin tuna: Formosa; body temperatures correlated with water temperatures.

1943. Tunas and spearfishes. Sci. Sea., vol. 3, No. 10, pp. 445–459. [J]
Neothunnus macropterus, N. rarus, Parathunnus mebachi, Thunnus germo, T. orientalis: classification; distribution; food; Japanese common names; migration; spawning.

NAKAMURA, HIROSHI—Continued

1949. Tunas and tuna fishing. Takeuchi Bookstore, Tokyo, April, 1949, 118 pp. [J] [P]

Germo germo, Neothunnus macropterus, N. rarus, Parathunnus mebachi, Thunnus orientalis: bibliography; anatomy; classification; description; distribution; food; habits; keys; figures; Japanese common names; synonymy; migration of *G. germo* and *T. orientalis;* spawning of *N. macropterus, T. orientalis;* description of *T. orientalis* eggs; *G. germo, N. macropterus, P. mebachi;* catch per unit of effort; fishing conditions in relation to oceanography.

NAKAMURA RESEARCH STAFF.

1949. Report of the investigation of skipjack and tuna resources. Cent. Fish. Expt. Sta. Rpt., No. 1 (for 1947), 7 pp. [J]

Katsuwonus pelamis: Japan; morphometric data; counts of meristic characters; size composition and sex ratio of commercial catch; sexual maturity; stomach contents; gonad weights; egg counts.

NICHOLS, JOHN TREADWELL, and FRANCESCA R. LAMONTE.

1941. Yellowfin, Allison's and related tunas. Ichth. Contrib. Internatl. Game Fish Assoc., vol. 1, No. 3, pp. 27–32.

Neothunnus albacora, N. allisoni, N. catalinae, N. rarus; classification; description; English common names; key; synonymy; provisional subspecies, *Neothunnus albacora albacora, N. albacora macropterus, N. allisoni allisoni, N. allisoni itosibi,* and *N. rarus zacalles,* proposed.

NICHOLS, JOHN TREADWELL, and ROBERT CUSHMAN MURPHY.

1922. On a collection of marine fishes from Peru. Bull. American Mus. Nat. Hist., vol. 46, art. 9, pp. 503, 507.

Germo argentivittatus: Peruvian common name; description.

1944. A collection of fishes from the Panama Bight, Pacific Ocean. Bull. American Mus. Nat. Hist., vol. 83, art. 4, p. 240.

Katsuwonus pelamis: listed.

ŌITA PREFECTURAL FISHERIES EXPERIMENT STATION.

1925. Experimental tuna fishing. Prog. Rpt. Ōita Pref. Fish. Expt. Sta. for 1924, pp. 37–106. [J] [P]

Albacore, big-eyed tuna, skipjack, yellowfin tuna: Ryukyu Islands; morphometric data.

1927a. Experimental tuna fishing. Prog. Rpt. Ōita Pref. Fish. Expt. Sta. for 1925, pp. 1–56. [J] [P]

Albacore, big-eyed tuna, black tuna, yellowfin tuna: Ryukyu Islands; morphometric data; body temperatures correlated with water temperature.

1927b. Experimental longline fishing for tuna. Prog. Rpt. Ōita Pref. Fish. Expt. Sta. for 1926, pp. 1–54. [J] [P]

Big-eyed tuna, yellowfin tuna: Ryukyu Islands; morphometric data.

ŌITA PREFECTURAL FISHERIES EXPERIMENT STATION—Con.

1930. Report of experimental tuna fishing in the Kantō region. Prog. Rpt. Ōita Pref. Fish. Expt. Sta. for 1927, pp. 1–40. [J] [P]

Big-eyed tuna, black tuna, yellowfin tuna: central Japan; morphometric data; body temperatures correlated with water temperatures; fishing conditions in relation to oceanography and weather.

OKADA, YAICHIRŌ, and KIYOMATSU MATSUBARA.

1938. Keys to the fishes and fish-like animals of Japan. The Sanseido Co. Ltd., Tokyo, pp. 146–150. [J]

Auxis hira, A. tapeinosoma, Euthynnus alletteratus, E. yaito, Germo germo, Katsuwonus vagans, Kishinoella rara, Neothunnus itosibi, N. macropterus, Parathunnus sibi, Thunnus orientalis: classification; description; distribution; key; Japanese common names.

OKAMOTO, GOROZŌ.

1940. On the composition of shoals of "katsuo" *Euthynnus vagans* (Lesson) in the northeastern Japanese waters as analyzed by the body weight. Bull. Japanese Soc. Sci. Fish., vol. 9, No. 3, pp. 100–102. [Je] [P]

Size and age composition.

OKINAWA PREFECTURAL FISHERIES EXPERIMENT STATION.

1931. Investigation of the maturity of skipjack. Prog. Rpt. Okinawa Pref. Fish. Expt. Sta. for 1930, pp. 106–107. [J] [P]

Skipjack length-weight data; gonad weight and maturity.

1940a. Experimental skipjack fishing. Prog. Rpt. Okinawa Pref. Fish. Expt. Sta. for 1939, pp. 3–5. [J] [P]

Ryukyu Islands; skipjack catch correlated with air and water temperatures.

1940b. Experimental tuna fishing. Prog. Rpt. Okinawa Pref. Fish. Expt. Sta. for 1939, pp. 6–8. [J] [P]

Big-eyed tuna, black tuna: Bonin Islands; catches correlated with water temperature.

1943. Experimental skipjack fishing. Prog. Rpt. Okinawa Pref. Fish. Expt. Sta. for 1941, pp. 4–14. [J] [P]

Ryukyu Islands; distribution of skipjack; catch correlated with air and water temperatures.

OKUDA, YŪZURU.

1918. Some studies in marine chemistry. Proc. Sci. Fish. Assoc., vol. 2, No. 3, pp. 193–204. [J] [P]

Chemical analysis of dark muscle of frigate mackerel and skipjack.

OKUMA, YASUMICHI, KAKUJI IMAIZUMI, and JŪKO MAKI.

1935. Investigation of South Sea fisheries by the Shonan Maru: Investigation of tuna fishing grounds. Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta. for 1933, Fish. Sec., pp. 120–123. [J] [P]

Yellowfin tuna: Indo-Pacific region; distribution; stomach contents; length-weight data; sexual maturity; fishing conditions in relation to oceanography and weather; catch per unit of effort.

Ōmori, Kageyu, and Takeshi Fujimoto.
1940. Experimental longline fishing for tuna. Prog. Rpt. Nagasaki Pref. Fish. Expt. Sta. for 1938, pp. 175–214. [J] [P]
Big-eyed tuna, black tuna: Japan; catches correlated with water temperature and specific gravity.

Ōmori, Kageyu, and Masanobu Fukuda.
1938. Experimental longline fishing for tuna. Prog. Rpt. Nagasaki Pref. Fish. Expt. Sta. for 1936, pp. 47–48. [J] [P]
Big-eyed tuna, black tuna: Japan; catches correlated with water temperature and specific gravity.
1940. Experimental longline fishing for tuna. Prog. Rpt. Nagasaki Pref. Fish. Expt. Sta. for 1937, pp. 45–92. [J] [P]
Big-eyed tuna, black tuna: Japan; catches correlated with water temperature and specific gravity.

Onodera, Matsuji.
1941. The relation of freshness and condition factor of Palau Islands skipjack to the ratio of finished products. South Sea Fish. News, vol. 5, No. 2, pp. 7–17. [J] [P]
Skipjack length-weight data; body condition of fish.

Otaki, Keinosuke, Tsunenobu Fujita, and Tadashi Higurashi.
1903. Fishes of Japan; an account principally of economic species. 1903–1904. Tokyo. [C]
Thunnus schlegeli: Japan; figured.

Oya, Takeo, and Toyoo Takahashi.
1936. On the growth accelerating substance in the liver of the marine animals. Bull. Japanese Soc. Sci. Fish., vol. 5, No. 3, pp. 192–194. [Je] [P]
Growth hormones in skipjack livers.

Phillipps, W. J.
1927a. A check-list of the fishes of New Zealand. Jour. Pan-Pacific Res. Inst., vol. 2, No. 1, p. 14.
Euthynnus pelamis, Germo germon: listed.
1927b. Bibliography of New Zealand fishes. New Zealand Mar. Dept. Fish. Bull., No. 1, pp. 45–46.
Germo germo, Katsuwonus pelamis, Thunnus phillippsi: listed; classification; synonymy; New Zealand and Maori common names.

Phillips, W. J., and E. R. Hodgkinson.
1922. Further notes on the edible fishes of New Zealand. New Zealand Jour. Sci. Technol., vol. 5, No. 2, p. 93.
Germo germo, Gymnosarda pelamis: recorded.

Powell, A. W. B.
1937. Marine fishes new to New Zealand; including the description of a new species of *Halieutaea*. Trans. Roy. Soc. New Zealand, vol. 67. pt. 1, p. 80.
Neothunnus itosibi: recorded; synonymy; description; figured.

Reeves, Cora D.
1928. A catalogue of the fishes of Northeastern China and Korea. Jour. Pan-Pacific Res. Inst., vol. 2, No. 3, p. 8.
Auxis tapeinosoma, A. thazard, Katsuwonus vagans, Neothunnus macropterus, Thunnus orientalis: listed.

Richardson, John.
1846. Report on ichthyology of the seas of China and Japan. Rpt. British Assoc. Adv. Sci., 15th meeting, pp. 267–268.
Thynnus macropterus, T. orientalis, T. pelamys, T. sibi, T. thunnina: synonymy; distribution.

Roedel, Phil M.
1948a. Common marine fishes of California. California Div. Fish and Game, Fish Bull. No. 68, pp. 59–63.
Katsuwonus pelamis, Neothunnus macropterus, Thunnus germo, T. thynnus: classification; description; distribution; English common names; key; figures; anatomical differences between *Parathunnus mebachi* and *T. germo* and between *P. mebachi* and *N. macropterus* noted.
1948b. Occurrence of the black skipjack (*Euthynnus lineatus*) off southern California. California Fish and Game, vol. 34, No. 1, p. 38.

Roughly, T. C.
1916. Fishes of Australia and their technology. Tech. Educ. Ser., Technol. Mus. Sydney, No. 21, pp. 10, 162, 164–165.
Germo germo, Gymnosarda pelamis: distribution.
Thunnus maccoyi: classification; description; distribution; habits; figure.

Samson, V. J.
1940. Notes on the occurrence of albacore *Germo alalunga* in the North Pacific. Copeia, No. 4, p. 271.

Sasaki, Takeo.
1939a. The relationship between oceanographic conditions and skipjack fishing grounds in Northeastern waters. Miyagi Pref. Fish. Expt. Sta., March, 1939, 12 pp. [J] [P]
Skipjack fishing conditions correlated with water temperature; migration; size composition of schools.
1939b. The relationship between oceanographic conditions and albacore fishing grounds east of Cape Nojima. Miyagi Pref. Fish. Expt. Sta., April 1939, 14 pp. [J] [P]
Albacore fishing conditions correlated with water temperature; migration; size composition of schools.

Scagel, R. F.
1949. Report on the investigation of albacore. Pacific Biol. Sta., Fish. Res. Bd. Canada, Circ. No. 17, 23 pp.
Thunnus alalunga: Northwest Pacific; catch correlated with oceanographic conditions; size composition of commercial catch; stomach contents; tagging; body temperatures.

Schaefer, Milner B.
1948a. Morphometric characteristics and relative growth of yellowfin tunas (*Neothunnus macropterus*) from Central America. Pacific Sci., vol. 2, No. 2, pp. 114–120.
Morphometric data; length-weight relationship; growth; classification based on variations in dorsal and anal fin length discussed.

SCHAEFER, MILNER B.—Continued

1948b. Size composition of catches of yellowfin tuna (*Neothunnus macropterus*) from Central America, and their significance in the determination of growth, age, and schooling habits. U. S. Fish and Wildlife Serv. Fish. Bull., vol. 51, No. 44, pp. 197–200.

Size composition of commercial catch; sexual maturity; age; growth; schooling habits; length-frequency data from mixed school of skipjack and yellowfin tuna.

1948c. Spawning of Pacific tunas and its implications to the welfare of the Pacific tuna fisheries. Trans. Thirteenth North Amer. Wildlife Conf., pp. 366–371.

Auxis sp., *Euthynnus lineatus, E. yaito, Katsuwonus pelamis, Neothunnus macropterus, Thunnus germo:* Pacific Ocean; distribution; review of records and observations on spawning and juveniles; management problem.

SCHAEFER, MILNER B., and J. C. MARR.

1948a. Spawning of yellowfin tuna (*Neothunnus macropterus*) and skipjack (*Katsuwonus pelamis*) in the Pacific Ocean off Central America, with descriptions of juveniles. U. S. Fish and Wildlife Serv. Fish. Bull., vol. 51, No. 44, pp. 187–195.

Neothunnus macropterus: size composition in commercial catch; sexual maturity; spawning. *Katsuwonus pelamis:* sexual maturity; spawning; records of capture, descriptions, and figures of *N. macropterus* and *K. pelamis* juveniles.

1948b. Juvenile *Euthynnus lineatus* and *Auxis thazard* from the Pacific Ocean off Central America. Pacific Sci., vol. 2, No. 4, pp. 262–271.

Anatomy, counts of meristic characters, description, figures, and records of capture of juveniles.

SCHMIDT, P.

1930. A check-list of the fishes of the Riu-Kiu Islands. Jour. Pan-Pacific Res. Inst., vol. 5, No. 4, p. 3.

Euthynnus alleteratus: listed.

SCHMITT, WALDO L., and LEONARD P. SCHULTZ.

1940. List of the fishes taken on the Presidential Cruise of 1938. Smithsn. Misc. Collect., vol. 98, No. 25, p. 3.

Euthynnus alletteratus, E. lineatus: listed and compared.

SCHULTZ, LEONARD P.

1949. A further contribution to the ichthyology of Venezuela. Proc. U. S. Natl. Mus., vol. 99, pp. 1–211.

Thunnus thynnus: listed; synonymy; English and Venezuelan common names.

SCHULTZ, LEONARD P., and ALLAN C. DELACY.

1936. A catalogue of the fishes of Washington and Oregon with distributional records and a bibliography. Mid-Pacific Mag., vol. 49, No. 1, pp. 70–71.

Germo alalunga, Thunnus thynnus: synonymy; distributional records.

SEALE, ALVIN.

1940. Report on fishes from Allan Hancock Expeditions in the California Academy of Sciences. A. Hancock Pacific Exped., vol. 9, No. 1, pp. 17–18.

Euthynnus lineatus, Katsuwonus pelamis, Neothunnus macropterus: description; records of capture.

SERVENTY, D. L.

1941. The Australian tunas. Council Sci. and Indust. Res., Australia, Pamphlet No. 104, pp. 1–48.

Auxis thazard, Euthynnus alletteratus, Katsuwonus pelamis, Kishinoella tonggol, Neothunnus macropterus, Thunnus germo, T. maccoyi: distribution, description, key, figures, Australian common names; size groups, migration, and spawning of *T. maccoyi;* length-weight relationship, and internal and external differences of *K. tonggol* and *T. maccoyi* compared; livers of *K. tonggol* and *T. maccoyi* figured.

1942a. Notes on the economics of the northern tuna (*Kishinoella tonggol*). Jour. Council Sci. and Indust. Res., Australia, vol. 15, No. 2, pp. 94–100.

Distribution; feeding habits; stomach contents; spawning.

1942b. The tuna *Kishinoella tonggol* Bleeker in Australia. Jour. Council Sci. and Indust. Res., Australia, vol. 15, No. 2, pp. 101–112.

Distribution; description; ratios of various body proportions; internal anatomy; synonymy; compared with *Kishinoella zacalles, Neothunnus rarus, Thunnus nicolsoni, Thynnus tonggol;* figures of *T. tonggol* and *Kishinoella tonggol;* cranium of *K. tonggol* figured.

1947. A report on commercial tuna trolling tests in southeastern Australia. Jour. Council Sci. and Indust. Res., Australia, vol. 20, No. 1, pp. 1–16.

Katsuwonus pelamis, Thunnus germo, T. maccoyii: recorded in catch; catch per unit of effort, and size composition of *T. maccoyii.*

1948. *Allothunnus fallai* a new genus and species of tuna from New Zealand. Rec. Canterbury Mus., vol. 5, No. 3, pp. 131–135.

Classification; description; morphometric measurements; internal anatomy of type specimen; records of specimens and occurrences; compared with Katsuwonidae; type specimen, liver, gill rakers figured.

SHAPIRO, SIDNEY.

1948a. The Japanese tuna fisheries. SCAP Nat. Resources Sec. Rpt. No. 104, 60 pp.

Katsuwonus pelamis, Neothunnus macropterus, Thunnus germo, T. orientalis: bibliography; classification; description; distribution; migration; food; habits; fishing conditions correlated with oceanography; figures; Japanese common names.

1948b. Aquatic resources of the Ryukyu area. SCAP Nat. Resources Sec. Rpt. No. 117, 54 pp.

Auxis hira, A. tapeinosoma, Euthynnus yaito, Katsuwonus pelamis, Neothunnus macropterus, Parathunnus sibi, Thunnus germo, T. orientalis: bibliography; distribution; Ryukyuan common names; migration and spawning of *K. pelamis.*

SHIMAMURA, KANAE.

1927. On the correlation between skipjack catch and specific gravity of sea water. Sea and Sky, vol. 7, No. 12, pp. 196–198. [J] [P]

SHIMIZU, WATARU.

1947. Seasonal changes in the composition of tuna flesh. Bull. Japanese Soc. Sci. Fish., vol. 13, No. 1, pp. 27–28. [Je] [P]
Chemical analysis of black tuna flesh.

SHIZUOKA PREFECTURAL FISHERIES EXPERIMENT STATION.

1936. Investigation of skipjack fishing. Prog. Rpt. Shizuoka Pref. Fish. Expt. Sta. for 1934, pp. 1–19. [J] [P]
Skipjack catch correlated with water temperature.

1937. Investigation of skipjack fishing. Prog. Rpt. Shizuoka Pref. Fish. Expt. Sta. for 1935, pp. 259–285. [J] [P]
Skipjack catch correlated with water temperature.

SMITH, OSGOOD R., and MILNER B. SCHAEFER.

1949. Fishery exploration in the western Pacific (January to June 1948, by vessels of the Pacific Exploration Company). Com. Fish. Rev., vol. 11, No. 3, pp. 1–18.
Big-eyed tuna, *Euthynnus yaito, Katsuwonus pelamis*, yellowfin tuna: Hawaiian, Line, former Japanese mandated islands; occurrence recorded; *E. yaito, K. pelamis* figured.

SMITH, ROBERT O.

1947. Survey of the fisheries of the former Japanese mandated islands. U. S. Fish and Wildlife Serv., Fish. Leaf. 273, pp. 89–95.
Katsuwonus pelamis, Neothunnus macropterus, Thunnus germo: Hawaiian and Micronesian common names.

SNYDER, JOHN OTTERBEIN.

1904. A catalogue of the shore fishes collected by the steamer Albatross about the Hawaiian Islands in 1902. Bull. U. S. Fish Comm. for 1902, vol. 22, p. 523.
Germo sibi: recorded.

SOCIETY FOR THE PROMOTION OF OCEANIC FISHERIES.

1936. Tunas. Ocean. Fish., No. 4, pp. 1–62. [J] [P]
Albacore: differences in quality of flesh of summer and winter fish correlated with sexual maturity, body condition, season; chemical analysis of flesh; spawning; migration; location of fishing grounds correlated with oceanography. *Thunnus orientalis:* compared with *Thunnus thunnus;* spawning.

SOLDATOV, V. K.

1929. A check list of fishes recorded from Russian Pacific waters. Jour. Pan-Pacific Res. Inst., vol. 4, No. 1, p. 5.
Auxis thazard, Thunnus thynnus: listed.

SOLDATOV, V. K., and G. J. LINDBERG.

1930. A review of the fishes of the seas of the Far East. Bull. Pacific Sci. Fish. Inst., vol. 5, pp. 103–109.
Auxis hira, A. maru, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: classification; description; distribution; key; synonymy; keys to *Parathunnus* and *Kishinoella; Thunnus thynnus* figured.

SOUTH SEAS GOVERNMENT-GENERAL FISHERIES EXPERIMENT STATION.

1937a. Investigation of the fisheries of the Mariana Islands, 1924. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. No. 1, 1923–1935, pp. 6–9. [J] [P]
Distribution of yellowfin tuna and skipjack.

1937b. Investigation of the fisheries of the Marshall Islands, 1926–1927. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. No. 1, 1923–1935, pp. 14–24. [J] [P]
Distribution of tunas.

1937c. Survey of fishing grounds and channels in Palau waters, 1925–1926. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. No. 1, 1923–35, pp. 25–37. [J] [P]
Skipjack fishing conditions correlated with oceanographic conditions.

1938. Report of oceanographical investigations. South Seas Govt.-Gen. Fish. Expt. Sta., Mar. 1938, 124 pp. [J] [P]
Skipjack, yellowfin tuna: South Seas; catch correlated with oceanographic conditions.

1941a. Experimental tuna fishing in waters adjacent to Woleai. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. for 1936, pp. 8–12. [J] [P]
Distribution of tunas.

1941b. Investigation of tuna fishing in waters adjacent to foreign territories. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. for 1936, pp. 17–26. [J] [P]
Indo-Pacific region; yellowfin tuna catch correlated with oceanographic conditions.

1941c. Investigation of skipjack fishing in the central Caroline Islands. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. for 1937, pp. 63–68. [J] [P]
Release of tagged skipjack recorded.

1941d. Investigation of skipjack fishing in Yap waters. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. for 1937, pp. 69–75. [J] [P]
Skipjack length-weight data; body condition.

1942. Report of a survey of the tuna fishery in Palau waters. South Sea Fish. News, vol. 6, No. 1, pp. 10–13. [J] [P]
Big-eyed tuna, skipjack, yellowfin tuna: fishing conditions correlated with currents and water temperature.

1943a. Investigation of albacore fishing in the central Pacific Ocean. Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta. for 1939, pp. 1–13. [J] [P]
Length-weight, body depth data for albacore and yellowfin recorded

1943b. Report of the investigation of tuna fishing in waters adjacent to Palau. South Sea Fish. News, vol. 7, No. 1, pp. 2–4. [J] [P]
Skipjack, yellowfin tuna: fishing conditions correlated with currents and water temperatures.

STARKS, EDWIN CHAPIN.

1918. The mackerel and mackerel-like fishes of California. California Fish and Game, vol. 4, No. 1, pp. 118, 119, 123, 124.
Thunnus alalunga, T. macropterus, T. thynnus: description; distribution; *T. macropterus* and *T. thynnus* figured; food of *T. alalunga.*

STARKS, EDWIN CHAPIN, and EARL LEONARD MORRIS.

1907. The marine fishes of southern California. Univ. California Publ. Zool., vol. 3, No. 1, pp. 179, 181, 188–189.

Germo alalunga, G. macropterus, Gymnosarda pelamis, Thunnus thynnus: distribution; English common names; food of *G. alalunga.*

STEAD, DAVID G.

1906. Fishes of Australia. Pp. 161–165. Sydney.

Germo alalunga, Gymnosarda pelamis, Thunnus thynnus: description; distribution.

1908. The edible fishes of New South Wales. Dept. Fish., New South Wales, pp. 95–97.

Auxis thazard, Gymnosarda alletterata, G. pelamis, Thunnus germo, T. maccoyi: listed; description of *T. maccoyi.*

SUYEHIRO, YASUO.

1936. The reasons why the bonito does not take to baits. Fish. Invest. (Suppl. Rpt.) Imp. Fish. Expt. Sta., No. 3, Paper No. 31, pp. 14–16. [Je] [P]

Stomach anatomy; stomach contents; length, weight, body condition of skipjack from different schools compared.

1938. The study of finding the reasons why the bonito does not take to the angling-baits. Jour. Imp. Fish. Expt. Sta., No. 9, Paper No. 69, pp. 87–101. [Je] [P]

Stomach anatomy; stomach contents; length, weight, body condition of skipjack from different schools compared; food organisms figured.

1941. On the islets of Langerhans of teleost fishes. Jour. Imp. Fish. Expt. Sta., No. 11, Paper No. 82, pp. 121–138. [Je] [P]

Germo germo, Katsuwonus vagans, Neothunnus macropterus, Parathunnus sibi.

1942. A study on the digestive system and feeding habits of fish. Japanese Jour. Zool., vol. 10, No. 1, pp. 1–303. [JE]

Katsuwonus vagans, Neothunnus macropterus, Parathunnus sibi, Thunnus orientalis: digestive system described; analysis of stomach contents; digestive system of *K. vagans, N. macropterus, T. orientalis* figured.

TAIHOKU PROVINCE FISHERIES EXPERIMENT STATION.

1927a. Experimental skipjack fishing. Prog. Rpt. Taihoku Prov. Fish. Expt. Sta. No. 2 (for 1925), pp. 28–85. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with oceanography and weather.

1927b. Experimental skipjack fishing. Prog. Rpt. Taihoku Prov. Fish. Expt. Sta. No. 3 (for 1926), pp. 1–55. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with oceanography and weather.

1928. Report of experimental skipjack fishing. Prog. Rpt. Taihoku Prov. Fish. Expt. Sta. No. 4 (for 1927), pp. 1–102. [J]

Ryukyu Islands; body weights; gonad weight; stomach contents of skipjack.

TAIHOKU PROVINCE FISHERIES EXPERIMENT STATION—Con.

1929. Report of experimental skipjack fishing. Prog. Rpt. Taihoku Prov. Fish. Expt. Sta. No. 5 (for 1928), pp. 1–80. [J] [P]

Ryukyu Islands; occurrence of skipjack in relation to water temperature, water color, and specific gravity; body weights; stomach contents; gonad weights.

1932. Report of the investigation of skipjack fishing grounds. Prog. Rpt. Taihoku Prov. Fish. Expt. Sta. No. 7 (for 1930), pp. 1–17. [J] [P]

Ryukyu Islands; skipjack fishing conditions correlated with water temperature and water color.

TAKAHASHI, NISUKE.

1924. On the new order "Plecostei" established by Dr. Kishinouye. Zool. Mag., vol. 36, No. 432, pp. 397–408. [J] [P]

Internal anatomy; classification; criticism of Kishinouye's order Plecostei.

1926. On the Plecostei, an order of the Teleostomi established by Prof. Kishinouye. Jour. Coll. Agr., Imp. Univ. Tokyo, vol. 7, No. 4, pp. 383–398. [JE]

TAKAO PROVINCE FISHERIES EXPERIMENT STATION.

1927. Experimental longline fishing for tuna and spearfish. Prog. Rpt. Takao Prov. Fish. Expt. Sta., vol. 1, pp. 12–16. [J] [P]

Big-eyed and yellowfin tuna: Formosa; vertical distribution; fishing conditions correlated with time of day and tides.

TAKAYAMA, I., and S. ANDO.

1934. A study of the "maguro" (*Thunnus*) fishing in 1930. Jour. Imp. Fish. Expt. Sta. No. 5, Paper No. 38, pp. 1–21. [Je] [P]

Neothunnus macropterus, Parathunnus mebachi, Thunnus germo, T. orientalis: fishing conditions correlated with surface water temperature; optimum temperature for occurrence of fish recorded.

TAKAYAMA, I., N. IKEDA, and S. ANDO.

1934. A study of the "katsuwo" (*Katsuwonus pelamis*) fishing in 1930. Jour. Imp. Fish. Expt. Sta., No. 5, Paper No. 39, pp. 23–56. [Je] [P]

Fishing conditions correlated with surface water temperature; temperature range and optimum temperatures for occurrence of fish recorded.

TANAKA, SHIGEHO.

1912. Fishes of Japan. Vol. 8, pp. 140–143. Tokyo. [JE]

Euthynnus pelamis: synonymy; Japanese and English common names; description; distribution; figure.

1931. On the distribution of fishes in Japanese waters. Jour. Fac. Sci., Imp. Univ. Tokyo, vol. 3, pt. 1, sec. 4, pp. 22, 50. [JE]

Auxis hira, Euthynnus allcteratus, E. pelamys, Germo macropterus, Parathynnus sibi. Thynnus alalunga, T. thynnus: distribution; synonymy.

TARANETZ, A. R.
1937. Handbook for identification of fishes of Soviet Far East and adjacent waters. Bull. Pacific Sci. Inst. Fish. and Oceanogr., vol. 11, pp. 86–87.
Auxis hira, A. maru, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: classification; distribution; key.

TAUCHI, MORISABURŌ.
1940a. On the stock of *Thunnus orientalis* (T. and S.). Bull. Japanese Soc. Sci. Fish., vol. 9, No. 4, pp. 133–135. [Je] [P]
Survival rates; rates of exploitation; age and size composition.
1940b. On the stock of *Neothynnus macropterus* (T. and S.). Bull. Japanese Soc. Sci. Fish., vol. 9, No. 4, pp. 136–138. [Je] [P]
Survival rates; rates of exploitation; age and size composition; migration; population analysis.
1940c. On the stock of *Germo germo* (Lacépède). Bull. Japanese Soc. Sci. Fish., vol. 9, No. 4, pp. 139–141. [Je] [P]
Survival rates; rates of exploitation; age and size composition.
1941. On the stock of *Euthynnus vagans* (L.). Bull. Japanese Soc. Sci. Fish., vol. 11, Nos. 5 and 6, pp. 179–183. [Je]

TEMMICK, COENRAAD JACOB, and HERMANN SCHLEGEL.
1850. Pisces. In Siebold, Ph. Fr. von, Fauna Japonica sive descriptio animalium quae in itinere per Japoniam suscepto annis 1823–1830 collegit, etc. Lugduni Batavorum, vol. 3, pp. 94–97.
Thynnus macropterus, T. orientalis, T. pelamys, T. sibi, T. thunnina: descriptions of all except *T. thunnina;* figures of all except *T. orientalis; T. thunnina* compared with Mediterranean *T. thunnina; T. sibi* compared with *Thynnus alalonga* (Cuvier).

THOMPSON, WILLIAM F., and ELMER HIGGINS.
1919. Notes from the State Fisheries Laboratory. California Fish and Game, vol. 5, No. 4, pp. 200–203.
Auxis thazard noted in commercial catch; distribution of albacore. *Germo macropterus:* description; compared with bluefin tuna, *Thunnus thynnus.*

TINKER, SPENCER W.
1944. Hawaiian fishes. Tongg Publ. Co., Honolulu, pp. 154–160.
Auxis thazard, Euthynnus alletteratus, E. pelamis, Germo alalunga, Neothunnus macropterus, Parathunnus sibi, Semathunnus itosibi, Thunnus orientalis, T. thynnus: description; distribution; figures of all except *S. itosibi;* English common names; Hawaiian common names of *E. alletteratus, E. pelamis, N. macropterus, T. thynnus;* Japanese common names of *N. macropterus, S. itosibi, T. orientalis, T. thynnus;* European common names of *G. alalunga, T. thynnus;* habits, food, enemies of *E. pelamis;* food, enemies, reproduction of *T. thynnus;* external differences between *T. orientalis* and *T. thynnus;* food, reproduction of *N. macropterus.*

TIRANT, GILBERT.
1929. Note sur les poissons de la Basse-Cochinchine et du Cambodge. Note Serv. Oceanogr. Pêch. Indochine, No. 6, p. 46.
Thynnus thunina: listed.

TOMINAGA, SEIJIRŌ.
1943. Bonitos. Sci. Sea, vol. 3, No. 10, pp. 460–465. [J]
Frigate mackerels, black skipjack: description; distribution; habits; food; Japanese common names; migration and population analysis of Japanese skipjack stock.

TOMIYAMA, TETSUO.
1933. The chemical composition of tunny liver oil. Bull. Japanese Soc. Sci. Fish., vol. 2, No. 1, pp. 1–7. [Je] [P]

TOYAMA, YŪZŌ, ET AL.
1941. Studies on fish in Japan as a source of insulin. Bull. Japanese Soc. Sci. Fish., vol. 10, No. 4.
Germo germo, Katsuwonus vagans, Neothunnus macropterus, Parathunnus sibi: yields of insulin tabulated.

TUBB, J. A.
1948. Whale sharks and devil rays in North Borneo. Copeia, No. 3, p. 222.
Euthynnus macroptera: recorded.

UCHIDA, KEITARŌ.
1923. On the jumping and flight of fishes and other marine animals. Proc. Sci. Fish. Assoc., vol. 4, No. 1, pp. 43–73. [J]
Euthynnus vagans, Thunnus thynnus: jumping behavior described.

UDA, MICHITAKA.
1932. On the body weights of some scombroid fishes of Japan. Bull. Japanese Soc. Sci. Fish., vol. 1, No. 3, pp. 124–129. [Je] [P]
Thunnus thynnus: probable causes of seasonal variations in body weights.
1935a. On the estimation of favourable temperature for long-line fishing of tunny. Bull. Japanese Soc. Sci. Fish., vol. 4, No. 1, pp. 61–65. [Je] [P]
Germo macropterus, Parathunnus sibi, Thunnus alalunga, T. thunnus: Japan; distribution in relation to water temperature.
1935b. The results of simultaneous oceanographical investigations in the north Pacific Ocean adjacent to Japan made in August 1933. Jour. Imp. Fish. Expt. Sta., No. 6, Paper No. 43, pp. 1–130. [Je] [P]
Euthynnus vagans: fishing conditions and distribution correlated with oceanography; size composition of schools and commercial catch; habits.
1936. Locality of fishing centre and shoals of "katuwo" *Euthynnus vagans* (Lesson) correlated with the contact zone of cold and warm currents. Bull. Japanese Soc. Sci. Fish., vol. 4, No. 6, pp. 385–390. [Je] [P]
Euthynnus vagans: Japan; occurrence and migration correlated with water temperature. Recoveries of tagged skipjack noted.

UDA, MICHITAKA—Continued

1938. Correlation of the catch of "katuo" in the waters adjacent to Japan. Bull. Japanese Soc. Sci. Fish., vol. 7, No. 2, pp. 75–78. [Je] [P]
Skipjack catches correlated with water temperature.

1939. On the characteristics of the frequency curve for the catch of "katuo" *Euthynnus vagans* (Lesson) referred to the water temperature. Bull. Japanese Soc. Sci. Fish., vol. 8, No. 4, pp. 169–172. [Je] [P]
Skipjack catches correlated with water temperature.

1940a. The time and duration of angling and the catch of "katuo", *Euthynnus vagans* (Lesson). Bull. Japanese Soc. Sci. Fish., vol. 9, No. 3, pp. 103–106. [Je] [P]
Habits of *E. vagans*.

1940b. A note on the fisheries condition of "katuo" as a function of several oceanographic factors. Bull. Japanese Soc. Sci. Fish., vol. 9, No. 4, pp. 145–148. [Je] [P]
Euthynnus vagans: occurrence of fish in relation to oceanographic factors.

1940c. On the recent anomalous hydrographical conditions of the Kuroshio in the south waters off Japan proper in relation to the fisheries. Jour. Imp. Fish. Expt. Sta., No. 10, Paper No. 74, pp. 231–278. [Je] [P]
Albacore, black tuna, skipjack: fishing conditions correlated with oceanographic factors.

1941. The body-temperature and the bodily features of "katuo" and "sanma". Bull. Japanese Soc. Sci. Fish., vol. 9, No. 6, pp. 231–236. [Je] [P]
Body temperatures of skipjack correlated with water temperature; proportional body measurements analyzed.

UDA, MICHITAKA, and EIMATSU TOKUNAGA.

1937. Fishing of *Germo germo* (Lacépède) in relation to the hydrography in the North Pacific waters (Rpt. 1). Bull. Japanese Soc. Sci. Fish., vol. 5, No. 5, pp. 295–300. [Je] [P]
Fishing correlated with water temperature and salinity; composition of Japanese albacore stock.

UDA, MICHITAKA, and JIRŌ TSUKUSHI.

1934. Local variations in the composition of various shoals of "katsuwo", *Euthynnus vagans* (Lesson), in several sea districts of Japan. Bull. Japanese Soc. Sci. Fish., vol. 3, No. 5, pp. 196–202. [Je]
Size composition of catch by areas; habits; population studies.

UDA, MICHITAKA, and NOBUO WATANABE.

1938. Autumnal fishing of skipper and bonito influenced by the rapid hydrographic change after the pass of cyclones. Bull. Japanese Soc. Sci. Fish., vol. 6, No. 5, pp. 240–242. [Je] [P]
Japan; indirect influence of cyclones upon shift in fishing grounds discussed.

UEHARA, TOKUZŌ.

1941. A survey of tuna grounds in equatorial waters. South Sea Fish. News, vol. 5, No. 3, pp. 13–17. [J] [P]
Big-eyed tuna, skipjack, yellowfin tuna; fishing conditions correlated with water temperature.

ULREY, ALBERT B.

1929. A check-list of the fishes of Southern California and Lower California. Jour. Pan-Pacific Res. Inst., vol. 4, No. 4, p. 6.
Auxis thazard, Germo alalunga, Katsuwonus pelamis, Neothunnus catalinae, N. macropterus, Parathunnus sibi, Thunnus saliens, T. thynnus: listed.

ULREY, ALBERT B., and PAUL O. GREELEY.

1928. A list of the marine fishes (Teleostei) of southern California with their distribution. Bull. So. California Acad. Sci., vol. 27, pt. 1, p. 35.
Auxis thazard, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Parathunnus sibi, Thunnus thynnus: synonymy; distribution; English common names.

UNITED NATIONS. See FOOD AND AGRICULTURE ORGANIZATION.

UNO, MICHIO.

1936a. *Germo germo* (Lacépède) in the waters east of Nozima promontory, Tiba Prefecture (Prelim. Rpt. No. 1). Bull. Japanese Soc. Sci. Fish., vol. 4, No. 5, pp. 307–309. [Je]

1936b. *Germo germo* (Lacépède) in the waters east of Nozima promontory, Tiba Prefecture (Prelim. Rpt. No. II). Bull. Japanese Soc. Sci. Fish., vol. 5, No. 4, p. 235. [Je] [P]
Age analysis; length-weight data.

VAN CLEAVE, HARLEY J.

1940. The Acanthocephala collected by the Allan Hancock Pacific Expedition, 1934. A. Hancock Pacific Exped., vol. 2, No. 15, p. 512.
Euthynnus alletteratus and *Katsuwonus pelamis* listed as hosts.

WADE, CHARLES B.

1949. Notes on the Philippine frigate mackerels, family Thunnidae, Genus *Auxis*. U. S. Fish and Wildlife Serv. Fish. Bull., vol. 51, No. 46, pp. 229–240.
Auxis tapeinosoma, A. thazard: classification; description; key; synonymy; distribution; morphometric measurements; counts of meristic characters; figures; records, descriptions, and figures of juveniles.

WAITE, EDGAR R.

1907. A basic list of the fishes of New Zealand. Rec. Canterbury Mus., vol. 1, No. 1, p. 24.
Gymnosarda pelamis: synonymy.

1921. Illustrated catalogue of the fishes of South Australia. Rec. South Australian Mus., vol. 2, No. 1, p. 143.
Thunnus thynnus: listed; synonymy.

WAITE, EDGAR R.—Continued

1928. A catalogue of the marine fishes of South Australia. Jour. Pan-Pacific Res. Inst., vol. 3, No. 1, p. 8.

Thunnus maccori: listed.

WALFORD, LIONEL A.

1931. Handbook of common commercial and game fishes of California. California Div. Fish and Game, Fish Bull. No. 28, pp. 74–77.

Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: classification; English common names; description; distribution; figures; key.

1937. Marine game fishes of the Pacific Coast—Alaska to the Equator. Univ. California Press, Berkeley, pp. 1–20, 20–30.

Euthynnus lineatus, Germo alalunga, Katsuwonus pelamis, Neothunnus macropterus, Thunnus thynnus: description; distribution; food; spawning; key; English common names; figures. *Auxis thazard:* description; distribution; English common names; figure; key. Migration of *G. alalunga, K. pelamis* and *N. macropterus;* enemies of *T. thynnus; N. macropterus* compared with Allison's tuna.

WATANABE, HAJIME.

1939. Investigation of albacore. Prog. Rpt. Shizuoka Pref. Fish. Expt. Sta. for 1936–38, pp. 22–23. [J] [P]

Albacore: mid-Pacific; stomach contents; sexual maturity; body proportions of males and females compared; morphometric data; probable spawning season, area, number of eggs.

WATANABE, HARUO.

1940. Fishing conditions south of the Marshall Islands. South Sea Fish., vol. 6, No. 4, p. 22. [J] [P]

Big-eyed tuna, yellowfin tuna: length-weight data.

WATANABE, N.

1941. Measurements on the bodily density, body temperature and swimming-velocity of "katsuwo", *Euthynnus vagans* (Lesson). Bull. Japanese Soc. Sci. Fish., vol. 11, No. 4, pp. 146–148. [Je]

WEBER, MAX.

1913. Die Fische der Siboga-Expedition. P. 401. Leiden.

Thynnus thunnina: Indo-Australian Archipelago; synonymy; recorded.

WELSH, JAMES P.

1949. Range extension of the file fish *Monocanthus melanocephalus.* Pacific Sci., vol. 3, No. 1, p. 100.

Hawaii; specimens recovered from *Euthynnus yaito.*

WHITEHEAD, S. S.

1929. Tuna season. California Div. Fish and Game, Fish Bull. No. 15, p. 48.

Albacore, bluefin tuna, skipjack, yellowfin tuna: distribution and seasonal occurrence.

1931. Fishing methods for the bluefin tuna (*Thunnus thynnus*) and an analysis of the catches. California Div. Fish and Game, Fish Bull. No. 33, 32 pp.

Classification; distribution; figure; migration; spawning; catch per unit of effort.

WHITLEY, GILBERT P.

1928. A check-list of the fishes of the Santa Cruz Archipelago, Melanesia. Jour. Pan-Pacific Res. Inst., vol. 3, No. 1, p. 12.

Neothunnus macropterus: listed.

1937. The Middleton and Elizabeth Reefs, South Pacific Ocean. Australian Zool., vol. 8, pt. 4, pp. 229–231.

Wanderer wallisi proposed as new genus and species; synonymy; description; food; compared with *E. yaito* and *E. allitteratus.*

1947. New sharks and fishes from Western Australia. Australian Zool., vol. 11, pt. 2, pp. 129–150.

Euthynnus alleteratus, Katsuwonus pelamis, Kishinoella tonggol, Neothunnus macropterus, Thunnus maccoyi: recorded; Australian common names.

YABE, HIROSHI, and TOKUMI MORI.

1948. Report of skipjack investigations for 1947. Cent. Fish. Expt. Sta. Rpt., No. 30. [P]

Ryukyu Islands; length-weight data; stomach contents; catch correlated with water temperature; size composition of commercial catch; age analysis; spawning season; maturation of gonads; estimated number of eggs; past records of juveniles captured in Ryukyu waters.

YAMAMOTO, SHŌKICHI.

1940. Views on increasing the commercial value of dried fish sticks from the South Seas. South Sea Fish., vol. 3, No. 11, pp. 21–35. [J] [P]

Skipjack: Japan, Formosa, South Seas; proportional weights of various body parts compared.

ABBREVIATIONS USED

A. Hancock Pacific Exped.—Allan Hancock Pacific Expeditions. Los Angeles.

Acad. Nat. Sci. Phila., Monogr.—Academy of Natural Sciences of Philadelphia, Monographs. Philadelphia.

Act. Soc. Sci. Indo-Neerlandicae—Acta Societatis Scientarium Indo-Neerlandicae. Batavia.

Ann. and Mag. Nat. Hist.—The Annals and Magazine of Natural History. London.

Ann. New York Acad. Sci.—Annals of the New York Academy of Sciences. New York.

Ann. Rpt. Laguna Mar. Lab.—Annual Report of the Laguna Marine Laboratory. Claremont, California.

Annot. Zool. Jap.—Annotationes Zoologicae Japonenses. Tokyo.

Arch. Neêrlandaises Sci. Nat.—Archives Neêrlandaises des Sciences Exactes et Naturelles. Haarlem.

Australian Zool.—The Australian Zoologist. Sydney.

Bernice P. Bishop Mus. Occas. Papers—Bernice Pauahi Bishop Museum. Occasional Papers. Honolulu.

Biblio. Nederlandsch Indische Nat. Ver.—Bibliotheek van de Nederlandsch Indische Natuurhistorische Vereeniging. Batavia.

Biol. Bull. St. John's Univ.—Biological Bulletin of St. John's University. Shanghai.

Bull. American Mus. Nat. Hist.—Bulletin of the American Museum of Natural History. New York.

Bull. Bernice P. Bishop Mus.—Bulletin. Bernice Pauahi Bishop Museum. Honolulu.

Bull. Biogeog. Soc. Japan—Bulletin of the Biogeographical Society of Japan. Tokyo.

Bull. U. S. Bur. Fish.—Bulletin of the Bureau of Fisheries. United States Department of Commerce and Labor. Washington.

Bull. Japanese Soc. Sci. Fish.—Bulletin of the Japanese Society of Scientific Fisheries. Tokyo.

Bull. Pacific Sci. Fish. Inst.—Bulletins of the Pacific Scientific Fisheries Institute. Vladivostok.

Bull. Pacific Sci. Inst. Fish. and Oceanogr.—Bulletin of the Pacific Scientific Institute of Fisheries and Oceanography. Vladivostok.

Bull. Scripps Inst.—Bulletin. Scripps Institution for Biological Research. Berkeley.

Bull. So. Calif. Acad. Sci.—Bulletin of the Southern California Academy of Sciences. Los Angeles.

Bull. U. S. Fish Comm.—Bulletin of the United States Fish Commission. Washington.

Bur. Fish., Min. Agr. and For., Japanese Imp. Govt.—Bureau of Fisheries. Ministry of Agriculture and Forestry. Japanese Imperial Government. [Suisankyoku. Norinshō. Dai Nippon Teikoku Seifu.] Tokyo.

California Div. Fish and Game, Bur. Mar. Fish.—California Division of Fish and Game, Bureau of Marine Fisheries. San Francisco.

California Div. Fish and Game, Fish Bull.—California Division of Fish and Game. Fish Bulletin. Sacramento.

Cent. Fish. Expt. Sta. Rpt.—Central Fisheries Experiment Station Reports. [Suisan Shikenjō Chōsa Hōkoku.] Tokyo.

Com. Fish. Rev.—Commercial Fisheries Review. Fish and Wildlife Service. United States Department of the Interior. Washington.

Copeia—Copeia. New York.

Council Sci. and Indust. Res., Australia, Pamphlet—Council for Scientific and Industrial Research. Commonwealth of Australia. Pamphlet. Melbourne.

Dept. Fish., New South Wales—Department of Fisheries, New South Wales. Sydney.

Field Mus. Nat. Hist., Zool. Ser.—Field Museum of Natural History, Zoological Series. Chicago.

Fish. Div., FAO, UN.—Fisheries Division. The Food and Agriculture Organization of the United Nations. Washington.

Fish. Invest. (Suppl. Rpt.), Imp. Fish. Expt. Sta.—Fishery Investigation (Supplementary Report). Imperial Fisheries Experiment Station. Tokyo.

Fish. Res. Bd. Canada, Bull.—Fisheries Research Board of Canada, Bulletin. Vancouver.

Fish. Technol. Lect. Series—Fisheries Technology Lecture Series. [Suisan Seizō Kōgaku Kōza.] Tokyo.

Formosa Fish. Mag.—Formosa Fisheries Magazine. [Taiwan Suisan Zasshi.] Taihoku.

Formosa Govt.-Gen. Fish. Expt. Sta. Publ.—Formosa Government-General Fisheries Experiment Station. Publications. [Taiwan Sotokufu Suisan Shikenjō Shuppan.] Kiirun.

Ichth. Contrib. Internatl. Game Fish Assoc.—Ichthyological Contributions of the International Game Fish Association. New York.

Japanese Jour. Zool.—Japanese Journal of Zoology. Tokyo.

Jour. Acad. Nat. Sci. Phila.—Journal of the Academy of Natural Sciences of Philadelphia. Philadelphia.

Jour. Asiatic Soc. Bengal—Journal of the Asiatic Society of Bengal. Calcutta.

Jour. Biol. Chem.—Journal of Biological Chemistry. New York.

Jour. Coll. Agr., Imp. Univ. Tokyo—Journal of the College of Agriculture. Imperial University of Tokyo. Tokyo.

Jour. Coll. Sci., Imp. Univ. Tokyo—Journal of the College of Science. Imperial University of Tokyo. Tokyo.

Jour. Council Sci. and Indust. Res., Australia—Journal of the Council for Scientific and Industrial Research. Commonwealth of Australia. Melbourne.

Jour. Fac. Sci., Imp. Univ. Tokyo—Journal of the Faculty of Science, Imperial University of Tokyo. Tokyo.

Jour. Imp. Fish. Bur. Tokyo—Journal of the Imperial Fisheries Bureau. Tokyo.
Jour. Imp. Fish. Expt. Sta.—Journal of the Imperial Fisheries Experiment Station. Tokyo.
Jour. Mus. Godeffroy—Journal des Museum Godeffroy. Hamburg.
Jour. Pan-Pacific Res. Inst.—Journal of the Pan-Pacific Research Institution. Honolulu.

Mem. Bernice P. Bishop Mus.—Memoirs of the Bernice Pauahi Bishop Museum. Honolulu.
Mem. California Acad. Sci.—Memoirs of the California Academy of Sciences. San Francisco.
Mem. Carnegie Mus.—Memoirs of the Carnegie Museum. Pittsburgh.
Mid-Pacific Mag.—Mid-Pacific Magazine. Honolulu.
Miyagi Pref. Fish. Expt. Sta.—Miyagi Prefectural Fisheries Experiment Station. [Miyagi-ken Suisan Shikenjō. Watanoha.

Nat. Geneesk. Arch. Neêrland's Indië—Natuur en Geneeskundig Archief voor Neêrland's-Indië. Batavia.
Nat. Tijdschr. Nederlandsch-Indië—Natuurkundig Tijdschrift voor Nederlandsch-Indië. Batavia.
Nederlandsch Tijdschr. Dierk.—Nederlandsch Tijdschrift voor de Dierkunde. Amsterdam.
New Zealand Jour. Sci. Technol.—New Zealand Journal of Science and Technology. Wellington.
New Zealand Mar. Dept. Fish. Bull.—New Zealand Marine Department Fisheries Bulletin. Wellington.
Nissan Fish. Res. Sta. Odawara—Nissan Fisheries Research Station. [Nissan Suisan Kenkyūjō.] Odawara.
Note Serv. Océanogr. Pêches Indochine—Notes. Service Océanographique des Pêches de l'Indochine. Station Maritime de Cauda. Saigon.

Occas. Pap. California Acad. Sci.—Occasional Papers of the California Academy of Sciences. San Francisco.
Ocean. Fish.—Oceanic Fisheries. [Kaiyō Gyogyō.] Tokyo.

Pacific Biol. Sta., Fish. Res. Bd. Canada, Circ.—Pacific Biological Stations, Fisheries Research Board of Canada. Vancouver.
Pacific Sci.—Pacific Science. Honolulu.
Palao Trop. Biol. Sta. Studies—Palao Tropical Biological Station Studies. Tokyo.
Philippine Jour. Sci.—Philippine Journal of Science. Manila.
Proc. Acad. Nat. Sci. Phila.—Proceedings of the Academy of Natural Sciences of Philadelphia. Philadelphia.
Proc. California Acad. Sci.—Proceedings of the California Academy of Sciences. San Francisco.
Proc. Sci. Fish. Assoc.—Proceedings of the Scientific Fisheries Association. Tokyo.
Proc. Sixth Pacific Sci. Cong.—Proceedings of the Sixth Pacific Science Congress. Berkeley and Los Angeles.
Proc. U. S. Natl. Mus.—Proceedings of the United States National Museum. Washington.
Proc. Zool. Acclim. Soc. Victoria—Proceedings of the Zoological and Acclimation Society of Victoria. Victoria.
Prog. Rpt. Chiba Pref. Fish. Expt. Sta.—Progress Reports of the Chiba Prefectural Fisheries Experiment Station. [Chiba-ken Suisan Shikenjō Jigyō Hōkoku.] Tateyama.
Prog. Rpt. Chiba Pref. Fish. Expt. Sta., Katsuura Br.—Progress Reports of the Chiba Prefectural Fisheries Experiment Station, Katsuura Branch. [Chiba-ken Suisan Shikenjō Katsuura Bunjō Jigyo Hōkoku.] Katsuura.
Prog. Rpt. Formosa Govt.-Gen. Fish. Expt. Sta.—Progress Reports of the Formosa Government-General Fisheries Experiment Station [Taiwan Sotokufu Suisan Shikenjō; Jigyō Hōkoku; Shiken Hōkoku; Suisan Shiken Hōkoku.] Kiirun.
Prog. Rpt. Hokkaidō Fish. Expt. Sta.—Progress Reports of the Hokkaidō Fisheries Experiment Station. [Hokkaidō Suisan Shikenjō Suisan Chōsa Hōkoku.] Yoichi.
Prog. Rpt. Kagoshima Pref. Fish. Expt. Sta.—Progress Reports of the Kagoshima Prefectural Fisheries Experiment Station. [Kagoshima-ken Suisan Shikenjō Jigyō Hōkoku.] Kagoshima.
Prog. Rpt. Kōchi Pref. Fish. Expt. Sta.—Progress Reports of the Kōchi Prefectural Fisheries Experiment Station. [Kōchi-ken Suisan Shikenjō Jigyō Hōkoku.] Susaki.
Prog. Rpt. Kumamoto Pref. Fish. Expt. Sta.—Progress Reports of the Kumamoto Prefectural Fisheries Experiment Station. [Kumamoto-ken Suisan Shikenjō Jigyō Hōkoku.] Kumamoto.
Prog. Rpt. Mie Pref. Fish. Expt. Sta.—Progress Reports of the Mie Prefectural Fisheries Experiment Station. [Mie-ken Suisan Shikenjō Jigyō Hōkoku.] Tsu.
Prog. Rpt. Nagasaki Pref. Fish. Expt. Sta.—Progress Reports of the Nagasaki Prefectural Fisheries Experiment Station. [Nagasaki-ken Suisan Shikenjō Jigyō Hōkoku.] Nagasaki.
Prog. Rpt. Ōita Pref. Fish. Expt. Sta.—Progress Reports of the Ōita Prefectural Fisheries Experiment Station. [Ōita-ken Suisan Shikenjō Gyōmu Hōkoku.] Ōita.
Prog. Rpt. Okinawa Pref. Fish. Expt. Sta.—Progress Reports of the Okinawa Prefectural Fisheries Experiment Station. [Okinawa-ken Suisan Shikenjō: Jigyō Hōkoku; Seiseki; Seiseki Gaiyō.] Naha.
Prog. Rpt. Pacific Coast Sta., Fish. Res. Bd. Canada—Reports of the Pacific Coast Stations, Fisheries Research Board of Canada. Vancouver.
Prog. Rpt. Shizuoka Pref. Fish. Expt. Sta.—Progress Reports of the Shizouka Prefectural Fisheries Experiment Station. [Shizuoka-ken Suisan Shikenjō Jigyō Hōkoku.] Shimizu.
Prog. Rpt. South Seas Govt.-Gen. Fish. Expt. Sta.—Progress Reports of the South Seas Government-General Fisheries Experiment Station. [Nanyō-chō Suisan Shikenjō Jigyō Hōkoku.] Palau.
Prog. Rpt. Taihoku Prov. Fish. Expt. Sta.—Progress Reports of the Taihoku Province Fisheries Experiment Station. [Taihoku-shū Suisan Shikenjō Gyōmu Hōkoku.] Taihoku.
Prog. Rpt. Takao Prov. Fish. Expt. Sta.—Progress Reports of the Takao Province Fisheries Experiment Station. [Takao-shū Suisan Shiken Chōsa Hōkoku.] Takao.
Publ. Field Mus. Nat. Hist.—Publications. Field Museum of Natural History. Chicago.

Rec. Canterbury Museum—Records of the Canterbury Museum. Christchurch.
Rec. Oceanogr. Works—Records of Oceanographic Works in Japan. Tokyo.
Rec. So. Australian Mus.—Records of the South Australian Museum. Adelaide.
Rpt. British Assoc. Adv. Sci.—Report of the British Association for the Advancement of Science. London.
Rpt. U. S. Fish Comm.—Report of the Commissioner. United States Commission of Fish and Fisheries. Washington.

SCAP Nat. Resources Sec. Rpt.—Supreme Commander for the Allied Powers. General Headquarters. Natural Resources Section. Reports. Tokyo.
Sci. Sea—Science of the Sea. [Kaiyō no Kagaku.]
Sea and Sky—Sea and Sky. [Umi to Sora.] Kobe.
Semi-Ann. Rpt. Oceanogr. Invest.—Semi-Annual Report of Oceanographical Investigations. Tokyo.
Smithsn. Misc. Collect.—Smithsonian Miscellaneous Collections. Washington.
Soc. Prom. Ocean. Fish.—Society for the Promotion of Oceanic Fisheries. [Kaiyō Gyogyō Kyokai.] Tokyo.
South Sea Fish.—South Sea Fisheries. [Nanyō Suisan.] Tokyo.
South Sea Fish. News—South Sea Fisheries News. [Nanyō Suisan Jōhō.] Palau.
South Sea Sci.—South Sea Science. [Kagaku Nanyō.] Palau.
Stanford Ichth. Bull.—Stanford Ichthyological Bulletin. Stanford.
Stanford Univ. Publ., Univ. Ser., Biol. Sci.—Stanford University Publications, University Series, Biological Sciences. Stanford.

Tech. Educ. Ser. Technol. Mus., Sydney—Technical Education Series. Technological Museum. Sydney.
Text Fish.—The Text of the Fishery. Tokyo.
Trans. Nat. Hist. Soc. Formosa—Transactions of the Natural History Society of Formosa. [Taiwan Hakubutsu Gakkai Kaihō.] Taihoku.
Trans. New Zealand Inst.—Transactions and Proceedings of the New Zealand Institute. Wellington.
Trans. Roy. Soc. New Zealand—Transactions and Proceedings of the Royal Society of New Zealand. Dunedin.
Trans. Thirteenth No. Amer. Wildlife Conf.—Transactions of the Thirteenth North American Wildlife Conference. Washington.
Trav. Inst. Oceanogr. Indochine—Travaux de l'Institut Oceanographique de l'Indochine. Saigon.
Treubia—Treubia. Buitenzorg.

U. S. Fish and Wildlife Serv., Circ.—United States Department of the Interior, Fish and Wildlife Service, Circular. Washington.
U. S. Fish and Wildlife Serv. Fish. Bull.—United States Department of the Interior. Fishery Bulletin of the Fish and Wildlife Service. Washington.
U. S. Fish and Wildlife Serv., Fish. Leaf.—United States Department of the Interior. Fish and Wildlife Service, Fishery Leaflet. Washington.
U. S. Natl. Mus. Bull.—United States National Museum. Bulletin. Washington.
Univ. California Publ. Zool.—University of California Publications in Zoology. Berkeley.
Verh. Batavia Genoot. Kunst. Wetens.—Verhandelingen van het Bataviaasch Genootschap van Kunsten en Wetenschappen. Batavia.
Versl. Akad. Amsterdam—Verslagen van de Gewone Vergaderingen der Wis en Natuurkundige Afdeeling. Koninklijke Academie van Wetenschappen. Amsterdam.
Vidensk. Selskr. Skr.—Kongelige Danske Videnskabernes Selskab. Copenhagen.

Woods Hole Oceanogr. Inst. Tech. Rpt.—Woods Hole Oceanographic Institution. Technical Report. Woods Hole.

Zool. Mag.—Zoological Magazine. [Dōbutsugaku Zasshi.] Tokyo.
Zool. Meded.—Zoologische Mededeelingen. Leiden.

INDEX BY SUBJECTS

Age
Aikawa, 1937.
Aikawa and Kato, 1938.
Ban, 1941.
Brock, 1943.
Higashi, 1941b.
Ikebe, 1939, 1940a, 1940b, 1940c, 1941a, 1941b.
Kanamura and Yazaki, 1940a, 1940b.
Kimura, 1935, 1941, 1942a.
Okamoto, 1940.
Schaefer, 1948b.
Tauchi, 1940a, 1940b, 1940c.
Uno, 1936b.
Yabe and Mori, 1948.
Albacore. See *Thunnus germo.*
Allison's tuna. See *Neothunnus allisoni.*
Allothunnus fallai
Anatomy
Serventy, 1948.
Classification
Fraser-Brunner, 1950.
Serventy, 1948.
Compared with Katsuwonidae
Serventy, 1948.
Description
Fraser-Brunner, 1950.
Serventy, 1948.
Distribution
Fraser-Brunner, 1950.
Serventy, 1948.
Figured
Fraser-Brunner, 1950.
Serventy, 1948.
Keys
Fraser-Brunner, 1950.
Measurement data
Serventy, 1948.
Synonymy
Fraser-Brunner, 1950.
Anatomy
Air bladder
Fish, 1948.
Kishinouye, 1922a.
And evolution
Kishinouye, 1919a.
Brain
Matsui, 1942a.
Migita and Arakawa, 1948.
Digestive system
Suyehiro, 1936, 1938, 1941, 1942.
External and internal
Berg, 1947.
Eckles, 1949b.
Godsil and Byers, 1944.
Imamura, 1949.
Anatomy—Continued
External and internal—Continued
Kishinouye, 1915a, 1915b, 1917a, 1918, 1921, 1923.
Nakamura, 1949.
Roedel, 1948b.
Schaefer and Marr, 1948b.
Serventy, 1942b, 1948.
Takahashi, 1924.
Figured
Godsil and Byers, 1944.
Higashi, 1941a, 1941c.
Kishinouye, 1915b, 1919a, 1923.
Matsui, 1942b.
Migita and Arakawa, 1948.
Nakamura, 1938.
Serventy, 1941, 1942b, 1948.
Suyehiro, 1942.
Reproductive system
Bennett, 1840.
Matsui, 1942b.
Nakamura, 1938.
Nakamura Res. Staff, 1949.
Okinawa Pref. Fish. Expt. Sta., 1931.
Astronomical phenomena correlated with fiishing
Kawana, 1934.
Takao Prov. Fish. Expt. Sta., 1927.
Auxis
Anatomy
Kishinouye, 1915b, 1919a.
As food of tunas
Asano, 1939.
Chemical analysis
Okuda, 1918.
Common names
Tominaga, 1943.
Description
Tominaga, 1943.
Distribution
Schaefer, 1948c.
Tominaga, 1943.
Food
Tominaga, 1943.
Habits
Tominaga, 1943.
Hormones
Migita and Arakawa, 1948.
Reproduction
Schaefer, 1948c.
Young
Kishinouye, 1926.
Schaefer, 1948c.
Auxis hira
Anatomy
Kishinouye, 1915a, 1923.

Auxis hira—Continued
Classification
Kishinouye, 1915a, 1923.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Common names
Fujita and Wakiya, 1915.
Kishinouye, 1915a, 1923.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Shapiro, 1948b.
Description
Imamura, 1949.
Jordan and Hubbs, 1925.
Kishinouye, 1915a, 1923.
Okada and Matsubara, 1938.
Soldatov and Lindberg, 1930.
Distribution
Fujita and Wakiya, 1915.
Imamura, 1949.
Jordan and Hubbs, 1925.
Kishinouye, 1915a, 1923.
Okada and Matsubara, 1938.
Shapiro, 1948b.
Soldatov and Lindberg, 1930.
Tanaka, 1931.
Taranetz, 1937.
Figured
Kishinouye, 1915a, 1923.
Food
Kishinouye, 1923.
Habits
Imamura, 1949.
Kishinouye, 1923.
Keys
Kishinouye, 1915a, 1923.
Okada and Matsubara, 1938.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Synonymy
Kishinouye, 1923.
Nakamura, 1939b.
Soldatov and Lindberg, 1930.
Tanaka, 1931.

Auxis maru
Anatomy
Kishinouye, 1915a, 1923.
Classification
Kishinouye, 1915a, 1923.
Nakamura, 1939b.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Common names
Fujita and Wakiya, 1915.
Kishinouye, 1915a, 1923.
Nakamura, 1939b.

Auxis maru—Continued
Description
Imamura, 1949.
Kishinouye, 1915a, 1923.
Soldatov and Lindberg, 1930.
Distribution
Fujita and Wakiya, 1915.
Imamura, 1949.
Kishinouye, 1915a, 1923.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Figured
Kishinouye, 1915a, 1923.
Food
Kishinouye, 1923.
Habits
Imamura, 1949.
Kishinouye, 1923.
Keys
Kishinouye, 1915a, 1923.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Reproduction
Kishinouye, 1915a.
Synonymy
Kishinouye, 1923.
Nakamura, 1939b.
Soldatov and Lindberg, 1930.
Young as food of tunas
Kishinouye, 1917b, 1923, 1924.

Auxis ramsayi
Distribution
McCulloch, 1922.
Keys
McCulloch, 1922.
Synonymy
McCulloch, 1922.

Auxis rochei
Description
Günther, 1860.
Distribution
Chu, 1931.
Günther, 1860.
Synonymy
Chu, 1931.
Günther, 1860.

Auxis tapeinosoma
Classification
Okada and Matsubara, 1938.
Wade, 1949.
Common names
Jordan and Hubbs, 1925.
Jordan and Snyder, 1901.
Okada and Matsubara, 1938.
Shapiro, 1948b.
Compared with *Auxis thynnoides*
Bleeker, 1855.
Description
Bleeker, 1854.
Günther, 1860.

Auxis tapeinosoma—Continued
Description—Continued
Jordan and Hubbs, 1925.
Okada and Matsubara, 1938.
Wade, 1949.
Distribution
Bleeker, 1854, 1857.
Günther, 1860.
Jordan and Hubbs, 1925.
Jordan and Snyder, 1901.
Okada and Matsubara, 1938.
Reeves, 1928.
Shapiro, 1948b
Wade, 1949.
Figured
Wade, 1949.
Keys
Okada and Matsubara, 1938.
Wade, 1949.
Measurement data
Wade, 1949.
Meristic characters
Wade, 1949.
Synonymy
Günther, 1860.
Jordan and Hubbs, 1925.
Wade, 1949.
Young
Wade, 1949.
Auxis taso
Compared with *Auxis thynnoides*
Bleeker, 1855.
Description
Cuvier and Valenciennes, 1831.
Distribution
Bleeker, 1845, 1850, 1878.
Auxis thazard
Anatomy
Schaefer and Marr, 1948b.
As food of tunas
Marukawa, 1939.
Classification
Fraser-Brunner, 1950.
Common names
Barnhart, 1936.
FAO, 1949.
Fish, 1948.
Herre and Umali, 1948.
Jordan and Evermann, 1896.
Jordan and Metz, 1913.
Jordan, Tanaka, and Snyder, 1913.
Serventy, 1941.
Tinker, 1944.
Ulrey and Greeley, 1928.
Walford, 1937.
Description
Barnhart, 1936.
Cuvier and Valenciennes, 1831.
Fowler, 1928, 1938.
Fraser-Brunner, 1950.
Auxis thazard—Continued
Description—Continued
Jordan and Evermann, 1905.
Meek and Hildebrand, 1923.
Schaefer and Marr, 1948b.
Serventy, 1941.
Tinker, 1944.
Wade, 1949.
Walford, 1937.
Distribution
Barnhart, 1936.
Domantay, 1940.
FAO, 1949.
Fish, 1948.
Fowler, 1928, 1938, 1944, 1949.
Fraser-Brunner, 1950.
Graham, 1938.
Herre, 1940.
Jenkins, 1903.
Jordan and Evermann, 1896, 1905.
Jordan and Jordan, 1922.
Jordan and Metz, 1913.
Jordan and Seale, 1906.
Jordan and Snyder, 1900.
Jordan, Tanaka, and Snyder, 1913.
Lord, 1927.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Mori, 1928.
Reeves, 1928.
Schaefer and Marr, 1948b.
Serventy, 1941.
Soldatov, 1929.
Stead, 1908.
Thompson and Higgins, 1919.
Tinker, 1944.
Ulrey, 1929.
Ulrey and Greeley, 1928.
Wade, 1949.
Walford, 1937.
Figured
Barnhart, 1936.
Domantay, 1940.
Fraser-Brunner, 1950.
Jordan and Evermann, 1905.
Jordan, Tanaka, and Snyder, 1913.
McCulloch, 1922.
Schaefer and Marr, 1948b.
Serventy, 1941.
Tinker, 1944.
Wade, 1949.
Walford, 1937.
Keys
Brock, 1949.
Fraser-Brunner, 1950.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Serventy, 1941.
Wade, 1949.
Walford, 1937.

Auxis thazard—Continued
Measurement data
Wade, 1949.
Meristic characters
Schaefer and Marr, 1948b.
Wade, 1949.
Synonymy
FAO, 1949.
Fowler, 1928, 1938, 1944, 1949.
Fraser-Brunner, 1950.
Jenkins, 1903.
Jordan and Evermann, 1896, 1905.
Jordan, Tanaka, and Snyder, 1913.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Ulrey and Greeley, 1928.
Wade, 1949.
Young
Schaefer and Marr, 1948b.
Wade, 1949.
Young as food of tunas
Marukawa, 1939.
Auxis thynnoides
Compared with *Auxis tapeinosoma*
Bleeker, 1855.
Compared with *Auxis taso*
Bleeker, 1855.
Compared with *Auxis vulgaris*
Bleeker, 1855.
Description
Bleeker, 1855.
Distribution
Bleeker, 1855, 1863, 1865a.
Auxis vulgaris
Compared with *Auxis thynnoides*
Bleeker, 1855.

Bibliography
Corwin, 1930.
Kishinouye, 1923.
Nakamura, 1949.
Shapiro, 1948a, 1948b.
Big-eyed tuna. See *Parathunnus* spp.
Black tuna. See *Thunnus orientalis.*
Bluefin tuna. See *Thunnus thynnus.*
Body condition
Aikawa, 1937.
Aikawa and Kato, 1938.
Ikebe, 1939.
Ikebe and Matsumoto, 1937.
Kanamura and Yazaki, 1940a, 1940b.
Onodera, 1941.
Soc. Prom. Ocean. Fish., 1936.
South Seas Govt.–Gen. Fish. Expt. Sta., 1941d.
Suyehiro, 1936, 1938.
Body temperature
Anonymous, 1938.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Body temperature—Continued
Nakamura, 1941.
Ōita Pref. Fish. Expt. Sta., 1927a, 1930.
Scagel, 1949.
Uda, 1941.
Watanabe, N., 1941.
Bonito. See *Katsuwonus pelamis.*

Catch per unit of effort
Formosa Govt.–Gen. Fish. Expt. Sta., 1933a.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Imaizumi, 1937.
Japanese Bur. Fish., 1939, 1940.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Nakamura, 1949.
Okuma, Imaizumi, and Maki, 1935.
Serventy, 1947.
Whitehead, 1931.
Characters, meristic. See Morphometrics.
Chemical analysis
Dill, 1921.
Higashi and Hirai, 1948.
Kodama, Iizuka, and Harada, 1934.
Miyama and Osakabe, 1938, 1940.
Miyama, Saruya, and Hasegawa, 1939.
Miyauchi, 1915.
Okuda, 1918.
Shimizu, 1947.
Soc. Prom. Ocean. Fish., 1936.
Tomiyama, 1933.
Classification
Berg, 1947.
Fraser-Brunner, 1949, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Jordan, 1923.
Kishinouye, 1915a, 1917a, 1923.
Lacépède, 1829.
Lütken, 1880.
Nakamura, 1939a, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Phillipps, 1927b.
Roedel, 1948b.
Roughly, 1916.
Schaefer, 1948a.
Serventy, 1948.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Takahashi, 1924, 1926.
Taranetz, 1937.
Wade, 1949.
Walford, 1931.
Whitehead, 1931.
Whitley, 1937.
Color, water. See Water color, also Oceanographic conditions.
Condition, body. See Body condition.
Contents, stomach. See Food.

Currents. See also Oceanographic conditions.
Correlated with fishing
Formosa Govt.–Gen. Fish. Expt. Sta., 1930, 1931, 1932, 1933b, 1934.
Ikebe, 1940d.
Inanami, 1940b, 1940c, 1941.
Kagoshima Pref. Fish. Expt. Sta., 1927b, 1928a.
South Seas Govt.–Gen. Fish. Expt. Sta., 1942, 1943b.

Distribution
Abe, 1939.
Anonymous, 1938, 1941.
Barnhart, 1936.
Bleeker, 1844, 1845, 1850, 1852, 1854, 1855, 1856, 1857, 1860a, 1860b, 1861a, 1861b, 1862, 1863, 1865a, 1865b, 1878, 1879.
Brock, 1938, 1939.
Cantor, 1850.
Chabanaud, 1926.
Chapman, 1946.
Chevey, 1932a, 1932b.
Chu, 1931.
Clemens and Wilby, 1946.
Cooper, 1863.
Cowan, 1938.
Cuvier and Valenciennes, 1831.
Delsman and Hardenburg, 1934
Domantay, 1940.
Eckles, 1949a, 1949b.
Eigenmann, 1892.
Eigenmann and Eigenmann, 1890, 1891.
Evermann and Seale, 1907.
FAO, 1949.
Fish, 1948.
Fowler, 1904a, 1923a, 1923b, 1927, 1928, 1929, 1931, 1934, 1938, 1944, 1949.
Fowler and Ball, 1925.
Fraser-Brunner, 1949, 1950
Fujita and Wakiya, 1915.
Gilbert and Starks, 1904.
Godsil and Greenhood, 1948.
Graham, 1938.
Griffin, 1927.
Günther, 1860, 1876.
Hasegawa, 1937.
Herre, 1932, 1933, 1935, 1936, 1940.
Hildebrand, 1946.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Holder, 1912.
Hubbs, 1916, 1928
Imaizumi, 1937.
Imamura, 1949.
Japanese Bur. Fish., 1934, 1939, 1940.
Jenkins, 1903.
Jordan, 1885.
Jordan and Evermann, 1896, 1905, 1926a, 1926b.
Jordan and Gilbert, 1881a, 1882.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Distribution—Continued
Jordan and Metz, 1913.
Jordan and Seale, 1906.
Jordan and Snyder, 1900, 1901.
Jordan and Starks, 1907.
Jordan, Tanaka, and Snyder, 1913.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Kimura, 1941, 1942b.
Kishinouye, 1915a, 1919c, 1922c, 1923.
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Kumata et al., 1941.
Lesson, 1830.
Lord, 1927.
Macleay, 1881.
Martin, 1938.
Matsubara, 1943.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Metz, 1912.
Mori, 1928.
Nakamura, 1938, 1939b, 1943, 1949.
Nichols and Murphy, 1922, 1944.
Okada and Matsubara, 1938.
Okinawa Pref. Fish. Expt. Sta., 1943.
Okuma, Imaizumi, and Maki, 1935.
Phillipps, 1927a, 1927b.
Phillipps and Hodgkinson, 1922.
Powell, 1937.
Reeves, 1928.
Richardson, 1846.
Roedel, 1948a, 1948b.
Roughly, 1916.
Samson, 1940.
Schaefer, 1948c.
Schmidt, 1930.
Schmitt and Schultz, 1940.
Schultz, 1949.
Schultz and DeLacy, 1936.
Seale, 1940.
Serventy, 1941, 1942a, 1942b, 1947, 1948.
Shapiro, 1948a, 1948b.
Smith and Schaefer, 1949.
Snyder, 1904.
Soldatov, 1929.
Soldatov and Lindberg, 1930.
South Seas Govt.-Gen. Fish. Expt. Sta., 1937a, 1937b, 1941a.
Starks, 1918.
Starks and Morris, 1907.
Stead, 1906, 1908.
Takao Prov. Fish. Expt. Sta., 1927.
Tanaka, 1912, 1931.
Taranetz, 1937.
Thompson and Higgins, 1919.
Tinker, 1944.
Tirant, 1929.
Tominaga, 1943.
Tubb, 1948.
Ulrey, 1929.

Distribution—Continued
Ulrey and Greeley, 1928.
Wade, 1949.
Waite, 1907, 1921, 1928.
Walford, 1931, 1937.
Weber, 1913.
Whitehead, 1929, 1931.
Whitley, 1928, 1937, 1947.
Distribution correlated with water temperature
Takayama and Ando, 1934.
Takayama, Ideda, and Ando, 1934.
Uda, 1935a, 1935b, 1936, 1940b.

Eggs
DeJong, 1940.
Delsman, 1931.
Delsman and Hardenburg, 1934.
Hatai et al., 1941.
Marr, 1948.
Nakamura, 1938, 1949.
Nakamura Res. Staff, 1949.
Watanabe, H., 1939.
Yabe and Mori, 1948.
Enemies
Bennett, 1840.
Imamura, 1949.
Kishinouye, 1923.
Tinker, 1944.
Walford, 1937.

Euthynnus
Common names
Fish, 1948.
Distribution
Fish, 1948.

Euthynnus alleterata. See *Euthynnus alletteratus.*

Euthynnus alleteratus. See *Euthynnus alletteratus.*

Euthynnus alletteratus
Classification
Hildebrand, 1946.
Okada and Matsubara, 1938.
Common names
Delsman and Hardenburg, 1934.
FAO, 1949.
Jordan and Evermann, 1905.
Jordan and Jordan, 1922.
Jordan and Snyder, 1901.
Jordan, Tanaka, and Snyder, 1913.
Okada and Matsubara, 1938.
Serventy, 1941.
Tinker, 1944.
Whitley, 1947.
Compared with *Euthynnus lineatus*
Schmitt and Schultz, 1940.
Compared with Mediterranean *Thynnus thunnina*
Temminck and Schlegel, 1850.
Compared with *Thynnus pelamys*
Cantor, 1850.
Compared with *Wanderer wallisi*
Whitley, 1937.

Euthynnus alletteratus—Continued
Description
Boeseman, 1947.
Cantor, 1850.
Delsman and Hardenburg, 1934.
Fowler, 1904b, 1928.
Günther, 1860, 1876.
Hildebrand, 1946.
Jordan and Evermann, 1905.
Macleay, 1881.
Meek and Hildebrand, 1923.
Okada and Matsubara, 1938.
Serventy, 1941.
Tinker, 1944.
Distribution
Bleeker, 1852, 1860a, 1860b, 1861a, 1861b, 1862, 1865a, 1865b.
Cantor, 1850.
Chabanaud, 1926.
Chapman, 1946.
Delsman and Hardenburg, 1934.
FAO, 1949.
Fowler, 1928, 1931, 1938, 1944.
Fowler and Ball, 1925.
Günther, 1860, 1876.
Herre, 1932, 1940.
Hildebrand, 1946.
Jenkins, 1903.
Jordan and Evermann, 1905.
Jordan and Jordan, 1922.
Jordan and Seale, 1906.
Jordan and Snyder, 1901.
Jordan, Tanaka, and Snyder, 1913.
Macleay, 1881.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Okada and Matsubara, 1938.
Richardson, 1846.
Schmidt, 1930.
Schmitt and Schultz, 1940.
Serventy, 1941.
Stead, 1908.
Tanaka, 1931.
Tinker, 1944.
Tirant, 1929.
Weber, 1913.
Whitley, 1947.
Eggs
DeJong, 1940.
Delsman, 1931.
Delsman and Hardenburg, 1934.
Figured
Delsman and Hardenburg, 1934.
Fowler, 1928.
Günther, 1876.
Jordan and Evermann, 1905.
Jordan, Tanaka, and Snyder, 1913.
Kitahara, 1897.
Serventy, 1941.
Temminck and Schlegel, 1850.
Tinker, 1944.

Euthynnus alletteratus—Continued
Food
Hildebrand, 1946.
Keys
Delsman and Hardenburg, 1934.
Hildebrand, 1946.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Okada and Matsubara, 1938.
Serventy, 1941.
Parasites
Manter, 1940.
Van Cleave, 1940.
Reproduction
Delsman and Hardenburg, 1934.
Synonymy
Boeseman, 1947.
Chevey, 1934.
FAO, 1949.
Fowler, 1904b, 1928.
Günther, 1860, 1876.
Hildebrand, 1946.
Jenkins, 1903.
Jordan and Evermann, 1905.
Jordan, Tanaka, and Snyder, 1913.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Richardson, 1846.
Tanaka, 1931.
Weber, 1913.
Young
Delsman, 1931.
Delsman and Hardenburg, 1934.
Günther, 1889.
Euthynnus allitteratus. See *Euthynnus alletteratus.*
Euthynnus lineatus
Anatomy
Kishinouye, 1923.
Schaefer and Marr, 1948b.
Classification
Fraser-Brunner, 1949.
Kishinouye, 1923.
Common names
Kishinouye, 1923.
Walford, 1937.
Compared with *Euthynnus alletteratus*
Schmitt and Schultz, 1940.
Description
Fowler, 1938.
Kishinouye, 1919c, 1923.
Schaefer and Marr, 1948b.
Seale, 1940.
Walford, 1937.
Distribution
Fowler, 1938, 1944.
Fraser-Brunner, 1949.
Kishinouye, 1919c, 1923.
Roedel, 1948a.
Schaefer, 1948c.
Schaefer and Marr, 1948b.
Euthynnus lineatus—Continued
Description—Continued
Schmitt and Schultz, 1940.
Seale, 1940.
Walford, 1937.
Figured
Fowler, 1944.
Fraser-Brunner, 1949.
Kishinouye, 1923.
Schaefer and Marr, 1948b.
Walford, 1937.
Food
Kishinouye, 1923.
Walford, 1937.
Habits
Kishinouye, 1923.
Keys
Fraser-Brunner, 1949.
Kishinouye, 1923.
Walford, 1937.
Meristic characters
Schaefer and Marr, 1948b.
Reproduction
Schaefer, 1948c.
Walford, 1937.
Synonymy
Fowler, 1938, 1944.
Fraser-Brunner, 1949.
Kishinouye, 1923.
Young
Schaefer, 1948c.
Schaefer and Marr, 1948b.
Euthynnus macroptera
Distribution
Tubb, 1948.
Euthynnus pelamis. See *Katsuwonus pelamis.*
Euthynnus pelamys. See *Katsuwonus pelamis.*
Euthynnus vagans. See *Katsuwonus pelamis.*
Euthynnus wallisi
Distribution
Fowler, 1949.
Synonymy
Fowler, 1949.
Euthynnus yaito
Anatomy
Kishinouye, 1915a, 1915b, 1919a, 1923.
Chemical analysis
Miyauchi, 1915.
Classification
Fraser-Brunner, 1949.
Kishinouye, 1915a, 1923.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Common names
Chevey, 1932a.
Fujita and Wakiya, 1915.
Herre and Umali, 1948.
Kishinouye, 1915a, 1923.
Nakamura, 1939b.
Okada and Matsubara, 1938.

Euthynnus yaito—Continued
Common names—Continued
Shapiro, 1948b.
Tominaga, 1943.
Compared with *Wanderer wallisi*
Whitley, 1937.
Description
Chevey, 1932a.
Kishinouye, 1915a, 1923.
Okada and Matsubara, 1938.
Tominaga, 1943.
Distribution
Chevey, 1932a, 1932b.
Domantay, 1940.
Eckles, 1949a.
Fraser-Brunner, 1949.
Fujita and Wakiya, 1915.
Godsil and Greenhood, 1948.
Herre, 1933, 1940.
Jordan and Evermann, 1926a.
Jordan and Hubbs, 1925.
Kishinouye, 1915a, 1922c, 1923.
Okada and Matsubara, 1938.
Schaefer, 1948c.
Shapiro, 1948b.
Smith and Schaefer, 1949.
Tominaga, 1943.
Figured
Chevey, 1932a.
Domantay, 1940.
Fraser-Brunner, 1949.
Kishinouye, 1915a, 1923.
Smith and Schaefer, 1949.
Food
Herald, 1949.
Kishinouye, 1923.
Tominaga, 1943.
Welsh, 1949.
Habits
Kishinouye, 1923.
Tominaga, 1943.
Keys
Brock, 1949.
Fraser-Brunner, 1949.
Kishinouye, 1915a, 1923.
Okada and Matsubara, 1938.
Measurement data
Bonham, 1946.
Parasites
Kishinouye, 1923.
Reproduction
Kishinouye, 1923.
Schaefer, 1948c.
Synonymy
Chevey, 1932a, 1934.
Fraser-Brunner, 1949.
Jordan and Hubbs, 1925.
Kishinouye, 1923.
Nakamura, 1939b.
Euthynnus yaito—Continued
Young
Kishinouye, 1919b, 1923, 1924.
Schaefer, 1948c.
Euthynnus alletteratus. See *Euthynnus alletteratus.*
Evolution
Based on internal anatomy
Kishinouye, 1919a.
Exploitation rates
Tauchi, 1940a, 1940b, 1940c.

Fishing conditions
Correlated with area
Hart and Hollister, 1947.
Hart et al., 1948.
Correlated with astronomical phenomena. See Astronomical phenomena.
Correlated with oceanography. See Oceanographic conditions.
Correlated with season
Hart et al., 1948.
Inanami, 1942b.
Whitehead, 1929.
Fishing grounds
Location correlated with oceanography. See Oceanographic conditions.
Food
Anonymous, 1938.
Asano, 1939.
Ban, 1941.
Bennett, 1840.
Chapman, 1946.
Clemens and Wilby, 1946.
Delsman and Hardenburg, 1934.
Eckles, 1949b.
Fitch, 1950.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Hart and Hollister, 1947.
Hart et al., 1948.
Hatai et al., 1941.
Herald, 1949.
Hildebrand, 1946.
Imamura, 1949.
Japanese Bur. Fish., 1934, 1939, 1940.
Jordan and Gilbert, 1881b, 1882.
Kanamura and Yazaki, 1940a, 1940b.
Kishinouye, 1895, 1915a, 1917b, 1923.
Kuronuma, 1940.
Marukawa, 1939.
Miyama, Saruya, and Hasegawa, 1939.
Nakamura, 1936, 1943, 1949.
Nakamura Res. Staff, 1949.
Okuma, Imaizumi, and Maki, 1935.
Scagel, 1949.
Serventy, 1942a.
Shapiro, 1948a.
Starks, 1918.
Starks and Morris, 1907.
Suyehiro, 1936, 1938, 1942.
Taihoku Prov. Fish. Expt. Sta., 1928, 1929.

Food—Continued
Tinker, 1944.
Tominaga, 1943.
Walford, 1937.
Watanabe, H., 1939.
Welsh, 1949.
Whitley, 1937.
Yabe and Mori, 1948.

Germo alalunga. See *Thunnus germo.*
Germo alatunga. See *Thunnus germo.*
Germo albacores. See *Neothunnus itosibi.*
Germo argentivittatus. See *Neothunnus argentivittatus.*
Germo germo. See *Thunnus germo.*
Germo germon. See *Thunnus germo.*
Germo macropterus. See *Neothunnus macropterus.*
Germo sibi. See *Parathunnus sibi.*
Gravity, specific. See Specific gravity, also Oceanographic conditions.
Growth
Aikawa and Kato, 1938.
Brock, 1943.
Kimura, 1932, 1935.
Kishinouye, 1923.
Schaefer, 1948a, 1948b.
Gymnosarda affinis. See *Katsuwonus pelamis.*
Gymnosarda alletterata. See *Euthynnus alletteratus.*
Gymnosarda pelamis. See *Katsuwonus pelamis.*

Habits
Brock, 1949.
Imamura, 1949.
Jordan and Gilbert, 1882.
Kida, 1936.
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Roughly, 1916.
Schaefer, 1948b.
Serventy, 1942a.
Shapiro, 1948a.
Tinker, 1944.
Tominaga, 1943.
Uchida, 1923.
Uda, 1935b, 1940a.
Uda and Tsukushi, 1934.
Hermaphroditism
Nakamura, 1935.
Hormones
Migita and Arakawa, 1948.
Oya and Takahashi, 1936.
Toyama et al., 1941.

Juveniles. See Young.

Katsuwonidae
Anatomy
Kishinouye, 1917a, 1919a
Classification
Kishinouye, 1917a.
Compared with *Allothunnus fallai*
Serventy, 1948.
Katsuwonidae—Continued
Keys
Jordan and Hubbs, 1925.
Katsuwonus pelamis
Age
Aikawa, 1937.
Aikawa and Kato, 1938.
Higashi, 1941b.
Kimura, 1941.
Okamoto, 1940.
Yabe and Mori, 1948.
Anatomy
Eckles, 1949b.
Godsil and Byers, 1944.
Higashi, 1941a.
Imamura, 1949.
Kishinouye, 1915a, 1915b, 1918, 1919a, 1923.
Matsui, 1942a, 1942b.
Suyehiro, 1936, 1938, 1941, 1942.
Body condition
Aikawa, 1937.
Aikawa and Kato, 1938.
Ikebe and Matsumoto, 1937.
Onodera, 1941.
South Seas Govt.-Gen. Fish. Expt. Sta., 1941d.
Suyehiro, 1936, 1938.
Body temperature
Uda, 1941.
Watanabe, N., 1941.
Catch per unit of effort
Kanamura and Yazaki, 1940a, 1940b.
Chemical analysis
Higashi and Hirai, 1948.
Kodama, Iizuka, and Harada, 1934.
Miyama and Osakabe, 1938, 1940.
Miyauchi, 1915.
Okuda, 1918.
Classification
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Kishinouye, 1915a, 1923.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Phillipps, 1927b.
Roedel, 1948b.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931.
Common names
Barnhart, 1936.
Craig, 1929.
Delsman and Hardenburg, 1934.
FAO, 1949.
Fish, 1948.
Fujita and Wakiya, 1915.
Herre and Umali, 1948.
Jordan and Evermann, 1896, 1905.
Jordan and Hubbs, 1925.

Katsuwonus pelamis—Continued
Common names—Continued
Jordan and Jordan, 1922.
Jordan and Snyder, 1901.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1915a, 1923.
Kumata et al., 1941.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Phillipps, 1927b.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a, 1948b.
Smith, 1947.
Starks and Morris, 1907.
Tanaka, 1912.
Tinker, 1944.
Tominaga, 1943.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
Whitley, 1947.
Compared with *Thynnus affinis*
Cantor, 1850.
Description
Barnhart, 1936.
Bennett, 1840.
Bleeker, 1856.
Boeseman, 1947.
Clemens and Wilby, 1946.
Cuvier and Valenciennes, 1934.
Delsman and Hardenburg, 1934.
Eigenmann and Eigenmann, 1890.
Fowler, 1928, 1938.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Günther, 1860, 1876.
Hildebrand, 1946.
Imamura, 1949.
Jordan and Evermann, 1905.
Kishinouye, 1915a, 1922b, 1923.
Lesson, 1830.
Macleay, 1881.
Meek and Hildebrand, 1923.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Roedel, 1948b.
Seale, 1940.
Serventy, 1941.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Stead, 1906.
Tanaka, 1912.
Temminck and Schlegel, 1850.
Tinker, 1944.
Tominaga, 1943.
Walford, 1931, 1937.
Distribution
Abe, 1939.
Anonymous, 1941.
Barnhart, 1936.

Katsuwonus pelamis—Continued
Distribution—Continued
Bleeker, 1856, 1860a, 1862, 1865a.
Chapman, 1946.
Clemens and Wilby, 1946.
Cuvier and Valenciennes, 1831.
Delsman and Hardenburg, 1934.
Domantay, 1940.
Eckles, 1949a.
Eigenmann, 1892.
Eigenmann and Eigenmann, 1890, 1891.
Evermann and Seale, 1907.
FAO, 1949.
Fish, 1948.
Fowler, 1928, 1931, 1934, 1938, 1944, 1949.
Fraser-Brunner, 1950.
Fujita and Wakiya, 1915.
Godsil and Greenhood, 1948.
Günther, 1860, 1876.
Herre, 1932, 1933, 1935, 1936, 1940.
Hildebrand, 1946.
Imamura, 1949.
Jenkins, 1903.
Jordan and Evermann, 1896, 1905.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Jordan and Seale, 1906.
Jordan and Snyder, 1901.
Jordan and Starks, 1907.
Jordan, Tanaka, and Snyder, 1913.
Kanamura and Yazaki, 1940a, 1940b.
Kimura, 1941, 1942b.
Kishinouye, 1915a, 1923.
Kumata et al., 1941.
Lesson, 1830.
Macleay, 1881.
Martin, 1938.
Matsubara, 1943.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Nakamura, 1939b.
Nichols and Murphy, 1944.
Okada and Matsubara, 1938.
Okinawa Pref. Fish. Expt. Sta., 1943.
Phillipps, 1927a, 1927b.
Phillipps and Hodgkinson, 1922.
Reeves, 1928.
Richardson, 1846.
Roedel, 1948b.
Roughly, 1916.
Schaefer, 1948c.
Seale, 1940.
Serventy, 1941, 1947.
Shapiro, 1948a, 1948b.
Smith and Schaefer, 1949.
Soldatov and Lindberg, 1930.
South Seas Govt.–Gen. Fish. Expt. Sta., 1937a.
Starks and Morris, 1907.
Stead, 1906, 1908.
Tanaka, 1912, 1931.

Katsuwonus pelamis—Continued
Distribution—Continued
Taranetz, 1937.
Tinker, 1944.
Tominaga, 1943.
Ulrey, 1929.
Ulrey and Greeley, 1928.
Waite, 1907.
Walford, 1931, 1937.
Whitehead, 1929.
Whitley, 1947.
Distribution correlated with water temperature
Takayama, Ikeda, and Ando, 1934.
Uda, 1935b, 1936, 1940b.
Eggs
Hatai et al., 1941.
Marr, 1948.
Nakamura Res. Staff, 1949.
Yabe and Mori, 1948.
Enemies
Imamura, 1949.
Tinker, 1944.
Figured
Barnhart, 1936.
Clemens and Wilby, 1946.
Cuvier and Valenciennes, 1831.
Domantay, 1940.
Eckles, 1949a.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Jordan and Evermann, 1905.
Kishinouye, 1915a, 1923.
Kitahara, 1897.
Kumata et al., 1941.
Lesson, 1830.
McCulloch, 1922.
Nakamura, 1939b.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a.
Smith and Schaefer, 1949.
Tanaka, 1912.
Temminck and Schlegel, 1850.
Tinker, 1944.
Walford, 1931, 1937.
Fishing conditions correlated with oceanography
Aikawa, 1933.
Chiba Pref. Fish. Expt. Sta., Katsuura Br., 1936, 1937, 1938, 1941.
Formosa Govt.-Gen. Fish. Expt. Sta., 1930, 1931, 1932, 1933b, 1934.
Imamura, 1949.
Inanami, 1941, 1942d.
Kagoshima Pref. Fish. Expt. Sta., 1925, 1926a, 1926b, 1927b, 1928a, 1929a, 1930a, 1931a, 1932a, 1933a, 1935, 1936a, 1937.
Kanamura and Yazaki, 1940b.
Kawamura, 1939.
Kimura, 1941, 1949.
Kōchi Pref. Fish. Expt. Sta., 1923a.

Katsuwonus pelamis—Continued
Fishing conditions correlated with oceanography—Con.
Kumamoto Pref. Fish. Expt. Sta., 1946.
Mie Pref. Fish. Expt. Sta., 1930a, 1930b, 1930d.
Okinawa Pref. Fish. Expt. Sta., 1940a, 1943.
Sasaki, 1939a.
Shapiro, 1948a.
Shimamura, 1927.
Shizuoka Pref. Fish. Expt. Sta., 1936, 1937.
South Seas Govt.-Gen. Fish. Expt. Sta., 1937c, 1938, 1942, 1943b.
Taihoku Prov. Fish. Expt. Sta., 1927a, 1927b, 1929, 1932.
Takayama, Ikeda, and Ando, 1934.
Uda, 1935b, 1938, 1939, 1940c.
Uehara, 1941.
Yabe and Mori, 1948.
Fishing conditions correlated with weather
Kanamura and Yazaki, 1940b.
Okinawa Pref. Fish. Expt. Sta., 1940a, 1943.
Taihoku Prov. Fish. Expt. Sta., 1927a, 1927b.
Uda and Watanabe, 1938.
Food
Clemens and Wilby, 1946.
Delsman and Hardenburg, 1934.
Eckles, 1949b.
Hatai et al., 1941.
Hildebrand, 1946.
Imamura, 1949.
Kishinouye, 1917b, 1923.
Nakamura Res. Staff, 1949.
Shapiro, 1948a.
Suyehiro, 1936, 1938, 1942.
Taihoku Prov. Fish. Expt. Sta., 1928, 1929.
Tinker, 1944.
Tominaga, 1943.
Walford, 1937.
Yabe and Mori, 1948.
Growth
Aikawa and Kato, 1938.
Habits
Imamura, 1949.
Kishinouye, 1923.
Shapiro, 1948a.
Tinker, 1944.
Tominaga, 1943.
Uchida, 1923.
Uda, 1935b, 1940a.
Uda and Tsukushi, 1934.
Hermaphroditism
Nakamura, 1935.
Hormones
Migita and Arakawa, 1948.
Oya and Takahashi, 1936.
Toyama et al., 1941.
Keys
Brock, 1949.
Delsman and Hardenburg, 1934.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.

Katsuwonus pelamis—Continued
Keys—Continued
Hildebrand, 1946.
Kishinouye, 1915a, 1923.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Okada and Matsubara, 1938.
Roedel, 1948b.
Serventy, 1941.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931, 1937.
Length-weight relation
Bonham, 1946.
Measurement data
Aikawa and Kato, 1938.
Bonham, 1946.
Godsil and Byers, 1944.
Higashi, 1940a, 1940b, 1941a, 1941b, 1942.
Ikebe and Matsumoto, 1937.
Kagoshima Pref. Fish. Expt. Sta., 1925, 1926a, 1927b, 1928a, 1929a, 1936a, 1937, 1938a, 1939a, 1940a, 1941.
Kodama, Iizuka, and Harada, 1934.
Marr, 1948.
Nakamura Res. Staff, 1949.
Ōita Pref. Fish. Expt. Sta., 1925.
Okinawa Pref. Fish. Expt. Sta., 1931.
Onodera, 1941.
Schaefer, 1948b.
South Seas Govt.-Gen. Fish. Expt. Sta., 1941d.
Suyehiro, 1936, 1938.
Taihoku Prov. Fish. Expt. Sta., 1928, 1929.
Uda, 1941.
Watanabe, N., 1941.
Yabe and Mori, 1948.
Yamamoto, 1940.
Meristic characters
Godsil and Byers, 1944.
Nakamura Res. Staff, 1949.
Migration
Hatai et al., 1941.
Imamura, 1949.
Kimura, 1941, 1942b.
Kishinouye, 1923.
Matsubara, 1943.
Matsumoto, 1937.
Sasaki, 1939a.
Shapiro, 1948a, 1948b.
Tominaga, 1943.
Uda, 1936.
Walford, 1937.
Parasites
Bennett, 1840.
Harada, 1928.
Kishinouye, 1923.
Manter, 1940.
Van Cleave, 1940.
Populations
Aikawa, 1937.
Godsil and Byers, 1944.

Katsuwonus pelamis—Continued
Populations—Continued
Imamura, 1949.
Tauchi, 1941.
Tominaga, 1943.
Uda and Tsukushi, 1934.
Reproduction
Eckles, 1949b.
Hatai et al., 1941.
Imamura, 1949.
Kishinouye, 1923.
Marr, 1948.
Schaefer, 1948c.
Schaefer and Marr, 1948a.
Shapiro, 1948b.
Walford, 1937.
Yabe and Mori, 1948.
Sex ratio
Ikebe and Matsumoto, 1937.
Marr, 1948.
Nakamura Res. Staff, 1949.
Sexual dimorphism
Hatai et al., 1941.
Sexual maturity
Hatai et al., 1941.
Marr, 1948.
Matsubara, 1943.
Matsui, 1942b.
Nakamura Res. Staff, 1949.
Okinawa Pref. Fish. Expt. Sta., 1931.
Schaefer and Marr, 1948a.
Yabe and Mori, 1948.
Size composition
Aikawa, 1937.
Aikawa and Kato, 1938.
Inanami, 1942b.
Kagoshima Pref. Fish. Expt. Sta., 1937.
Kimura, 1941.
Nakamura Res. Staff, 1949.
Okamoto, 1940.
Sasaki, 1939a.
Uda, 1935b.
Uda and Tsukushi, 1934.
Yabe and Mori, 1948.
Swimming velocity
Watanabe, N., 1941.
Synonymy
Bleeker, 1856.
Boeseman, 1947.
Evermann and Seale, 1907.
FAO, 1949.
Fish, 1948.
Fowler, 1928, 1934, 1944, 1949.
Fraser-Brunner, 1950.
Günther, 1860, 1876.
Herre, 1936.
Hildebrand, 1946.
Jenkins, 1903.
Jordan and Evermann, 1896, 1905.
Jordan, Tanaka, and Snyder, 1913.

Katsuwonus pelamis—Continued
Synonymy—Continued
Kishinouye, 1923.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Nakamura, 1939b.
Phillipps, 1927b.
Richardson, 1846.
Soldatov and Lindberg, 1930.
Tanaka, 1912, 1931.
Ulrey and Greeley, 1928.
Waite, 1907.
Tagging
Anonymous, 1939.
Fukuda and Iizuka, 1940b.
Godsil, 1938.
Kagoshima Pref. Fish. Expt. Sta., 1928a, 1936b, 1938b, 1939b, 1940b.
Matsumoto, 1937.
South Seas Govt.-Gen. Fish. Expt. Sta., 1941c.
Uda, 1936.
Young
Eckles, 1949b.
Hatai et al., 1941.
Inanami, 1942c.
Kishinouye, 1919b, 1923, 1924, 1926.
Marr, 1948.
Schaefer, 1948c.
Schaefer and Marr, 1948a.
Yabe and Mori, 1948.
Young as food of tuna
Kishinouye, 1917b.
Marukawa, 1939.
Katsuwonus pelamys. See *Katsuwonus pelamis.*
Katsuwonus vagans. See *Katsuwonus pelamis.*
Katwonus vagans. See *Katsuwonus pelamis.*
Keys
Brock, 1949.
Delsman and Hardenburg, 1934.
Fraser-Brunner, 1949, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Kishinouye, 1915a, 1923.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Nakamura, 1949.
Okada and Matsubara, 1938.
Roedel, 1948b.
Serventy, 1941.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Wade, 1949.
Walford, 1931, 1937.
Kishinoella
Keys
Soldatov and Lindberg, 1930.
Kishinoella rara
Classification
Nakamura, 1939b.
Okada and Matsubara, 1938.
Common names
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Compared with *Kishinoella zacalles*
Nakamura, 1939b.
Description
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Distribution
Jordan and Evermann, 1926a, 1926b.
Jordan and Hubbs, 1925.
Nakamura, 1939b.
Okada and Matsubara, 1938.
Figured
Nakamura, 1939b.
Keys
Brock, 1949.
Jordan and Evermann, 1926b.
Okada and Matsubara, 1938.
Synonymy
Nakamura, 1939b.
Kishinoella tonggol
Anatomy
Serventy, 1942b.
Common names
Serventy, 1941.
Whitley, 1947.
Compared with *Kishinoella zacalles*
Serventy, 1942b.
Compared with *Neothunnus rarus*
Serventy, 1942b.
Compared with *Thunnus maccoyi*
Serventy, 1941.
Compared with *Thunnus nicolsoni*
Serventy, 1942b.
Compared with *Thunnus tonggol*
Serventy, 1942b.
Description
Serventy, 1941, 1942b.
Distribution
Serventy, 1941, 1942a, 1942b.
Whitley, 1947.
Figured
Serventy, 1941, 1942b.
Food
Serventy, 1942a.
Habits
Serventy, 1942a.
Keys
Serventy, 1941.
Length-weight relation
Serventy, 1941.

Kishinoella tonggol—Continued
Measurement data
Serventy, 1942b.
Reproduction
Serventy, 1942a.
Synonymy
Serventy, 1942b.
Kishinoella zacalles
Classification
Fraser-Brunner, 1950.
Nichols and LaMonte, 1941.
Compared with *Kishinoella rara*
Nakamura, 1939b.
Compared with *Kishinoella tonggol*
Serventy, 1942b.
Description
Fraser-Brunner, 1950.
Jordan and Evermann, 1926b.
Distribution
Fraser-Brunner, 1950.
Jordan and Evermann, 1926b.
Figured
Fraser-Brunner, 1950.
Jordan and Evermann, 1926b.
Keys
Fraser-Brunner, 1950.
Jordan and Evermann, 1926b.
Synonymy
Fraser-Brunner, 1950.

Length-weight data. See Morphometrics.

Mackerel, frigate. See *Auxis* spp.
Management
Schaefer, 1948c.
Maturity
Anonymous, 1938.
Ban, 1941.
Clark, 1929.
Hatai et al., 1941.
Ikebe, 1939.
Imaizumi, 1937.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Kato, 1940.
Marr, 1948.
Matsubara, 1943.
Matsui, 1942b.
Nakamura, 1938.
Nakamura Res. Staff, 1949.
Okinawa Pref. Fish. Expt. Sta., 1931.
Okuma, Imaizumi, and Maki, 1935.
Schaefer, 1948b.
Schaefer and Marr, 1948a.
Soc. Prom. Ocean. Fish., 1936.
Watanabe, H., 1939.
Measurement data. See Morphometrics.
Migration.
Cobb, 1919.
Hatai et al., 1941.
Migration—Continued
Imamura, 1949.
Kimura, 1941, 1942b.
Kishinouye, 1923.
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Matsubara, 1943.
Matsumoto, 1937.
Nakamura, 1943, 1949.
Sasaki, 1939a, 1939b.
Serventy, 1941.
Shapiro, 1948a, 1948b.
Soc. Prom. Ocean. Fish., 1936.
Tauchi, 1940b.
Tominaga, 1943.
Uda, 1936.
Walford, 1937.
Whitehead, 1931.
Morphometrics
Length-weight relation
Bonham, 1946.
Hiratsuka and Morita, 1935.
Schaefer, 1948a.
Serventy, 1941.
Measurement data
Aikawa and Kato, 1938.
Anonymous, 1938.
Bonham, 1946.
Brock, 1943, 1949.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Godsil, 1948.
Godsil and Byers, 1944.
Higashi, 1940a, 1940b, 1941a, 1941c, 1942.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Ikebe, 1939, 1940a, 1940b, 1940c, 1941a, 1941b.
Ikebe and Matsumoto, 1937.
Inanami, 1940a.
Japanese Bur. Fish., 1939, 1940.
Kagoshima Pref. Fish. Expt. Sta., 1925, 1926a, 1927b, 1928a, 1929a, 1936a, 1937, 1938a, 1939a, 1940a, 1941.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Kodama, Iizuka, and Harada, 1934.
Marr, 1948.
Miyama, Saruya, and Hasegawa, 1939.
Nakamura, 1936, 1939a, 1939b.
Nakamura Res. Staff, 1949.
Ōita Pref. Fish. Expt. Sta., 1925, 1927a, 1927b, 1930.
Okinawa Pref. Fish. Expt. Sta., 1931.
Okuma, Imaizumi, and Maki, 1935.
Onodera, 1941.
Schaefer, 1948a, 1948b.
Serventy, 1942b, 1948.
South Seas Govt.-Gen. Fish. Expt. Sta., 1941d, 1943a.
Suyehiro, 1936, 1938.
Taihoku Prov. Fish. Expt. Sta., 1928, 1929.
Uda, 1932, 1941.
Uno, 1936b.
Wade, 1949.
Watanabe, Hajime, 1939.

Morphometrics—Continued
Measurement data—Continued
Watanabe, Haruo, 1940.
Watanabe, N., 1941.
Yabe and Mori, 1948.
Yamamoto, 1940.
Meristic characters
Clark, 1929.
Godsil and Byers, 1944.
Nakamura Res. Staff, 1949.
Schaefer and Marr, 1948b.
Wade, 1949.
Methods of measurement
Godsil, 1948.
Godsil and Byers, 1944.
Marr and Schaefer, 1949.
Sex ratio
Brock, 1943.
Ikebe and Matsumoto, 1937.
Marr, 1948.
Miyama, Saruya, and Hasegawa, 1939.
Nakamura Res. Staff, 1949.

Neothunnus
Compared with *Sematthunnus*
Fowler, 1933.
Nakamura, 1939a.
New species recorded
Jordan and Evermann, 1926a.
Neothunnus albacora
Classification
Nichols and LaMonte, 1941.
Common names
Nichols and LaMonte, 1941.
Description
Nichols and LaMonte, 1941.
Keys
Nichols and LaMonte, 1941.
Synonymy
Nichols and LaMonte, 1941.
Neothunnus albacora albacora. See *Neothunnus albacora.*
Neothunnus albacora macropterus. See *Neothunnus macropterus.*
Neothunnus allisoni
Classification
Nichols and LaMonte, 1941.
Common names
Nichols and LaMonte, 1941.
Compared with *Neothunnus macropterus*
Walford, 1937.
Description
Nichols and LaMonte, 1941.
Keys
Nichols and LaMonte, 1941.
Synonymy
Nichols and LaMonte, 1941.
Neothunnus allisoni allisoni. See *Neothunnus allisoni.*
Neothunnus allisoni itosibi. See *Neothunnus itosibi.*
Neothunnus argentivittatus
Common names
Nichols and Murphy, 1922.
Description
Nichols and Murphy, 1922.
Distribution
Fowler, 1944.
Jordan and Jordan, 1922.
Nichols and Murphy, 1922.
Neothunnus catalinae
Classification
Nichols and LaMonte, 1941.
Common names
Craig, 1929.
Nichols and LaMonte, 1941.
Description
Jordan and Evermann, 1926b.
Nichols and LaMonte, 1941.
Distribution
Jordan and Evermann, 1926b.
Ulrey, 1929.
Figured
Jordan and Evermann, 1926b.
Keys
Jordan and Evermann, 1926b.
Nichols and LaMonte, 1941.
Synonymy
Nichols and LaMonte, 1941.
Neothunnus itosibi
Classification
Nichols and LaMonte, 1941.
Okada and Matsubara, 1938.
Common names
Jordan and Evermann, 1926b.
Okada and Matsubara, 1938.
Compared with *Neothunnus macropterus*
Nakamura, 1939a, 1939b.
Description
Fowler, 1928.
Jordan and Evermann, 1926b.
Okada and Matsubara, 1938.
Powell, 1937.
Distribution
Domantay, 1940.
Fowler, 1928.
Jordan and Evermann, 1926b.
Martin, 1938.
Okada and Matsubara, 1938.
Powell, 1937.
Figured
Domantay, 1940.
Jordan and Evermann, 1926b.
Powell, 1937.
Keys
Jordan and Evermann, 1926b.
Okada and Matsubara, 1938.
Synonymy
Fowler, 1928.
Powell, 1937.

Neothunnus macropterus
Age
Aikawa and Kato, 1938.
Ban, 1941.
Higashi, 1941b.
Ikebe, 1939, 1940a, 1940b, 1940c, 1941a, 1941b.
Kanamura and Yazaki, 1940a, 1940b.
Kimura, 1942a.
Schaefer, 1948b.
Tauchi, 1940b.
Anatomy
Fish, 1948.
Godsil and Byers, 1944.
Higashi, 1941c.
Kishinouye, 1915a, 1915b, 1919a, 1922a, 1923.
Matsui, 1942a.
Migita and Arakawa, 1948.
Nakamura, 1949.
Suyehiro, 1941, 1942.
Body condition
Aikawa and Kato, 1938.
Ikebe, 1939.
Kanamura and Yazaki, 1940a, 1940b.
Body temperature
Anonymous, 1938.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Nakamura, 1941.
Ōita Pref. Fish. Expt. Sta., 1927a, 1930.
Catch per unit of effort
Formosa Govt.-Gen. Fish Expt. Sta., 1933a.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Imaizumi, 1937.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Nakamura, 1949.
Okuma, Imaizumi, and Maki, 1935.
Chemical analysis
Dill, 1921.
Higashi and Hirai, 1948.
Miyama and Osakabe, 1940.
Miyama, Saruya, and Hasegawa, 1939.
Classification
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Kishinouye, 1915a, 1923.
Nakamura, 1939a, 1939b, 1943, 1949.
Nichols and LaMonte, 1941.
Okada and Matsubara, 1938.
Roedel, 1948b.
Schaefer, 1948a.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931.
Common names
Barnhart, 1936.
Delsman and Hardenburg, 1934.

Neothunnus macropterus—Continued
Common names—Continued
FAO, 1949.
Fish, 1948.
Fujita and Wakiya, 1915.
Herre and Umali, 1948.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Jordan and Snyder, 1901.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1915a, 1923.
Kumata et al., 1941.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a, 1948b.
Smith, 1947.
Starks and Morris, 1907.
Tinker, 1944.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
Whitley, 1947.
Compared with *Neothunnus allisoni*
Walford, 1937.
Compared with *Neothunnus itosibi*
Nakamura, 1939a, 1939b.
Compared with *Parathunnus mebachi*
Roedel, 1948b.
Compared with *Semathunnus guildi*
Nakamura, 1939b.
Compared with *Thunnus thynnus*
Thompson and Higgins, 1919.
Description
Barnhart, 1936.
Boeseman, 1947.
Delsman and Hardenburg, 1934.
Fowler, 1928.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Jordan and Starks, 1907.
Kishinouye, 1915a, 1923.
Matsubara, 1943.
Nakamura, 1939b, 1949.
Okada and Matsubara, 1938.
Roedel, 1948b.
Seale, 1940.
Serventy, 1941.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Starks, 1918.
Temminck and Schlegel, 1850.
Thompson and Higgins, 1919.
Tinker, 1944.
Walford, 1931, 1937.

Neothunnus macropterus—Continued
Distribution
Abe, 1939.
Anonymous, 1938.
Barnhart, 1936.
Bleeker, 1852, 1862, 1865a.
Chapman, 1946.
Chu, 1931.
Delsman and Hardenburg, 1934.
Domantay, 1940.
Eckles, 1949a.
FAO, 1949.
Fish, 1948.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Fowler, 1923a, 1928, 1931, 1938, 1949.
Fraser-Brunner, 1950.
Fujita and Wakiya, 1915.
Godsil and Greenhood, 1948.
Herre, 1932, 1935, 1936, 1940.
Hildebrand, 1946.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Holder, 1912.
Hubbs, 1916.
Imaizumi, 1937.
Japanese Bur. Fish., 1934.
Jordan and Evermann, 1926a, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Jordan and Seale, 1906.
Jordan and Snyder, 1901.
Jordan and Starks, 1907.
Jordan, Tanaka, and Snyder, 1913.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Kimura, 1942b.
Kishinouye, 1915a, 1923.
Kōchi Pref. Fish. Expt. Sta., 1923b, -924.
Kumata et al., 1941.
Martin, 1938.
Matsubara, 1943.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Okuma, Imaizumi, and Maki, 1935.
Reeves, 1928.
Richardson, 1846.
Roedel, 1948b.
Schaefer, 1948c.
Seale, 1940.
Serventy, 1941.
Shapiro, 1948a, 1948b.
Smith and Schaefer, 1949.
Soldatov and Lindberg, 1930.
South Seas Govt.-Gen. Fish. Expt. Sta., 1937a.
Starks, 1918.
Starks and Morris, 1907.
Takao Prov. Fish. Expt. Sta., 1927.
Tanaka, 1931.
Taranetz, 1937.
Temminck and Schlegel, 1850.

Neothunnus macropterus—Continued
Distribution—Continued
Tinker, 1944.
Ulrey, 1929.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
Whitley, 1928, 1947.
Distribution correlated with water temperature
Takayama and Ando, 1934.
Uda, 1935a.
Exploitation rates
Tauchi, 1940b.
Figured
Anonymous, 1938.
Barnhart, 1936.
Delsman and Hardenburg, 1934.
Domantay, 1940.
Eckles, 1949a.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Jordan and Evermann, 1926b.
Jordan and Starks, 1907.
Kishinouye, 1915a, 1923.
Kitahara, 1897.
Kumata et al., 1941.
Nakamura, 1949.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a.
Starks, 1918.
Temminck and Schlegel, 1850.
Tinker, 1944.
Walford, 1931, 1937.
Fishing conditions correlated with astronomical phenomena
Takao Prov. Fish. Expt. Sta., 1927.
Fishing conditions correlated with oceanography
Aikawa, 1933.
Ban, 1941.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Ikebe, 1940d, 1942.
Inanami, 1940b, 1940c, 1941, 1942d.
Japanese Bur. Fish., 1934.
Kagoshima Pref. Fish. Expt. Sta., 1926b, 1927a, 1928b, 1929b, 1930b, 1930c, 1931b, 1932b, 1933b.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Kawamura, 1939.
Kimura, 1942a.
Kimura and Ishii, 1933.
Mie Pref. Fish. Expt. Sta., 1930c, 1930e.
Nakamura, 1949.
Ōita Pref. Fish. Expt. Sta., 1930.
Okuma, Imaizumi, and Maki, 1935.
Shapiro, 1948a.
South Seas Govt.-Gen. Fish. Expt. Sta., 1937a, 1938, 1941b, 1942, 1943b.
Takao Prov. Fish Expt. Sta., 1927.

Neothunnus macropterus—Continued
Fishing conditions correlated with oceanography—Con.
Takayama and Ando, 1934.
Uehara, 1941.
Fishing conditions correlated with weather
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Kanamura and Yazaki, 1940a, 1940b.
Ōita Pref. Fish. Expt. Sta., 1930.
Okuma, Imaizumi, and Maki, 1935.
Food
Anonymous, 1938.
Ban, 1941.
Chapman, 1946.
Fitch, 1950.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Herald, 1949.
Hildebrand, 1946.
Japanese Bur. Fish., 1934.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Kishinouye, 1917b, 1923.
Marukawa, 1939.
Miyama, Saruya, and Hasegawa, 1939.
Nakamura, 1936, 1943, 1949.
Okuma, Imaizumi, and Maki, 1935.
Shapiro, 1948a.
Suyehiro, 1942.
Tinker, 1944.
Walford, 1937.
Growth
Aikawa and Kato, 1938.
Kimura, 1932, 1935.
Kishinouye, 1923.
Schaefer, 1948a, 1948b.
Habits
Kishinouye, 1923.
Nakamura, 1949.
Schaefer, 1948b.
Shapiro, 1948a.
Hormones
Migita and Arakawa, 1948.
Toyama et al., 1941.
Keys
Brock, 1949.
Delsman and Hardenburg, 1934.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Jordan and Evermann, 1926b.
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Okada and Matsubara, 1938.
Roedel, 1948b.
Serventy, 1941.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931, 1937.

Neothunnus macropterus—Continued
Length-weight relation
Hiratsuka and Morita, 1935
Schaefer, 1948a.
Measurement data
Aikawa and Kato, 1938.
Anonymous, 1938.
Bonham, 1946.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Godsil, 1948.
Godsil and Byers, 1944.
Higashi, 1940a, 1941b, 1941c, 1942.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Ikebe, 1939, 1940a, 1940b, 1940c, 1941a, 1941b.
Inanami, 1940a.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a, 1940b.
Marr, 1948.
Miyama, Saruya, and Hasegawa, 1939.
Nakamura, 1936, 1939a, 1939b.
Ōita Pref. Fish. Expt. Sta., 1925, 1927a, 1927b, 1930.
Okuma, Imaizumi, and Maki, 1935.
Schaefer, 1948a, 1948b.
South Seas Govt.-Gen. Fish. Expt. Sta., 1943a.
Watanabe, H., 1940.
Meristic characters
Godsil and Byers, 1944.
Migration
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Nakamura, 1943.
Shapiro, 1948a.
Tauchi, 1940b.
Walford, 1937.
Parasites
Kishinouye, 1923.
Populations
Godsil, 1948, 1949.
Godsil and Byers, 1944.
Tauchi, 1940b.
Reproduction
Hatai et al., 1941.
Ikebe, 1941b.
Kishinouye, 1923.
Marr, 1948.
Nakamura, 1939b, 1943, 1949.
Schaefer, 1948c.
Schaefer and Marr, 1948a.
Tinker, 1944.
Walford, 1937.
Sex ratio
Marr, 1948.
Miyama, Saruya, and Hasegawa, 1939.
Sexual maturity
Anonymous, 1938.
Ban, 1941.
Hatai et al., 1941.
Ikebe, 1939.
Imaizumi, 1937.
Kanamura and Imaizumi, 1935.

Neothunnus macropterus—Continued
Sexual maturity—Continued
Kanamura and Yazaki, 1940a, 1940b.
Kato, 1940.
Marr, 1948.
Okuma, Imaizumi, and Maki, 1935.
Schaefer, 1948b.
Schaefer and Marr, 1948a.
Size composition
Aikawa and Kato, 1938.
Kimura, 1932, 1942a.
Schaefer, 1948b.
Schaefer and Marr, 1948a.
Tauchi, 1940b.
Survival rates
Tauchi, 1940b.
Synonymy
Boeseman, 1947.
Chu, 1931.
FAO, 1949.
Fish, 1948.
Fowler, 1928, 1931, 1949.
Fraser-Brunner, 1950.
Herre, 1936.
Hildebrand, 1946.
Jordan and Hubbs, 1925.
Jordan and Starks, 1907.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1923.
Nakamura, 1939a, 1939b, 1949.
Richardson, 1846.
Soldatov and Lindberg, 1930.
Tanaka, 1931.
Ulrey and Greeley, 1928.
Tagging
Godsil, 1938.
Young
Kishinouye, 1924, 1926.
Schaefer, 1948c.
Schaefer and Marr, 1948a.
Neothunnus rarus
Anatomy
Kishinouye, 1915a, 1915b, 1923.
Nakamura, 1949.
Classification
Kishinouye, 1915a, 1923.
Nakamura, 1943, 1949.
Nichols and LaMonte, 1941.
Common names
Delsman and Hardenburg, 1934.
Kishinouye, 1915a, 1923.
Nakamura, 1943, 1949.
Nichols and LaMonte, 1941.
Compared with *Kishinoella tonggol*
Serventy, 1942b.
Description
Delsman and Hardenburg, 1934.
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Nichols and LaMonte, 1941.
Neothunnus rarus—Continued
Distribution
Delsman and Hardenburg, 1934.
Herre, 1940.
Kishinouye, 1915a, 1923.
Nakamura, 1943, 1949.
Eggs
Delsman and Hardenburg, 1934.
Figured
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Food
Kishinouye, 1923.
Nakamura, 1943, 1949.
Habits
Kishinouye, 1923.
Nakamura, 1949.
Keys
Delsman and Hardenburg, 1934.
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Nichols and LaMonte, 1941.
Migration
Nakamura, 1943.
Reproduction
Delsman and Hardenburg, 1934.
Nakamura, 1943.
Synonymy
Kishinouye, 1923.
Nakamura, 1949.
Nichols and LaMonte, 1941.
Neothunnus rarus zacalles. See *Kishinoella zacalles*.
Neothunnus tonggol
Description
Jordan and Evermann, 1926b.
Distribution
Jordan and Evermann, 1926b.
Keys
Jordan and Evermann, 1926b.
Synonymy
Jordan and Evermann, 1926b.
Neothynnus macropterus. See *Neothunnus macropterus*.
Nicotinic acid
Higashi and Hirai, 1948.
Nomenclature, tuna. See Tuna, common names.

Oceanographic conditions. See also Currents; Salinity; Specific gravity; Tides; Water.
Correlated with fishing
Ban, 1941.
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Ikebe, 1942.
Imamura, 1949.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940b.
Kawamura, 1939.
Kōchi Pref. Fish. Expt. Sta., 1923a.
Nakamura, 1949.

Oceanographic conditions—Continued
Correlated with fishing—Continued
Ōita Pref. Fish. Expt. Sta., 1930.
Okuma, Imaizumi, and Maki, 1935.
Scagel, 1949.
Shapiro, 1948a.
South Seas Govt.-Gen. Fish. Expt. Sta., 1937c, 1938, 1941b.
Taihoku Prov. Fish. Expt. Sta., 1927a, 1927b.
Uda, 1935b, 1940c.
Correlated with location of fishing grounds
Inanami, 1942a.
Soc. Prom. Ocean. Fish., 1936.
Orcynus. See Thunnidae.
Orcynus alalonga. See *Thunnus germo.*
Orcynus germo. See *Thunnus germo.*
Orcynus pacificus. See *Thunnus germo.*

Parasites
Bennett, 1840.
Harada, 1928.
Kishinouye, 1923.
Manter, 1940.
Van Cleave, 1940.
Parathunnus
Keys
Soldatov and Lindberg, 1930.
Parathunnus mebachi
Anatomy
Godsil and Byers, 1944.
Higashi, 1941c.
Kishinouye, 1915a, 1915b, 1918, 1919a, 1922a, 1923.
Nakamura, 1949.
Body temperature
Kanamura and Imaizumi, 1935.
Ōita Pref. Fish. Expt. Sta., 1927a, 1930.
Catch per unit of effort
Imaizumi, 1937.
Japanese Bur. Fish., 1939.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a.
Nakamura, 1949.
Chemical analysis
Miyama and Osakabe, 1940.
Miyauchi, 1915.
Classification
Godsil and Byers, 1944.
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1943, 1949.
Common names
Kishinouye, 1915a, 1923.
Kumata et al., 1941.
Nakamura, 1939b, 1943, 1949.
Compared with *Neothunnus macropterus*
Roedel, 1948b.
Compared with *Thunnus germo*
Roedel, 1948b.
Description
Godsil and Byers, 1944.
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1949.
Parathunnus mebachi—Continued
Distribution
Fish, 1948.
Imaizumi, 1937.
Japanese Bur. Fish., 1934.
Kanamura and Imaizumi, 1935.
Kanamura and Yazaki, 1940a.
Kimura, 1942b.
Kishinouye, 1915a, 1923.
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Kumata et al., 1941.
Matsubara, 1943.
Nakamura, 1939b, 1943, 1949.
Takao Prov. Fish. Expt. Sta., 1927.
Distribution correlated with water temperatures
Takayama and Ando, 1934.
Figured
Godsil and Byers, 1944.
Kishinouye, 1915a, 1923.
Kumata et al., 1941.
Nakamura, 1949.
Fishing conditions correlated with astronomical phenomena
Takao Prov. Fish. Expt. Sta., 1927.
Fishing conditions correlated with oceanography
Aikawa, 1933.
Fukuda and Iizuka, 1940a.
Ikebe, 1942.
Inanami, 1940b, 1940c, 1942d.
Japanese Bur. Fish., 1934, 1939.
Kagoshima Pref. Fish. Expt. Sta., 1926b, 1927a, 1928b, 1929b, 1930b, 1930c, 1931b, 1932b, 1933b.
Kanamura and Imaizumi, 1935.
Kimura, 1942a.
Mie Pref. Fish. Expt. Sta., 1930c, 1930e.
Nakamura, 1949.
Ōita Pref. Fish Expt. Sta., 1930.
Okinawa Pref. Fish. Expt. Sta., 1940b.
Ōmori and Fujimoto, 1940.
Ōmori and Fukuda, 1938, 1940.
South Seas Govt.-Gen. Fish. Expt. Sta., 1942.
Takao Prov. Fish. Expt. Sta., 1927.
Takayama and Ando, 1934.
Uehara, 1941.
Fishing conditions correlated with weather
Kanamura and Imaizumi, 1935.
Ōita Pref. Fish. Expt. Sta., 1930.
Food
Kishinouye, 1917b, 1923.
Nakamura, 1943, 1949.
Habits
Kishinouye, 1923.
Nakamura, 1949.
Keys
Godsil and Byers, 1944.
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Measurement data
Godsil and Byers, 1944.
Higashi, 1940a, 1941c.

Parathunnus mebachi—Continued
Measurement data—Continued
Ikebe, 1940a.
Kanamura and Imaizumi, 1935.
Ōita Pref. Fish. Expt. Sta., 1925, 1927a, 1927b, 1930.
Watanabe, H., 1940.
Meristic characters
Godsil and Byers, 1944.
Migration
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Nakamura, 1943.
Parasites
Kishinouye, 1923.
Reproduction
Nakamura, 1943.
Sexual maturity
Kanamura and Imaizumi, 1935.
Synonymy
Kishinouye, 1923.
Nakamura, 1939b, 1949.
Young
Hatai et al., 1941.
Kishinouye, 1926.
Young as food of tunas
Kishinouye, 1917b.
Parathunnus sibi
Anatomy
Suyehiro, 1941, 1942.
Chemical analysis
Miyama and Osakabe, 1938.
Classification
Okada and Matsubara, 1938.
Common names
Jordan and Hubbs, 1925.
Jordan and Snyder, 1901.
Okada and Matsubara, 1938.
Shapiro, 1948b.
Tinker, 1944.
Ulrey and Greeley, 1928.
Compared with *Pelamys sibi*
Bleeker, 1879.
Compared with *Thynnus alalonga*
Temminck and Schlegel, 1850.
Description
Brock, 1949.
Fowler, 1927, 1928.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Okada and Matsubara, 1938.
Temminck and Schlegel, 1850.
Tinker, 1944.
Distribution
Domantay, 1940.
Fowler, 1927, 1928, 1929, 1931, 1938, 1949.
Herre, 1940.
Jordan and Evermann, 1926a, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Jordan and Snyder, 1901.
Parathunnus sibi—Continued
Distribution—Continued
Okada and Matsubara, 1938.
Richardson, 1846.
Shapiro, 1948b.
Smith and Schaefer, 1949.
Snyder, 1904.
Tanaka, 1931.
Tinker, 1944.
Ulrey, 1929.
Ulrey and Greeley, 1928.
Distribution correlated with water temperature
Uda, 1935a.
Figured
Domantay, 1940.
Fowler, 1927, 1928.
Jordan and Evermann, 1926b.
Kitahara, 1897.
Temminck and Schlegel, 1850.
Tinker, 1944.
Food
Suyehiro, 1942.
Habits
Brock, 1949.
Hormones
Toyama et al., 1941.
Keys
Brock, 1949.
Jordan and Evermann, 1926b.
Okada and Matsubara, 1938.
Measurement data
Brock, 1949.
Higashi, 1942.
Synonymy
Fowler, 1928, 1949.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Richardson, 1846.
Tanaka, 1931.
Ulrey and Greeley, 1928.
Young as food of tunas
Marukawa, 1939.
Parathynnus sibi. See *Parathunnus sibi*.
Pelamys affine. See *Euthynnus alletteratus*.
Pelamys macropterus. See *Neothunnus macropterus*.
Pelamys pelamys. See *Katsuwonus pelamis*.
Pelamys sibi
Compared with *Thynnus sibi*
Bleeker, 1879.
Pelamys thunnina. See *Euthynnus alletteratus*.
Plecostei
Anatomy
Berg, 1947.
Kishinouye, 1917a.
Takahashi, 1924.
Classification
Berg, 1947.
Kishinouye, 1917a.
Takahashi, 1924, 1926.

Populations
Aikawa, 1937.
Brock, 1943.
Clark, 1929.
Godsil, 1948, 1949.
Godsil and Byers, 1944.
Imamura, 1949.
Tauchi, 1940a, 1940b, 1940c, 1941.
Tominaga, 1943.
Uda and Tokunaga, 1937.
Uda and Tsukushi, 1934.

Reproduction
Brock, 1943.
Delsman and Hardenburg, 1934.
Eckles, 1949b.
Hatai et al., 1941.
Ikebe, 1941b.
Imamura, 1949.
Kishinouye, 1915a, 1923.
Marr, 1948.
Nakamura, 1938, 1939b, 1943, 1949.
Schaefer, 1948c.
Schaefer and Marr, 1948a.
Serventy, 1941, 1942a.
Shapiro, 1948b.
Soc. Prom. Ocean. Fish., 1936.
Tinker, 1944.
Walford, 1937.
Watanabe, H., 1939.
Whitehead, 1931.
Yabe and Mori, 1948.

Salinity. See also Oceanographic conditions.
Correlated with fishing
Inanami, 1941.
Uda and Tokunaga, 1937.
Scomber taso. See *Auxis taso*.
Semathunnus
Compared with *Neothunnus*
Fowler, 1933.
Nakamura, 1939a.
Semathunnus guildi
Compared with *Neothunnus macropterus*
Nakamura, 1939b.
Description
Fowler, 1933.
Distribution
Fowler, 1934.
Synonymy
Fowler, 1934.
Semathunnus itosibi
Common names
Tinker, 1944.
Description
Tinker, 1944.
Distribution
Fowler, 1934.
Tinker, 1944.
Synonymy
Fowler, 1934.

Sex. See Morphometrics.
Sexual maturity. See Maturity.
Size composition
Aikawa, 1937.
Aikawa and Kato, 1938.
Brock, 1943.
Hart et al., 1948.
Inanami, 1942b.
Kagoshima Pref. Fish. Expt. Sta., 1937.
Kawana, 1934.
Kida, 1936.
Kimura, 1932, 1935, 1941, 1942a.
Mine and Iehisa, 1940.
Nakamura Res. Staff, 1949.
Okamoto, 1940.
Sasaki, 1939a, 1939b.
Scagel, 1949.
Schaefer, 1948b.
Schaefer and Marr, 1948a.
Serventy, 1941, 1947.
Tauchi, 1940a, 1940b, 1940c.
Uda, 1935b.
Uda and Tsukushi, 1934.
Yabe and Mori, 1948.
Skipjack. See *Katsuwonus pelamis*.
Skipjack, black. See *Euthynnus* spp.
Spawning. See Reproduction.
Specific gravity
Correlated with fishing
Formosa Govt.-Gen. Fish. Expt. Sta., 1930, 1931, 1932, 1933b, 1934.
Japanese Bur. Fish., 1939, 1940.
Mie Pref. Fish. Expt. Sta., 1930a, 1930b, 1930c, 1930d, 1930e.
Ōmori and Fujimoto, 1940.
Ōmori and Fukuda, 1938, 1940.
Shimamura, 1927.
Taihoku Prov. Fish. Expt. Sta., 1929.
Stock. See Populations.
Stomach contents. See Food.
Survival rates
Tauchi, 1940a, 1940b, 1940c.
Synonymy
Bleeker, 1852, 1856.
Boeseman, 1947.
Chevey, 1932a, 1934.
Chu, 1931.
Evermann and Seale, 1907.
FAO, 1949.
Fish, 1948.
Fowler, 1904b, 1928, 1931, 1934, 1938, 1944, 1949.
Fraser-Brunner, 1949, 1950.
Griffin, 1927.
Günther, 1860, 1876.
Herre, 1936.
Hildebrand, 1946.
Jenkins, 1903.
Jordan, 1923.
Jordan and Evermann, 1896, 1905, 1926b.
Jordan and Gilbert, 1882.

Synonymy—Continued
Jordan and Hubbs, 1925.
Jordan and Starks, 1907.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1923.
Lütken, 1880.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Nakamura, 1939a, 1939b, 1949.
Nichols and LaMonte, 1941.
Phillipps, 1927b.
Powell, 1937.
Richardson, 1846.
Schultz, 1949.
Schultz and DeLacy, 1936.
Serventy, 1942b.
Soldatov and Lindberg, 1930.
Tanaka, 1912, 1931.
Ulrey and Greeley, 1928.
Wade, 1949.
Waite, 1907, 1921.
Weber, 1913,
Whitley, 1937.

Tagging
Anonymous, 1939.
Fukuda and Iizuka, 1940b.
Godsil, 1938.
Kagoshima Pref. Fish. Expt. Sta., 1928a, 1936b, 1938b, 1939b, 1940b.
Kawana, 1934.
Matsumoto, 1937.
Scagel, 1949.
South Seas Govt.-Gen. Fish. Expt. Sta., 1941c.
Uda, 1936.
Temperature. See Body temperature; Water temperature; also Oceanographic conditions.
Thunnidae
Anatomy
Kishinouye, 1917a, 1919a.
Classification
Jordan, 1923.
Kishinouye, 1917a.
Lütken, 1880.
Distribution
Bleeker, 1844.
Keys
Jordan and Hubbs, 1925.
Synonymy
Jordan, 1923.
Lütken, 1880.
Thunniformes. See Plecostei.
Thunnus alalunga. See *Thunnus germo*.
Thunnus albacora. See *Neothunnus macropterus*.
Thunnus germo
Age
Aikawa and Kato, 1938.
Brock, 1943.
Ikebe, 1940c.
Kanamura and Yazaki, 1940b.
Kimura, 1942a.
Thunnus germo—Continued
Age—Continued
Tauchi, 1940c.
Uno, 1936b.
Anatomy
Bennett, 1840.
Fish, 1948.
Godsil and Byers, 1944.
Kishinouye, 1915a, 1915b, 1919a, 1922a, 1923.
Nakamura, 1949.
Suyehiro, 1941.
Body condition
Aikawa and Kato, 1938.
Kanamura and Yazaki, 1940b.
Soc. Prom. Ocean. Fish., 1936.
Body temperature
Anonymous, 1938.
Kanamura and Yazaki, 1940b.
Ōita Pref. Fish. Expt. Sta., 1927a.
Scagel, 1949.
Catch per unit of effort
Imaizumi, 1937.
Japanese Bur. Fish., 1939, 1940.
Kanamura and Yazaki, 1940a, 1940b.
Nakamura, 1949.
Chemical analysis
Dill, 1921.
Miyauchi, 1915.
Soc. Prom. Ocean. Fish., 1936.
Classification
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Phillipps, 1927b.
Roedel, 1948b.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931.
Common names
Barnhart, 1936.
Craig, 1929.
FAO, 1949.
Fish, 1948.
Fujita and Wakiya, 1915.
Herre and Umali, 1948.
Jordan and Evermann, 1896, 1905.
Jordan and Hubbs, 1925.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Phillipps, 1927b.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a, 1948b.
Smith, 1947.
Starks and Morris, 1907.

Thunnus germo—Continued
Common names—Continued
Tinker, 1944.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
Compared with *Parathunnus mebachi*
Roedel, 1948b.
Description
Barnhart, 1936.
Bennett, 1840.
Boeseman, 1947.
Clemens and Wilby, 1946.
Cooper, 1863.
Cuvier and Valenciennes, 1831.
Fowler, 1904b, 1928.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Griffin, 1927.
Günther, 1860, 1876.
Jordan and Evermann, 1905, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Kishinouye, 1915a, 1923.
Meek and Hildebrand, 1923.
Nakamura, 1939b, 1949.
Okada and Matsubara, 1938.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a.
Soldatov and Lindberg, 1930.
Starks, 1918.
Stead, 1906.
Tinker, 1944.
Walford, 1931, 1937.
Distribution
Anonymous, 1938.
Barnhart, 1936.
Brock, 1939.
Clemens and Wilby, 1946.
Cooper, 1863.
Cowan, 1938.
Cuvier and Valenciennes, 1831.
Eigenmann, 1892.
Eigenmann and Eigenmann, 1891.
FAO, 1949.
Fish, 1948.
Fowler, 1904a, 1923b, 1928, 1931, 1938, 1944.
Fraser-Brunner, 1950.
Fujita and Wakiya, 1915.
Gilbert and Starks, 1904.
Godsil and Greenhood, 1948.
Griffin, 1927.
Günther, 1860, 1876.
Herre, 1940.
Hildebrand, 1946.
Holder, 1912.
Hubbs, 1928.
Imaizumi, 1937.
Japanese Bur. Fish., 1939, 1940.
Jordan, 1885.

Thunnus germo—Continued
Distribution—Continued
Jordan and Evermann, 1896, 1905, 1926a, 1926b.
Jordan and Gilbert, 1881a, 1882.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Jordan and Seale, 1906.
Jordan, Tanaka, and Snyder, 1913.
Kanamura and Yazaki, 1940b.
Kimura, 1942b.
Kishinouye, 1915a, 1923.
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Matsubara, 1943.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Metz, 1912.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Phillipps, 1927a, 1927b.
Phillipps and Hodgkinson, 1922.
Roedel, 1948b.
Roughly, 1916.
Sampson, 1940.
Schaefer, 1948c.
Schultz and DeLacy, 1936.
Serventy, 1941, 1947.
Shapiro, 1948a, 1948b.
Soldatov and Lindberg, 1930.
Starks, 1918.
Starks and Morris, 1907.
Stead, 1906, 1908.
Tanaka, 1931.
Taranetz, 1937.
Thompson and Higgins, 1919.
Tinker, 1944.
Ulrey, 1929.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
Whitehead, 1929.
Distribution correlated with water temperature
Takayama and Ando, 1934.
Uda, 1935a.
Eggs
Watanabe, H., 1939.
Enemies
Bennett, 1840.
Exploitation rates
Tauchi, 1940c.
Figured
Anonymous, 1938.
Barnhart, 1936.
Clemens and Wilby, 1946.
Cooper, 1863.
Fowler, 1904a.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Griffin, 1927.
Günther, 1876.
Holder, 1912.
Jordan and Evermann, 1905, 1926b.

Thunnus germo—Continued
Figured—Continued
Kishinouye, 1915a, 1923.
Kitahara, 1897.
Nakamura, 1949.
Roedel, 1948b.
Serventy, 1941.
Shapiro, 1948a.
Tinker, 1944.
Walford, 1931, 1937.
Fishing conditions correlated with area
Hart and Hollister, 1947.
Hart et al., 1948.
Fishing conditions correlated with oceanography
Aikawa, 1933.
Chiba Pref. Fish. Expt. Sta., Katsuura Br., 1936, 1941.
Hart and Hollister, 1947.
Hart et al., 1948.
Inanami, 1942d.
Japanese Bur. Fish., 1939, 1940.
Kagoshima Pref. Fish. Expt. Sta., 1927a, 1928b, 1930b, 1930c, 1931b, 1932b, 1932c, 1933b.
Kanamura and Yazaki, 1940b.
Kimura, 1942a, 1949.
Mie Pref. Fish. Expt. Sta., 1930c, 1930e.
Nakamura, 1949.
Sasaki, 1939b.
Scagel, 1949.
Shapiro, 1948a.
Takayama and Ando, 1934.
Uda, 1940c.
Uda and Tokunaga, 1937.
Fishing conditions correlated with season
Hart et al., 1948.
Fishing grounds correlated with oceanography
Soc. Prom. Ocean. Fish., 1936.
Food
Anonymous, 1938.
Asano, 1939.
Bennett, 1840.
Clemens and Wilby, 1946.
Hart and Hollister, 1947.
Hart et al., 1948.
Japanese Bur. Fish., 1939, 1940.
Jordan and Gilbert, 1881b, 1882.
Kanamura and Yazaki, 1940b.
Kishinouye, 1917b, 1923.
Kuronuma, 1940.
Nakamura, 1943, 1949.
Scagel, 1949.
Shapiro, 1948a.
Starks, 1918.
Starks and Morris, 1907.
Walford, 1937.
Watanabe, H., 1939.
Growth
Aikawa and Kato, 1938.
Brock, 1943.
Kishinouye, 1923.

Thunnus germo—Continued
Habits
Jordan and Gilbert, 1882.
Kishinouye, 1923.
Nakamura, 1949.
Shapiro, 1948a.
Hormones
Toyama et al., 1941.
Keys
Brock, 1949.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Jordan and Evermann, 1926b.
Kishinouye, 1915a, 1923.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Nakamura, 1949.
Okada and Matsubara, 1938.
Roedel, 1948b.
Serventy, 1941.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931, 1937.
Measurement data
Aikawa and Kato, 1938.
Anonymous, 1938.
Brock, 1943.
Godsil, 1948.
Godsil and Byers, 1944.
Ikebe, 1940c.
Japanese Bur. Fish., 1939, 1940.
Kanamura and Yazaki, 1940b.
Ōita Pref. Fish. Expt. Sta., 1925, 1927a.
South Seas Govt.- Gen. Fish. Expt. Sta., 1943a.
Uno, 1936b.
Watanabe, H. 1939.
Meristic characters
Clark, 1929.
Godsil and Byers, 1944.
Migration
Cobb, 1919.
Kimura, 1942b.
Kishinouye, 1923.
Kōchi Pref. Fish. Expt. Sta., 1923b, 1924.
Nakamura, 1943, 1949.
Sasaki, 1939b.
Shapiro, 1948a.
Soc. Prom. Ocean. Fish., 1936.
Walford, 1937.
Populations
Brock, 1943.
Clark, 1929.
Godsil, 1948, 1949.
Godsil and Byers, 1944.
Tauchi, 1940c.
Uda and Tokunaga, 1937.
Reproduction
Brock, 1943.
Nakamura, 1943.

Thunnus germo—Continued
Reproduction—Continued
Schaefer, 1948c.
Soc. Prom. Ocean. Fish., 1936.
Walford, 1937.
Watanabe, H., 1939.
Sex ratio
Brock, 1943.
Sexual maturity
Anonymous, 1938.
Clark, 1929.
Kanamura and Yazaki, 1940b.
Soc. Prom. Ocean. Fish., 1936.
Watanabe, H., 1939.
Size composition
Aikawa and Kato, 1938.
Brock, 1943.
Hart et al., 1948.
Kimura, 1942a.
Sasaki, 1939b.
Scagel, 1949.
Tauchi, 1940c.
Survival rates
Tauchi, 1940c.
Synonymy
Boeseman, 1947.
FAO, 1949.
Fish, 1948.
Fowler, 1904b, 1928.
Fraser-Brunner, 1950.
Griffin, 1927.
Günther, 1860, 1876.
Jordan and Evermann, 1896, 1905, 1926b.
Jordan and Gilbert, 1882.
Jordan and Hubbs, 1925.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1923.
McCulloch, 1922.
Meek and Hildebrand, 1923.
Nakamura, 1939b, 1949.
Phillipps, 1927b.
Schultz and DeLacy, 1936.
Soldatov and Lindberg, 1930.
Tanaka, 1931.
Ulrey and Greeley, 1928.
Tagging
Scagel, 1949.
Young
Kishinouye, 1917b, 1919b, 1923.
Lütken, 1880.
Schaefer, 1948c.

Thunnus maccori. See *Thunnus maccoyi.*

Thunnus maccoyi
Catch per unit of effort
Serventy, 1947.
Classification
Roughly, 1916.
Common names
Serventy, 1941.
Whitley, 1947.

Thunnus maccoyi—Continued
Compared with *Kishinoella tonggol*
Serventy, 1941.
Description
Castelnau, 1872.
Jordan and Evermann, 1926b.
Macleay, 1881.
Roughly, 1916.
Serventy, 1941.
Stead, 1908.
Distribution
Jordan and Evermann, 1926b.
Lord, 1927.
Macleay, 1881.
McCulloch, 1922.
Roughly, 1916.
Serventy, 1941, 1947.
Stead, 1908.
Waite, 1928.
Whitley, 1947.
Figured
McCulloch, 1922.
Roughly, 1916.
Serventy, 1941.
Habits
Roughly, 1916.
Keys
Jordan and Evermann, 1926b.
McCulloch, 1922.
Serventy, 1941.
Length-weight relation
Serventy, 1941.
Migration
Serventy, 1941.
Reproduction
Serventy, 1941.
Size composition
Serventy, 1941, 1947.
Synonymy
Jordan and Evermann, 1926b.
McCulloch, 1922.

Thunnus macropterus. See *Neothunnus macropterus.*

Thunnus maculatus
Distribution
Holder, 1912.
Figured
Holder, 1912.

Thunnus mebachi. See *Parathunnus mebachi.*

Thunnus nicolsoni
Compared with *Kishinoella tonggol*
Serventy, 1942b.

Thunnus obesus. See also *Parathunnus mebachi* and *Parathunnus sibi.*
Classification
Fraser-Brunner, 1950.
Description
Fraser-Brunner, 1950.
Distribution
Fraser-Brunner, 1950.

Thunnus obesus—Continued
Figured
Fraser-Brunner, 1950.
Keys
Fraser-Brunner, 1950.
Synonymy
Fraser-Brunner, 1950.
Thunnus orientalis
Age
Aikawa and Kato, 1938.
Kimura, 1935.
Tauchi, 1940a.
Anatomy
Kishinouye, 1915a, 1915b, 1919a, 1921, 1922a, 1923.
Migita and Arakawa, 1948.
Nakamura, 1938, 1949.
Suyehiro, 1942.
Body condition
Aikawa and Kato, 1938.
Body temperature
Ōita Pref. Fish. Expt. Sta., 1927a, 1930.
Chemical analysis
Miyama and Osakabe, 1938, 1940.
Miyauchi, 1915.
Shimizu, 1947.
Classification
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Shapiro, 1948a.
Common names
Fujita and Wakiya, 1915.
Jordan and Hubbs, 1925.
Jordan and Snyder, 1901.
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Shapiro, 1948a, 1948b.
Tinker, 1944.
Compared with *Thunnus thynnus*
Kishinouye, 1921.
Soc. Prom. Ocean. Fish., 1936.
Tinker, 1944.
Description
Boeseman, 19
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1949.
Okada and Matsubara, 1938.
Shapiro, 1948a.
Temminck and Schlegel, 1850.
Tinker, 1944.
Distribution
Fowler, 1934.
Fujita and Wakiya, 1915.
Jordan and Evermann, 1926a, 1926b.
Jordan and Hubbs, 1925.
Jordan and Jordan, 1922.
Thunnus orientalis—Continued
Distribution—Continued
Jordan and Snyder, 1900, 1901.
Kimura, 1942b.
Kishinouye, 1915a, 1923.
Kōchi Pref. Fish. Expt. Sta., 1924.
Matsubara, 1943.
Mori, 1928.
Nakamura, 1938, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Reeves, 1928.
Richardson, 1846.
Shapiro, 1948a, 1948b.
Tinker, 1944.
Distribution correlated with water temperature
Takayama and Ando, 1934.
Eggs
Hatai et al., 1941.
Nakamura, 1938, 1949.
Enemies
Kishinouye, 1923.
Exploitation rates
Tauchi, 1940a.
Figured
Kishinouye, 1915a, 1923.
Nakamura, 1939b, 1949.
Otaki, Fujita, and Higurashi, 1903.
Shapiro, 1948a.
Tinker, 1944.
Fishing conditions correlated with astronomical phenomena
Kawana, 1934.
Fishing conditions correlated with oceanography
Aikawa, 1933.
Fukuda and Iizuka, 1940a.
Iehisa, 1939.
Kagoshima Pref. Fish. Expt. Sta., 1927a, 1930c, 1932b.
Kawana, 1934, 1937.
Mie Pref. Fish. Expt. Sta., 1930c, 1930e.
Ōita Pref. Fish. Expt. Sta., 1930.
Okinawa Pref. Fish. Expt. Sta., 1940b.
Ōmori and Fujimoto, 1940.
Ōmori and Fukuda, 1938, 1940.
Shapiro, 1948a.
Takayama and Ando, 1934.
Uda, 1940c.
Fishing conditions correlated with weather
Ōita Pref. Fish. Expt. Sta., 1930.
Food
Kishinouye, 1923.
Nakamura, 1943, 1949.
Shapiro, 1948a.
Suyehiro, 1942.
Growth
Aikawa and Kato, 1938.
Kimura, 1932.
Kishinouye, 1923.
Habits
Kishinouye, 1923.
Nakamura, 1949.
Shapiro, 1948a.

Thunnus orentalis—Continued
Hormones
Migita and Arakawa, 1948.
Keys
Brock, 1949.
Jordan and Evermann, 1926b.
Kishinouye, 1915a, 1923.
Nakamura, 1949.
Okada and Matsubara, 1938.
Measurement data
Aikawa and Kato, 1938.
Higashi, 1940a.
Ōita Pref. Fish. Expt. Sta., 1927a, 1930.
Migration
Kimura, 1942b.
Kishinouye, 1923.
Kōchi Pref. Fish. Expt. Sta., 1924.
Nakamura, 1943, 1949.
Shapiro, 1948a.
Populations
Tauchi, 1940a.
Reproduction
Hatai et al., 1941.
Kishinouye, 1915a, 1923.
Nakamura, 1938, 1939b, 1943, 1949.
Soc. Prom. Ocean. Fish., 1936.
Sexual maturity
Hatai et al., 1941.
Nakamura, 1938.
Size composition
Aikawa and Kato, 1938.
Kawana, 1934.
Kimura, 1932, 1935.
Mine and Iehisa, 1940.
Tauchi, 1940a.
Survival rates
Tauchi, 1940a.
Synonymy
Boeseman, 1947.
Fowler, 1934.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Kishinouye, 1923.
Nakamura, 1939b, 1949.
Richardson, 1846.
Tagging
Kawana, 1934.
Young
Kishinouye, 1919b, 1923.
Thunnus phillippsi
Classification
Phillipps, 1927b.
Common names
Phillipps, 1927b.
Description
Jordan and Evermann, 1926b.
Distribution
Jordan and Evermann, 1926b.
Phillipps, 1927b.
Figured
Jordan and Evermann, 1926b.
Thunnus orentalis—Continued
Keys
Jordan and Evermann, 1926b.
Synonymy
Phillipps, 1927b.
Thunnus phillipsi. See *Thunnus phillippsi.*
Thunnus rarus. See *Neothunnus rarus.*
Thunnus saliens
Common names
Craig, 1929.
Description
Jordan and Evermann, 1926b.
Distribution
Jordan and Evermann, 1926b.
Ulrey, 1929.
Figured
Jordan and Evermann, 1926b.
Keys
Jordan and Evermann, 1926b.
Thunnus schlegeli. See *Thunnus orientalis.*
Thunnus thunnina. See *Euthynnus alletteratus.*
Thunnus thunnus. See *Thunnus thynnus.*
Thunnus thynnus
Anatomy
Fish, 1948.
Godsil and Byers, 1944.
Kishinouye, 1921.
Catch per unit of effort
Whitehead, 1931.
Chemical analysis
Dill, 1921.
Classification
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Roedel, 1948b.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931.
Whitehead, 1931.
Common names
Barnhart, 1936.
FAO, 1949.
Fish, 1948.
Jordan and Evermann, 1896.
Jordan, Tanaka, and Snyder, 1913.
Roedel, 1948b.
Schultz, 1949.
Starks and Morris, 1907.
Tinker, 1944.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
Compared with *Neothunnus macropterus*
Thompson and Higgins, 1919.
Compared with *Thunnus orientalis*
Kishinouye, 1921.
Soc. Prom. Ocean. Fish., 1936.
Tinker, 1944.
Description
Barnhart, 1936.
Fowler, 1928, 1944.
Fraser-Brunner, 1950.

Thunnus thynnus—Continued
Description—Continued
Godsil and Byers, 1944.
Günther, 1876.
Meek and Hildebrand, 1923.
Roedel, 1948b.
Soldatov and Lindberg, 1930.
Starks, 1918.
Stead, 1906.
Tinker, 1944.
Walford, 1931, 1937.
Distribution
Abe, 1939.
Barnhart, 1936.
Brock, 1938.
FAO, 1949.
Fish, 1948.
Fowler, 1923a, 1923b, 1928, 1929, 1931, 1934, 1938, 1944.
Fraser-Brunner, 1950.
Gilbert and Starks, 1904.
Günther, 1876.
Herre, 1936, 1940.
Hildebrand, 1946.
Holder, 1912.
Jordan and Evermann, 1896.
Jordan and Jordan, 1922.
Jordan, Tanaka, and Snyder, 1913.
Meek and Hildebrand, 1923.
Metz, 1912.
Roedel, 1948b.
Schultz, 1949.
Schultz and DeLacey, 1936.
Soldatov, 1929.
Soldatov and Lindberg, 1930.
Starks, 1918.
Starks and Morris, 1907.
Stead, 1906.
Tanaka, 1931.
Taranetz, 1937.
Tinker, 1944.
Ulrey, 1929.
Ulrey and Greeley, 1928.
Waite, 1921.
Walford, 1931, 1937.
Whitehead, 1929, 1931.
Distribution correlated with water temperature
Uda, 1935a.
Enemies
Tinker, 1944.
Walford, 1937.
Figured
Barnhart, 1936.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Holder, 1912.
Kitahara, 1897.
Roedel, 1948b.
Soldatov and Lindberg, 1930.
Starks, 1918.
Tinker, 1944.

Thunnus thynnus—Continued
Figured—Continued
Walford, 1931, 1937.
Whitehead, 1931.
Fishing conditions correlated with oceanography
Kida, 1936.
Food
Tinker, 1944.
Walford, 1937.
Habits
Kida, 1936.
Uchida, 1923.
Keys
Brock, 1949.
Fraser-Brunner, 1950.
Godsil and Byers, 1944.
Hildebrand, 1946.
Meek and Hildebrand, 1923.
Roedel, 1948b.
Soldatov and Lindberg, 1930.
Taranetz, 1937.
Walford, 1931, 1937.
Measurement data
Godsil and Byers, 1944.
Uda, 1932.
Meristic characters
Godsil and Byers, 1944.
Migration
Whitehead, 1931.
Populations
Godsil and Byers, 1944.
Reproduction
Tinker, 1944.
Walford, 1937.
Whitehead, 1931.
Size composition
Kida, 1936.
Synonymy
FAO, 1949.
Fish, 1948.
Fowler, 1928, 1934, 1944.
Fraser-Brunner, 1950.
Günther, 1876.
Herre, 1936.
Jordan and Evermann, 1896.
Jordan, Tanaka, and Snyder, 1913.
Meek and Hildebrand, 1923.
Schultz, 1949.
Schultz and DeLacy, 1936.
Soldatov and Lindberg, 1930.
Tanaka, 1931.
Ulrey and Greeley, 1928.
Waite, 1921.

Thunnus tonggol
Classification
Fraser-Brunner, 1950.
Compared with *Kishinoella tonggol*
Serventy, 1942b.
Description
Bleeker, 1852.

Thunnus tonggol—Continued
Description—Continued
Fraser-Brunner, 1950.
Günther, 1860.
Distribution
Bleeker, 1852, 1861b.
Fraser-Brunner, 1950.
Günther, 1860.
Figured
Fraser-Brunner, 1950.
Serventy, 1942b.
Keys
Fraser-Brunner, 1950.
Synonymy
Bleeker, 1852.
Fraser-Brunner, 1950.
Günther, 1860.
Thunnus zacalles. See *Kishinoella zacalles.*
Thynnus. See *Thunnidae.*
Thynnus affinis. See *Euthynnus alletteratus.*
Thynnus alalonga. See also *Thunnus germo.*
Compared with *Thynnus sibi*
Temminck and Schlegel, 1850.
Thynnus germo. See *Thunnus germo.*
Thynnus maccoyi. See *Thunnus maccoyi.*
Thynnus macropterus. See *Neothunnus macropterus.*
Thynnus orientalis. See *Thunnus orientalis.*
Thynnus pacificus. See *Thunnus germo.*
Thynnus pelamys. See *Katsuwonus pelamis.*
Thynnus sibi. See *Parathunnus sibi;* also *Thunnus germo.*
Thynnus thunina. See *Euthynnus alletteratus.*
Thynnus thunnina. See *Euthynnus alletteratus.*
Thynnus thynnus. See *Thunnus thynnus.*
Thynnus tonggol. See *Thunnus tonggol.*
Tides. See also Oceanographic conditions.
Correlated with fishing
Takao Prov. Fish. Expt. Sta., 1927.
Transparency, water. See Water transparency; also Oceanographic conditions.
Tuna
Bibliography
Corwin, 1930.
Chemical analysis
Kodama, Iizuka, and Harada, 1934.
Tomiyama, 1933.
Common names
Australian
Serventy, 1941.
Whitley, 1947.
English
Barnhart, 1936.
Craig, 1929.
Fish, 1948.
Herre and Umali, 1948.
Jordan and Evermann, 1896.
Kumata et al., 1941.
Nichols and LaMonte, 1941.
Roedel, 1948b.
Schultz, 1949.
Starks and Morris, 1907.
Tuna—Continued
Common names—Continued
English—Continued
Tanaka, 1912.
Tinker, 1944.
Ulrey and Greeley, 1928.
Walford, 1931, 1937.
European
Kumata et al., 1941.
Tinker, 1944.
Hawaiian
Jordan and Evermann, 1905.
Jordan and Jordan, 1922.
Smith, 1947.
Tinker, 1944.
Indo-Chinese
Chevey, 1932a.
Japanese
Fish, 1948.
Fujita and Wakiya, 1915.
Jordan and Evermann, 1926b.
Jordan and Hubbs, 1925.
Jordan and Metz, 1913.
Jordan and Snyder, 1901.
Jordan, Tanaka, and Snyder, 1913.
Kishinouye, 1915a, 1923.
Kumata et al., 1941.
Nakamura, 1939b, 1943, 1949.
Okada and Matsubara, 1938.
Shapiro, 1948a.
Tanaka, 1912.
Tinker, 1944.
Tominaga, 1943.
Malayan
Delsman and Hardenburg, 1934.
Kumata et al., 1941.
Maori
Phillipps, 1927b.
Micronesian
Smith, 1947.
New Zealand
Phillipps, 1927b.
Peruvian
Nichols and Murphy, 1922.
Philippine
Herre and Umali, 1948.
Ryukyuan
Shapiro, 1948b.
Venezuelan
Schultz, 1949.
Worldwide
FAO, 1949.
Distribution
Hasegawa, 1937.
South Seas Govt.-Gen. Fish. Expt. Sta., 1937b, 1941a.
Food
Kishinouye, 1895, 1915a.
Habits
Kishinouye, 1915a.
Measurement data
Kodama, Iizuka, and Harada, 1934.

Wanderer wallisi
Classification
Whitley, 1937.
Compared with *Euthynnus allitteratus*
Whitley, 1937.
Compared with *Euthynnus yaito*
Whitley, 1937.
Description
Whitley, 1937.
Food
Whitley, 1937.
Synonymy
Whitley, 1937.
Water. See also Oceanographic conditions.
Color correlated with fishing
Inanami, 1940c.
Taihoku Prov. Fish. Expt. Sta., 1929, 1932.
Temperature
Correlated with body temperature
Nakamura, 1941.
Ōita Pref. Fish. Expt. Sta., 1927a, 1930.
Correlated with distribution
Takayama and Ando, 1934.
Takayama, Ikeda, and Ando, 1934.
Correlated with fishing conditions
Aikawa, 1933.
Chiba Pref. Fish. Expt. Sta., Katsuura Br., 1936, 1937, 1938, 1941.
Formosa Govt.-Gen. Fish. Expt. Sta., 1930, 1931, 1932, 1933b, 1934.
Fukuda and Iizuka, 1940a.
Hart and Hollister, 1947.
Hart et al., 1948.
Iehisa, 1939.
Inanami, 1941, 1942d.
Japanese Bur. Fish., 1934, 1939, 1940.
Kagoshima Pref. Fish. Expt. Sta., 1925, 1926a, 1926b, 1927a, 1927b, 1928a, 1928b, 1929a, 1929b, 1930a, 1930b, 1930c, 1931a, 1931b, 1932a, 1932b, 1932c, 1933a, 1933b, 1935, 1936a, 1937.
Kanamura and Yazaki, 1940a.
Kawana, 1937.
Kida, 1936.
Kimura, 1941, 1942a, 1949.
Kimura and Ishii, 1933.
Kumamoto Pref. Fish. Expt. Sta., 1946.
Mie Pref. Fish. Expt. Sta., 1930a, 1930b, 1930c, 1930d, 1930e.
Okinawa Pref. Fish. Expt. Sta., 1940a, 1940b, 1943.
Ōmori and Fujimoto, 1940.
Ōmori and Fukuda, 1938, 1940.
Sasaki, 1939a, 1939b.
Shizuoka Pref. Fish. Expt. Sta., 1936, 1937.
South Seas Govt.-Gen. Fish. Expt. Sta., 1942, 1943b.
Taihoku Prov. Fish. Expt. Sta., 1929, 1932.
Takayama and Ando, 1934.
Takayama, Ikeda, and Ando, 1934.
Uda, 1935a, 1935b, 1936, 1938, 1939, 1940b, 1940c.
Uda and Tokunaga, 1937.
Water—Continued
Temperature—Continued
Correlated with fishing conditions—Continued
Uehara, 1941.
Yabe and Mori, 1948.
Transparency correlated with fishing
Inanami, 1942a.
Japanese Bur. Fish., 1934.
Weather
Correlated with fishing
Formosa Govt.-Gen. Fish. Expt. Sta., 1933a.
Hiratsuka and Imaizumi, 1934.
Hiratsuka and Ito, 1934.
Iehisa, 1939.
Kanamura and Imaizumi, 1935.
Ōita Pref. Fish. Expt. Sta., 1930.
Okinawa Pref. Fish. Expt. Sta., 1940a, 1943.
Okuma, Imaizumi, and Maki, 1935.
Taihoku Prov. Fish. Expt. Sta., 1927a, 1927b.
Uda and Watanabe, 1938.

Yellow-finned tuna. See *Neothunnus macropterus.*
Young
As food of tunas
Eckles, 1949b.
Kishinouye, 1917b.
Marukawa, 1939.
Description
Delsman, 1931.
Delsman and Hardenburg, 1934.
Eckles, 1949b.
Günther, 1889.
Kagoshima Pref. Fish. Expt. Sta., 1926a, 1927b.
Kishinouye, 1919b, 1923, 1924, 1926.
Lütken, 1880.
Marr, 1948.
Schaefer and Marr, 1948a, 1948b.
Wade, 1949.
Figured
Eckles, 1949b.
Günther, 1889.
Kishinouye, 1919b, 1923, 1926.
Lütken, 1880.
Schaefer and Marr, 1948a, 1948b.
Wade, 1949.
Records of capture
Delsman, 1931.
Delsman and Hardenburg, 1934.
Eckles, 1949b.
Günther, 1889.
Hatai et al., 1941.
Inanami, 1942c.
Kagoshima Pref. Fish. Expt. Sta., 1926a, 1927b.
Kishinouye, 1919b, 1923, 1924, 1926.
Lütken, 1880.
Marr, 1948.
Schaefer, 1948c.
Schaefer and Marr, 1948a, 1948b.
Wade, 1949.
Yabe and Mori, 1948.